

R A L P H L A U R E N

L I G H T I N G

TABLE OF CONTENTS

TABLE	02
FLOOR	34
CEILING	56
WALL	130
OUTDOOR	188
INDEX	192
EU INDEX	198



TABLE LAMPS

RL3633BC-WP
Halifax Small Table
Lamp in Blue
Ceramic with
White Paper Shade

RL3633BC-WP-EU
(European Wiring)



RALPH LAUREN

RL3633ICO-WP
Halifax Small Table
Lamp in Coconut
with White
Paper Shade

Height: 27.5"
Width: 19"
Base: 10.75" Round

Finishes:
BC, BLK, ICO
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket: E26 Dimmer
Bulb: 100 A19

RL3633ICO-WP-EU
(European Wiring)



RL3633BLK-WP
Halifax Small Table
Lamp in Black
Ceramic with
White Paper Shade

RL3633BLK-WP-EU
(European Wiring)



RL3634ICO-WP
Halifax Large Table
Lamp in Coconut
with White
Paper Shade

Height: 36.25"
Width: 25"
Base: 14" Round

Finishes:
BLC, BLK, ICO
Shade Treatments: WP
Shade Details:
19" x 25" x 18"

Socket: E26 Dimmer
Bulb: 150 A21

RL3634ICO-WP-EU
(European Wiring)



RL3634BLK-WP
Halifax Large Table
Lamp in Black
Ceramic with
White Paper Shade

RL3634BLK-WP-EU
(European Wiring)



RL3625BLK-WP
Carter Small Table
Lamp in Black
Porcelain with
White Paper Shade

RL3625BLK-WP-EU
(European Wiring)



RALPH LAUREN

RL3625WT-WP
Carter Small Table
Lamp in White
Porcelain with
White Paper Shade

Height: 25"
Width: 19"
Base: 7" Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket: E26 Dimmer
Bulb: 150 A21

RL3625WT-WP-EU
(European Wiring)



RL3625BLK-WP
Carter Small Table
Lamp in Black
Porcelain with
White Paper Shade

RL3625BLK-WP-EU
(European Wiring)



RL3627WT-WP
Carter Large Table
Lamp in White
Porcelain with
White Paper Shade

Height: 36.5"
Width: 22"
Base: 12" Round

Finishes: BLK, WHT
Shade Treatments:
WP
Shade Details:
19" x 22" x 15"

Socket: E26 Dimmer
Bulb: 150 A21

RL3627WT-WP-EU
(European Wiring)



RL3627BLK-WP
Carter Large Table
Lamp in Black
Porcelain with
White Paper Shade

RL3627BLK-WP-EU
(European Wiring)



RALPH LAUREN

RL 3677WHT-L
Ilona Medium Table
Lamp in White with
Linen Shade
Height: 24.5"
Width: 18"
Base: 7" Square

Finishes: BLK, WHT
Shade Treatments: L
Shade Details:
14.5" x 18" x 12"

Socket: E26 Dimmer
Bulb: 100 A19

RL 3677WHT-L-EU
(European Wiring)



RL 3677BLK-L
Ilona Medium Table
Lamp in Black
with Linen Shade

RL 3677BLK-L-EU
(European Wiring)



RL3622WLC-L
Isla Small Table
Lamp in White
Leather Ceramic
with Linen Shade
Height: 28"
Width: 19"
Base: 7.5" Square

Finishes: CBZ, WLC
Shade Treatments: L
Shade Details:
17" x 19" x 12"

Socket: E26 Dimmer
Bulb: 150 A21

RL3622WLC-L-EU
(European Wiring)



RL3622CBZ-L
Isla Small Table
Lamp in Crystal
Bronze Ceramic
with Linen Shade

RL3622CBZ-L-EU
(European Wiring)





RALPH LAUREN

RL3542BRT-WP
Lohan Medium Table
Lamp in Black
Rattan with White
Paper Shade

Height: 27"
Width: 21"
Base: 8.75" Round

Finishes: BRT
Shade Treatments:
WP
Shade Details:
16" x 21" x 15"
Closed Top

Socket: E26 Dimmer
Bulb: 100 A19

RL3542BRT-WP-EU
(European Wiring)



RL3593MHG-SBP
Tisdale Large Table
Lamp in Mahogany
with Silk Box
Pleat Shade

Height: 31"
Width: 22"
Base: 9" Round

Finishes: MHG
Shade Treatments: SP
Shade Details:
9" x 22" x 15.25"

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3593MHG-SBP-EU
(European Wiring)



RL3660MBZ-L
Monterey Large
Table Lamp in
Matte Bronze
with Linen Shade

Height: 32"
Width: 21.5"
Base: 6.75" Round

Finishes: LTS, MBZ
Shade Treatments: L
Shade Details:
16.5" x 21.5" x 14"

Socket: E26 Dimmer
Bulb: 100 A19

Note:
Reactive Ceramic
Glazes Will Vary in
Color and Texture

RL3660MBZ-L-EU
(European Wiring)



RL3660LTS-L
Monterey Large
Table Lamp in
Light Silt
with Linen
Shade

RL3660LTS-L-EU
(European Wiring)



RL15032BKP
Gable Table Lamp
in Black and
Gold Porcelain
with Silk Shade
Height: 34"
Width: 21"
Base: 9.75" Round

Finishes: BLK
Shade Treatments: S
Shade Details:
10" x 21" x 13"

Socket: E26 3-Way
Bulb: 150 A21

RL15032BKP-EU
(European Wiring)



RL3649BW-S
Foo Dog Medium
Table Lamp in
Blue and White
Porcelain with
Silk Shade

RL3649BW-S-EU
(European Wiring)



RALPH LAUREN

RL3649BW-S
Foo Dog Medium
Table Lamp in
Blue and White
Porcelain with
Silk Shade

Height: 28"
Width: 21"
Base: 9" Round

Finishes: BLW
Shade Treatments: S
Shade Details:
7" x 21" x 13"

Socket:
2 - E26 Pull Chain
Bulb: 2 - 75 A19

RL3649BW-S-EU
(European Wiring)



RL3653BW-S
Sydnee Large Gourd
Table Lamp in
Blue and White
Porcelain with Silk
Pleated Shade

Height: 33.5"
Width: 19.25"
Base: 7.75" Round

Finishes: BW
Shade Treatments: S
Shade Details:
9.75" x 19.25" x 15"

Socket: E26 Dimmer
Bulb: 100 A19

RL3653BW-S-EU
(European Wiring)



RL3651BW-S
Blythe Medium Table
Lamp in Blue and
White Porcelain with
Silk Pleated Shade

Height: 28"
Width: 16.75"
Base: 8.5" Round

Finishes: BW
Shade Treatments: S
Shade Details:
8.5" x 16.75" x 13"

Socket: E26 Dimmer
Bulb: 100 A19

RL3651BW-S-EU
(European Wiring)



RL3652BW-S
Blythe Large Table
Lamp in Blue and
White Porcelain with
Silk Pleated Shade

Height: 36.75"
Width: 21.75"
Base: 10.25" Round

Finishes: BW
Shade Treatments: S
Shade Details:
11.75" x 21.75" x 16"

Socket: E26 Dimmer
Bulb: 100 A19

RL3652BW-S-EU
(European Wiring)



RL14040PN-S
Daniela Table Lamp
in Crystal with
Silk Shade
Height: 29.5"
Width: 21"
Base: 7" Round

Finishes: CG
Shade Treatments: S
Shade Details:
10" x 21" x 13.25"

Socket: E26 Dimmer
Bulb: 150 A21

Note:
French Wired

RL14040PN-S-EU
(European Wiring)



RALPH LAUREN

RL3920CG-WP
Brookings Large
Table Lamp in
Crystal and Polished
Nickel with White
Paper Shade
Height: 29"
Width: 18"
Base: 12" Round

Finishes: CG
Shade Treatments:
WP
Shade Details:
17" x 18" x 10.5"

Socket:
2 - E26 Pull Chain
Bulb: 2 - 60 A19

RL3920CG-WP-EU
(European Wiring)



RL3936CG-S
Metropolis Table
Lamp in Clear Glass
with Silk Shade
Height: 29"
Width: 21"
Base: 8" Round

Finishes: CG
Shade Treatments: S
Shade Details:
7" x 21" x 13"

Socket: E26 Dimmer
Bulb: 100 A19

RL3936CG-S-EU
(European Wiring)



RL11167BN-P
Modern Table
Lamp in Natural
Brass with White
Paper Shade
Height: 30"
Width: 26"
Base: 9.25" Round

Finishes:
BZ, NB, PS
Shade Treatments:
WP
Shade Details:
7" x 26" x 14.5"

Socket:
E26 3-Way
Bulb: 150 A21

RL11167BN-P-EU
(European Wiring)



RL11167PS-P
Modern Table
Lamp in Polished
Silver with White
Paper Shade

RL11167PS-P-EU
(European Wiring)



RALPH LAUREN

RL3965NB/Q-P
Ellis Bedside Lamp
in Natural Brass
and Quartz with
Percale Shade

Height: 22.5"
Width: 15"
Base: 6.5" x 9.5" Rec.

Finishes: NB, PN
Shade Treatments: P
Shade Details:
14" x 15" x 10" Rec.

Socket: E26 Dimmer
Bulb: 75 A19

RL3965NB/Q-P-EU
(European Wiring)



RL3966PN/Q-P
Ellis Table Lamp
in Polished Nickel
and Quartz with
Percale Shade

Height: 30.5"
Width: 17"
Base: 6" Square

Finishes: NB, PN
Shade Treatments: P
Shade Details:
16" x 17" x 12" Square

Socket: E26 Dimmer
Bulb: 75 A19

RL3966PN/Q-P-EU
(European Wiring)



RL3082NB-WP
Allen Table Lamp
in Natural Brass
and Glass Rods with
White Paper Shade

Height: 30"
Width: 18"
Base: 8.5" Round

Finishes: NB, PN
Shade Treatments:
WP
Shade Details:
16" x 18" x 12"

Socket: E26 Dimmer
Bulb: 100 A19

RL3082NB-WP-EU
(European Wiring)



RL3082PN-WP
Allen Table Lamp
in Polished Nickel
and Glass Rods with
White Paper Shade


RL3082PN-WP-EU
(European Wiring)



RL3082PN-WP
Allen Table Lamp in
Polished Nickel and
Glass Rods with
White Paper Shade

RL3082PN-WP-EU
(European Wiring)





RL3094PN-L
Barrett Medium
Knurled Table Lamp
in Polished Nickel
with Linen Shade

RL3094PN-L-EU
(European Wiring)

RALPH LAUREN

RL3346NB
Barrett Mini
Desk Lamp in
Natural Brass

Height: 13.25" - 15.5"
Width: 5.75"
Extension: 7.25" - 9.5"
Base: 5" Round

Finishes: NB, PN

Socket:
Dedicated LED
w/Dimmer
Bulb: 9w (900lm)

RL3346NB-EU
(European Wiring)



RL3346PN
Barrett Mini
Desk Lamp in
Polished Nickel

RL3346PN-EU
(European Wiring)



RL3094NB-L
Barrett Medium
Knurled Table Lamp
in Natural Brass
with Linen Shade

Height: 28.5"
Width: 17.5"
Base: 9" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
16.75" x 17.5" x 11.25"
Closed Top

Socket:
2 - E26 Pull Chain
Bulb: 2 - 60 A19

RL3094NB-L-EU
(European Wiring)



RL3094PN-L
Barrett Medium
Knurled Table Lamp
in Polished Nickel
with Linen Shade

RL3094PN-L-EU
(European Wiring)



RL3031PN/EC-PN
Barton Desk Lamp
in Polished Nickel
and Etched Crystal
with Polished
Nickel Shade

RL3031PN/EC-PN-EU
(European Wiring)



RALPH LAUREN

RL3560NB/TK-WG
Northport Small Table
Lantern in Natural
Brass and Teak
with White Glass

Height: 13.5"
Width: 6"
Base: 5" Square

Finishes:

BZ/TK, NB/TK,
PN/TK

Glass Options: WG

Socket:

Dedicated LED

Bulb: 20w (1600lm)

RL3560NB/TK-WG-EU

(European Wiring)

RL3560BZ/TK-WG
Northport Small Table
Lantern in Bronze
and Teak with
White Glass

RL3560BZ/TK-WG-EU

(European Wiring)

RL3560PN/TK-WG
Northport Small Table
Lantern in Polished
Nickel and Teak
with White Glass

RL3560PN/TK-WG-EU

(European Wiring)



RL3031NB/EC-NB
Barton Desk Lamp
in Natural Brass
and Etched Crystal
with Natural
Brass Shade

Height: 20.25"
Width: 15.5"
Base: 8" Round

Finishes: BZ, NB, PN

Shade Treatments:

BZ, NB, PN

Shade Details:

15.5" x 15.5" x 7.5"

Socket:

Dedicated LED

Bulb: 9w (1000lm)

RL3031NB/EC-NB-EU

(European Wiring)

RL3031BZ/EC-BZ
Barton Desk Lamp
in Bronze and
Etched Crystal
with Bronze Shade

RL3031BZ/EC-BZ-EU

(European Wiring)



RL 3040NB-PW
Cara Sculpted Table
Lamp in Natural
Brass with Plaster
White Shade

RL 3040NB-PW-EU
(European Wiring)



RALPH LAUREN

RL 3040NB-PW
Cara Sculpted Table
Lamp in Natural
Brass with Plaster
White Shade

Height: 21"
Width: 18"
Base: 8" Round

Finishes:

BZ, NB, PN

Shade Treatments:

PW

Socket:

Dedicated LED
w/Line Switch

Bulb: 12w (1100lm)

RL 3040NB-PW-EU
(European Wiring)



RL 3040PN-PW
Cara Sculpted Table
Lamp in Polished
Nickel with Plaster
White Shade

RL 3040PN-PW-EU
(European Wiring)



RL3183NB-L
Westbury Table Lamp
in Natural Brass
with Linen Shade

Height: 25.5"
Width: 16.75"
Base: 6.5" x 10" Oval

Finishes: NB, PN

Shade Treatments: L

Shade Details:
15" x 16.75" x 10.5"
Oval

Socket: E26 Dimmer

Bulb: 150 A21

RL3183NB-L-EU
(European Wiring)



RL3183PN-L
Westbury Table Lamp
in Polished Nickel
with Linen Shade

RL3183PN-L-EU
(European Wiring)



RALPH LAUREN

RL 3533NB/SDL-L
Cody Medium Table
Lamp in Natural Brass
and Saddle Leather
with Linen Shade

Height: 28.5"
Width: 19"
Base: 9" Round

Finishes:

NB/NVY, NB/SDL,
PN/CHC

Shade Treatments: L

Shade Details:
17" x 19" x 12"

Socket: E26 Dimmer

Bulb: 100 A19

RL 3533NB/SDL-L-EU
(European Wiring)



RL 3533PN/CHC-L
Cody Medium Table
Lamp in Polished
Nickel and Chocolate
Leather with
Linen Shade

RL 3533PN/CHC-L-EU
(European Wiring)



RL3491NB/NVY-P
Garner Table Lamp
in Natural Brass
and Navy Leather
with Percale Shade

Height: 30"
Width: 20"
Base: 7.5" Round

Finishes:

NB/NVY, NB/SDL,
PN/CHC

Shade Treatments: P

Shade Details:
6" x 20" x 11.25"

Socket:

2 - E26 Keyless
w/Pull Chain

Bulb: 2 - 40 B11

RL3491NB/NVY-P-EU
(European Wiring)



RL3491PN/CHC-P
Garner Table Lamp
in Polished Nickel and
Chocolate Leather
with Percale Shade

RL3491PN/CHC-P-EU
(European Wiring)



RALPH LAUREN

RL14042PN-L
Beckford Table Lamp
in Saddle Leather
with Linen Shade
Height: 24"
Width: 15"
Base: 8.5" Round

Finishes:
BK, CHC, SDL
Shade Treatments: L
Shade Details:
14" x 15" x 10"
Closed Top

Socket: E26 Dimmer
Bulb: 150 A21

RL14042PN-L-EU
(European Wiring)



RL14042BK-L
Beckford Table Lamp
in Black Faux Croc
with Linen Shade

RL14042BK-L-EU
(European Wiring)



RL3493NB/NVY-L
Riley Medium Table
Lamp in Natural Brass
and Navy with Leather
Trimmed Linen Shade
Height: 28.75"
Width: 19"
Base: 9" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
17" x 19" x 12.25"

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3493NB/NVY-L-EU
(European Wiring)



RL3493PN/CHC-L
Riley Medium Table
Lamp in Polished
Nickel and Chocolate
Leather with Leather
Trimmed Linen Shade

RL3493PN/CHC-L-EU
(European Wiring)



RALPH LAUREN

RL3728NB-WP
Kolber Medium
Table Lamp in
Natural Brass with
White Paper Shade

Height: 26.5"
Width: 19"
Base: 6.5" Round

Finishes: BS, NB
Shade Treatments: WP
Shade Details:
14" x 19" x 13"

Socket:
E26 Dimmer
Bulb: 15 LED A19

RL3728NB-WP-EU
(European Wiring)



RL3728BS-WP
Kolber Medium
Table Lamp in
Butler's Silver with
White Paper Shade

RL3728BS-WP-EU
(European Wiring)



RL3522NB-SBP
Downing Large Table
Lamp in Natural
Brass with Silk
Box Pleat Shade

Height: 31"
Width: 17.5"
Base: 9" Round

Finishes: BS, NB
Shade Treatments: SP
Shade Details:
16.75" x 17.5" x 11.25"

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3522NB-SBP-EU
(European Wiring)



RL3522BS-SBP
Downing Large Table
Lamp in Butler's
Silver with Silk
Box Pleat Shade

RL3522BS-SBP-EU
(European Wiring)



RALPH LAUREN

RL3127NB-SBP
Doris Medium Table
Lamp in Natural
Brass with Silk
Box Pleat Shade

Height: 25"
Width: 12"
Base: 5.5" Round

Finishes: BS, NB
Shade Treatments: SP
Shade Details:
8" x 12" x 9"

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3127NB-SBP-EU
(European Wiring)



RL3127BS-SBP
Doris Medium Table
Lamp in Butler's
Silver with Silk
Box Pleat Shade

RL3127BS-SBP-EU
(European Wiring)



RL3092NB-SBP
Hammett Large Table
Lamp in Natural
Brass with Silk
Box Pleat Shade

Height: 33.75"
Width: 22"
Base: 9.25" Round

Finishes: BS, NB
Shade Treatments: SP
Shade Details:
9" x 22" x 15.25"

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3092NB-SBP-EU
(European Wiring)



RL3092BS-SBP
Hammett Large Table
Lamp in Butler's
Silver with Silk
Box Pleat Shade

RL3092BS-SBP-EU
(European Wiring)



RL3682WB/NB-NB
Dalfern Desk Lamp in
Waxed Bamboo and
Natural Brass with
Natural Brass Shade

Height: 26.5"
Width: 8.25"
Base: 5.5" Round

Finishes:
WB/NB, WB/PN
Shade Treatments:
NB, PN, WP
Shade Details:
3.25" x 8.25" x 6.5"

Socket:
E12 Candelabra
w/Line Switch
Bulb: 6.5 LED B11

RL3682WB/NB-NB-EU
(European Wiring)



RL3682WB/PN-PN
Dalfern Desk Lamp in
Waxed Bamboo and
Polished Nickel with
Polished Nickel Shade

RL3682WB/PN-PN-EU
(European Wiring)



RL3805NB
Carthage Mini Lamp
in Natural Brass

Height: 16.25" - 20.25"
Width: 8.75"
Base: 4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
w/Dimmer on Base
Bulb: 60 B11

RL3805NB-EU
(European Wiring)



RL11094PN
Carthage Table Lamp
in Polished Nickel

Height: 23" - 30"
Width: 12.25"
Base: 7" Round

Finishes: NB, PN

Socket: E26 3-Way
Bulb: 100 A19

RL11094PN-EU
(European Wiring)



RL11094BN
Carthage Table Lamp
in Natural Brass

RL11094BN-EU
(European Wiring)



RL3450NB-SDL
Benton Adjustable Desk
Lamp in Natural
Brass with Saddle
Leather Shade

RL3450NB-SDL-EU
(European Wiring)



RALPH LAUREN

RL3450NB-NVY
Benton Adjustable Desk
Lamp in Natural
Brass with Navy
Leather Shade

Height: 19" - 29.25"
Width: 7"
Extension: 17" - 23"
Base: 7" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL3450NB-NVY-EU
(European Wiring)



RL3450PN-CHC
Benton Adjustable Desk
Lamp in Polished
Nickel with Chocolate
Leather Shade

RL3450PN-CHC-EU
(European Wiring)



RL 3345NB
Barrett Knurled Boom
Arm Desk Light
in Natural Brass

Height: 17"-30"
Width: 9"
Extension: 36"
Base: 9" Round

Finishes: NB, PN

Socket:
Dedicated LED
w/Dimmer
Bulb: 24w (1850lm)

RL 3345NB-EU
(European Wiring)



RL 3345PN
Barrett Knurled Boom
Arm Desk Light
in Polished Nickel

RL 3345PN-EU
(European Wiring)



RL14030PN
RL '67 Boom Arm
Desk Lamp in
Polished Nickel

RL14030PN-EU
(European Wiring)



RALPH LAUREN

RL14030BN
RL '67 Boom Arm
Desk Lamp in
Natural Brass
Height: 35"
Width: 8"
Extension: 28"
Base: 8" Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Bulb: 60 A19

RL14030BN-EU
(European Wiring)



RL14030BZ
RL '67 Boom Arm
Desk Lamp
in Bronze

RL14030BZ-EU
(European Wiring)



RL11173BLK
Equilibrium Table
Lamp in Black Nickel
Height: 45"
Width: 8"
Extension: 38"
Base: 8" Round

Finishes: BLK, PN

Socket:
E26 Keyless
w/Dimmer
Bulb: 75 A19

RL11173BLK-EU
(European Wiring)





FLOOR LAMPS

RL1250NB
Anette Floor Lamp
in Natural Brass

RL1250NB-EU
(European Wiring)



RALPH LAUREN

RL1250NB
Anette Floor Lamp
in Natural Brass
Height: 53"- 63"
Width: 8"
Extension: 6.5- 11"
Base: 8" Round



Finishes: NB, PN

Socket:
E12 Candelabra
w/Foot Switch
Bulb: 40 B11

RL1250NB-EU
(European Wiring)

RL1250PN
Anette Floor Lamp
in Polished Nickel

RL1250PN-EU
(European Wiring)



RL11165PN
Fairfield Pharmacy
Floor Lamp in
Polished Nickel

RL11165PN-EU
(European Wiring)



RALPH LAUREN

RL11165BN
Fairfield Pharmacy
Floor Lamp in
Natural Brass
Height: 41" - 56"
Width: 10"
Extension: 15"
Base: 10" Round


Finishes: NB, PN

Socket: E26 On-Off
Bulb: 60 A19

RL11165BN-EU
(European Wiring)

RL11165PN
Fairfield Pharmacy
Floor Lamp in
Polished Nickel

RL11165PN-EU
(European Wiring)



RL14028PN
RL '67 Boom
Arm Floor Lamp
in Polished Nickel

RL14028PN-EU
(European Wiring)



RALPH LAUREN

RL14028BN
RL '67 Boom
Arm Floor Lamp
in Natural Brass
Height: 44.5"-66.5"
Width: 10"
Extension: 30.5"
Base: 10" Round

Finishes: BZ, NB, PN

Socket: E26 On-Off
Bulb: 60 A19

RL14028BN-EU
(European Wiring)

RL14028BZ
RL '67 Boom
Arm Floor Lamp
in Bronze

RL14028BZ-EU
(European Wiring)



RL11170PN
Equilibrium Floor
Lamp in
Polished Nickel

RL11170PN-EU
(European Wiring)



RALPH LAUREN

RL11170BLK
Equilibrium Floor
Lamp in
Black Nickel
Height: 44" - 66"
Width: 11.25"
Extension: 33"
Base: 11.25" Round

Finishes: BLK, PN

Socket:
E26 Dimmer
Bulb: 75 A19

RL11170BLK-EU
(European Wiring)

RL11170PN
Equilibrium Floor
Lamp in
Polished Nickel

RL11170PN-EU
(European Wiring)



RALPH LAUREN

RL1450NB-SDL
Benton Adjustable Floor
Lamp in Natural
Brass with Saddle
Leather Shade

Height: 53.25"
Width: 10"
Extension: 17" - 20"
Base: 10" Round


Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL1450NB-SDL-EU
(European Wiring)

RL1450PN-CHC
Benton Adjustable Floor
Lamp in Polished
Nickel with Chocolate
Leather Shade

RL1450PN-CHC-EU
(European Wiring)



RALPH LAUREN

RL1320NB-CA
Daley Adjustable
Floor Lamp in
Natural Brass with
Clear Acrylic

Height: 44.25" - 57.25"
Width: 11"
Extension: 26.5"
Base: 11" Round

Finishes: NB, PN
Glass Options: CA

Socket:
Dedicated LED
w/Memory
Dimmer Switch
Bulb: 9w (720lm)

RL1320NB-CA-EU
(European Wiring)

RL1320PN-CA
Daley Adjustable
Floor Lamp in
Polished Nickel
with Clear Acrylic

RL1320PN-CA-EU
(European Wiring)



RL11180PN
Montauk Search
Light Floor Lamp
in Mahogany and
Polished Nickel
Height: 65" - 77.5"
Width: 24"
Base: 24" Tripod

Finishes: EBO, MHG
Glass Options: CG

Socket: E26 Dimmer
Bulb: 100 A19

RL11180PN-EU
(European Wiring)



RALPH LAUREN

RL1702NO-WP
Holloway XL Tripod
Floor Lamp in
Natural Oak
with White
Parchment Shade
Height: 72.5"
Width: 28"
Base: 24.25" Tri-Leg

Finishes: NO, NRO
Shade Treatments: WP
Shade Details:
27" x 28" x 17.25"

Socket:
2 - E26 Pull Chain
Bulb: 2 - 15 LED A

RL1702NO-WP-EU
(European Wiring)

RL1702NRO-WP
Holloway XL Tripod
Floor Lamp in
Natural Rift Oak
with White
Parchment Shade

RL1702NRO-WP-EU
(European Wiring)



RALPH LAUREN

RL 1533NB/NVY-L
Cody Large Floor
Lamp in Natural
Brass and Navy Leather
with Linen Shade

Height: 64"
Width: 22"
Base: 12" Round

Finishes:

NB/NVY, NB/SDL,
PN/CHC

Shade Treatments: L

Shade Details:
20" x 22" x 13.25"

Socket:

2 - E26 Keyless
w/Pull Chain

Bulb: 2 - 60 A19

RL 1533NB/NVY-L-EU
(European Wiring)

RL 1533PN/CHC-L
Cody Large Floor
Lamp in Polished
Nickel and Chocolate
Leather with
Linen Shade

RL 1533PN/CHC-L-EU
(European Wiring)



RALPH LAUREN

RL1493NB/SDL-L
Riley Large Floor
Lamp in Natural
Brass and Saddle
Leather with
Leather Trimmed
Linen Shade

Height: 66"
Width: 22"
Base: 11" Round

Finishes:

NB/NVY, NB/SDL,
PN/CHC

Shade Treatments: L

Shade Details:

20" x 22" x 13.5"

Socket:



E26 Dimmer

Bulb: 15 LED A19

RL1493NB/SDL-L-EU
(European Wiring)

RL1493PN/CHC-L
Riley Large Floor
Lamp in Polished
Nickel and Chocolate
Leather with
Leather Trimmed
Linen Shade

RL1493PN/CHC-L-EU
(European Wiring)



RALPH LAUREN

RL1491NB/SDL-P
Garner Floor Lamp
in Natural Brass
and Saddle Leather
with Percale Shade

Height: 54" - 70"
Width: 22"
Base: 10" Square

Finishes:

NB/NVY, NB/SDL,
PN/CHC

Shade Treatments: P

Shade Details:

6.75" x 22" x 12.25"

Socket:


2 - E26 Keyless
w/Pull Chain

Bulb: 2 - 40 B11

RL1491NB/SDL-P-EU
(European Wiring)

RL1491PN/CHC-P
Garner Floor Lamp
in Polished Nickel
and Chocolate
Leather with
Percale Shade

RL1491PN/CHC-P-EU
(European Wiring)



RALPH LAUREN

RL1680WB/NB-WP
Dalfern Petite Reading
Floor Lamp in
Waxed Bamboo
and Natural Brass
with White
Parchment Shade
Height: 53.25"
Width: 10.25"
Base: 8" Round

Finishes:

WB/NB, WB/PN

Shade Treatments:

NB, PN, WP

Shade Details:

3.75" x 10.25" x 8.25"

Socket:

E12 Candelabra
w/Line Switch

Bulb: 6.5 LED B11

RL1680WB/NB-WP-EU
(European Wiring)

RL1680WB/PN-WP
Dalfern Petite Reading
Floor Lamp in
Waxed Bamboo
and Polished Nickel
with White
Parchment Shade

RL1680WB/PN-WP-EU
(European Wiring)



RALPH LAUREN

RL1522NB-SBP
Downing Large Floor
Lamp in Natural
Brass with Silk
Box Pleat Shade

Height: 66"
Width: 21"
Base: 12" Round

Finishes: NB, BS

Shade Details:
20" x 21" x 13.5"

Socket:
E26 Dimmer
Bulb: 15 LED A19

RL1522NB-SBP-EU
(European Wiring)

RL1522BS-SBP
Downing Large Floor
Lamp in Butler's
Silver with Silk
Box Pleat Shade

RL1522BS-SBP-EU
(European Wiring)



RALPH LAUREN

RL1090NB-L
Barrett Large
Knurled Floor Lamp
in Natural Brass
with Linen Shade

Height: 64"
Width: 21"
Base: 12" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
20" x 21" x 13.5"
Closed Top

Socket:
2 - E26 Pull Chain
Bulb: 2 - 60 A19

RL1090NB-L-EU
(European Wiring)

RL1090PN-L
Barrett Large
Knurled Floor Lamp
in Polished Nickel
with Linen Shade

RL1090PN-L-EU
(European Wiring)



RALPH LAUREN

RL1560NB/TK-WG
Northport Floor
Lantern in Natural
Brass and Teak
with White Glass

Height: 35.5"
Width: 7"
Base: 6.25" Square

Finishes:

BZ/TK, NB/TK,
PN/TK

Glass Options: WG

Socket:

Dedicated LED

Bulb: 40w (3200lm)

RL1560NB/TK-WG-EU
(European Wiring)

RL1560BZ/TK-WG
Northport Floor
Lantern in Bronze
and Teak with
White Glass

RL1560BZ/TK-WG-EU
(European Wiring)

RL1560PN/TK-WG
Northport Floor
Lantern in Polished
Nickel and Teak
with White Glass

RL1560PN/TK-WG-EU
(European Wiring)



RALPH LAUREN

RL1388NB

**Langham Display
Floor Lamp in
Natural Brass**

Height: 72"
Width: 24"
Extension: 15.75" - 18"
Base: 14" x 24" Rec.

Finishes:

BZ, NB, PN

Socket:

Dedicated LED
w/Dimmer on Cord

Bulb: 9w (900lm)

RL1388NB-EU

(European Wiring)

RL1388PN

**Langham Display
Floor Lamp in
Polished Nickel**

RL1388PN-EU

(European Wiring)





CEILING

RALPH LAUREN

RL5133NB
Roark 50" Modular
Ring Chandelier in
Natural Brass
Height: 31.5"
Width: 50"
Canopy: 6.5" Round

Finishes: AI, NB, PN

Socket:
24 - E26 Keyless
Bulb: 24 - 40 ST18

Note:
Bulb Sold Separately

RL5133NB-EU
(European Wiring)



RL5133PN
Roark 50" Modular
Ring Chandelier in
Polished Nickel

RL5133PN-EU
(European Wiring)



RALPH LAUREN

RL5132NB
Roark 40" Modular
Ring Chandelier
in Natural Brass
Height: 24.5"
Width: 40"
Canopy: 6.5" Round

Finishes: AI, NB, PN

Socket:
20 - E26 Keyless
Bulb: 20 - 40 ST18

Note:
Bulb Sold Separately

RL5132NB-EU
(European Wiring)



RL5131AI
Roark 30" Modular
Ring Chandelier
in Aged Iron
Height: 21.5"
Width: 30"
Canopy: 6.5" Round

Finishes: AI, NB, PN

Socket:
16 - E26 Keyless
Bulb: 16 - 40 ST18

Note:
Bulb Sold Separately

RL5131AI-EU
(European Wiring)



RL5131PN
Roark 30" Modular
Ring Chandelier
in Polished Nickel

RL5131PN-EU
(European Wiring)



RALPH LAUREN

RL 5673NB
Paxton 48" Ring
Chandelier in
Natural Brass
Height: 20" - 123"
Width: 48"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 95w (7600lm)

RL 5673NB-EU
(European Wiring)



RL 5672PN
Paxton 40" Ring
Chandelier in
Polished Nickel
Height: 20" - 123"
Width: 40"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 85w (6800lm)

RL 5672PN-EU
(European Wiring)




RALPH LAUREN

RL 5671NB
Paxton 32" Ring
Chandelier in
Natural Brass
Height: 20" - 123"
Width: 32"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 65w (5200lm)

RL 5671NB-EU
(European Wiring)



RL 5671PN
Paxton 32" Ring
Chandelier in
Polished Nickel

RL 5671PN-EU
(European Wiring)



RL 5670NB
Paxton 24" Ring
Chandelier in
Natural Brass
Height: 20" - 123"
Width: 24"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 55w (4400lm)

RL 5670NB-EU
(European Wiring)



RL 5670PN
Paxton 24" Ring
Chandelier in
Polished Nickel

RL 5670PN-EU
(European Wiring)



RL5322NB-CA
Daley Medium Six
Light Chandelier
in Natural Brass
with Clear Acrylic
O/A Height: 53.5"
Fixture Height: 16"
Min. Custom Height: 26"
Width: 40"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

Socket:
Dedicated LED
Bulb: 27w (2160lm)

Note:
Custom Height
Available; Requires
Special Assembly
and Installation

RL5322NB-CA-EU
(European Wiring)



RL 5321PN-CA
Daley Large Six
Light Chandelier in
Polished Nickel
with Clear Acrylic
O/A Height: 49.75"
Fixture Height: 12.25"
Min. Custom Height: 22"
Width: 55"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

Socket:
Dedicated LED
Bulb: 30w (2400lm)

RL 5321PN-CA-EU
(European Wiring)



RALPH LAUREN

RL5470NB-WG
McCarren Single Tier
Chandelier in
Natural Brass with
White Glass


O/A Height: 55.25"
Fixture Height: 29.5"
Min. Custom Height: 39"
Width: 36"
Canopy: 5.5" Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
5 - E26 Keyless
Bulb: 5 - 60 A19

Note:
Custom Height
Available; Requires
A-15 Bulb

RL5470NB-WG-EU
(European Wiring)



RL5470BZ-WG
McCarren Single Tier
Chandelier in Bronze
with White Glass

RL5470BZ-WG-EU
(European Wiring)



RL5470PN-WG
McCarren Single Tier
Chandelier in
Polished Nickel
with White Glass

RL5470PN-WG-EU
(European Wiring)



RALPH LAUREN

RL5685WB/NB-NB
Dalfern Large
Chandelier in Waxed
Bamboo and Natural
Brass with Natural
Brass Shades
Height: 23"
Width: 47.25"
Canopy: 5" Round

Finishes:
WB/NB, WB/PN
Shade Treatments:
NB, PN, WP
Shade Details:
3.25" x 8.25" x 6.5"

Socket:
5 - E12 Candelabra
Bulb: 5 - 6.5 LED B11

RL5685WB/NB-NB-EU
(European Wiring)



RL5685WB/PN-PN
Dalfern Large
Chandelier in Waxed
Bamboo and Polished
Nickel with Polished
Nickel Shades

RL5685WB/PN-PN-EU
(European Wiring)



RALPH LAUREN

RL5685WB/NB-WP
Dalfern Large
Chandelier in Waxed
Bamboo and Natural
Brass with White
Parchment Shades

RL5685WB/NB-WP-EU
(European Wiring)



RL5685WB/PN-WP
Dalfern Large
Chandelier in Waxed
Bamboo and Polished
Nickel with White
Parchment Shades

RL5685WB/PN-WP-EU
(European Wiring)



RALPH LAUREN

RL 5572NB/NRO-L
Radford Large Two
Tier Chandelier in
Natural Brass and
Natural Rift Oak
with Linen Shades
Height: 28"
Width: 41.25"
Canopy: 5.5" Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3" x 7.75" x 4.75"

Socket:
12 - E12 Candelabra
Bulb: 12 - 25 B11

RL 5572NB/NRO-L-EU
(European Wiring)




RL 5571NB/NRO-L
Radford Medium
Chandelier in
Natural Brass and
Natural Rift Oak
with Linen Shades
Height: 24"
Width: 30"
Canopy: 5.5" Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3" x 7.75" x 4.75"

Socket:
6 - E12 Candelabra
Bulb: 6 - 25 B11

RL 5571NB/NRO-L-EU
(European Wiring)



RL 5571PN/BKE-L
Radford Medium
Chandelier in
Polished Nickel and
Black Ebony with
Linen Shades

RL 5571PN/BKE-L-EU
(European Wiring)



RALPH LAUREN

RL5224NB-NB
Barrett Medium
Knurled Chandelier in
Natural Brass with
Natural Brass Shades
O/A Height: 47"
Fixture Height: 19.5"
Min. Custom Height: 30"
Width: 37"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5" x 7" x 4.75"

Socket:
9 - E12 Candelabra
Bulb: 9 - 40 T6

Note:
Custom Height
Available

RL5224NB-NB-EU
(European Wiring)



RL5224PN-PN
Barrett Medium
Knurled Chandelier in
Polished Nickel with
Polished Nickel Shades

RL5224PN-PN-EU
(European Wiring)




RL5224NB
Barrett Medium
Knurled Chandelier
in Natural Brass
O/A Height: 47"
Fixture Height: 15.5"
Min. Custom Height: 30"
Width: 31"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
9 - E12 Candelabra
Bulb: 9 - 40 T6


Note:
Custom Height
Available

RL5224NB-EU
(European Wiring)



RL5224PN
Barrett Medium
Knurled Chandelier
in Polished Nickel

RL5224PN-EU
(European Wiring)



RL 5225PN-PN
Barrett Large
Knurled Chandelier
in Polished Nickel
with Polished
Nickel Shades

RL 5225PN-PN-EU
(European Wiring)



RALPH LAUREN

RL 5225NB-NB
Barrett Large
Knurled Chandelier
in Natural Brass with
Natural Brass Shades
O/A Height: 46.75"
Fixture Height: 19.5"
Min. Custom Height: 30"

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5" x 7" x 4.75"

Width: 43.5"
Canopy: 6" Round
Socket:
15 - E12 Candelabra
Bulb: 15 - 40 T6

Note:
Custom Height
Available

RL 5225NB-NB-EU
(European Wiring)




RL 5225PN
Barrett Large
Knurled Chandelier
in Polished Nickel
O/A Height: 46.75"
Fixture Height: 15"
Min. Custom Height: 30"
Width: 37.75"
Canopy: 6" Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
15 - E12 Candelabra
Bulb: 15 - 40 T6

Note:
Custom Height
Available

RL 5225PN-EU
(European Wiring)



RALPH LAUREN

RL5614NB/NVY-L
Riley Large Two
Tier Chandelier in
Natural Brass and
Navy Leather with
Leather Trimmed
Linen Shades
Height: 54"
Width: 48"
Canopy: 6.5" Round


Finishes:
NB/CHC, NB/NVY,
NB/SDL
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5614NB/NVY-L-EU
(European Wiring)

RL5614PN/CHC-L
Riley Large Two
Tier Chandelier in
Nickel and Chocolate
Leather with
Leather Trimmed
Linen Shades

RL5614PN/CHC-L-EU
(European Wiring)



RALPH LAUREN

RL5612NB/NVY-L
Riley Large
Ring Chandelier in
Natural Brass and
Navy Leather with
Leather Trimmed
Linen Shades
Height: 40"
Width: 47.75"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 B11

RL5612NB/NVY-L-EU
(European Wiring)




RL5610NB/NVY-L
Riley Medium
Ring Chandelier in
Natural Brass and
Navy Leather with
Leather Trimmed
Linen Shades
Height: 32"
Width: 36"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
4" x 6" x 5.75"

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 B11

RL5610NB/NVY-L-EU
(European Wiring)



RL5612NB/SDL-L
Riley Large
Ring Chandelier in
Natural Brass and
Saddle Leather with
Leather Trimmed
Linen Shades

RL5612NB/SDL-L-EU
(European Wiring)



RL5610NB/SDL-L
Riley Medium
Ring Chandelier in
Natural Brass and
Saddle Leather with
Leather Trimmed
Linen Shades

RL5610NB/SDL-L-EU
(European Wiring)



RL5184NB-L
Westbury Triple
Tier Chandelier in
Natural Brass and
Saddle Leather
with Linen Shades
Height: 57"
Width: 57"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
24 - E12 Candelabra
Bulb: 24 - 40 B11

RL5184NB-L-EU
(European Wiring)



RALPH LAUREN

RL5183NB-L
Westbury Double
Tier Chandelier in
Natural Brass and
Saddle Leather
with Linen Shades
Height: 45"
Width: 43"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5183NB-L-EU
(European Wiring)



RL5181NB-L
Westbury Chandelier
in Natural Brass and
Saddle Leather
with Linen Shades
Height: 31"
Width: 30.25"
Canopy: 6.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3" x 6" x 5"

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 B11

RL5181NB-L-EU
(European Wiring)



RL5183PN-L
Westbury Double
Tier Chandelier in
Polished Nickel and
Chocolate Leather
with Linen Shades

RL5183PN-L-EU
(European Wiring)



RL5181PN-L
Westbury Chandelier
in Polished Nickel
and Chocolate
Leather with
Linen Shades

RL5181PN-L-EU
(European Wiring)



RALPH LAUREN

RL 5341NB/PW-CG
Hailee Medium Sculpted
Chandelier in Natural
Brass and Plaster
White with Crystal

Height: 58.5"
Width: 32"
Canopy: 10.5" Round

Finishes:
NB/PW, PN/PW
Trim Options: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 T6

RL 5341NB/PW-CG-EU
(European Wiring)

RL 5341PN/PW-CG
Hailee Medium Sculpted
Chandelier in Polished
Nickel and Plaster
White with Crystal

RL 5341PN/PW-CG-EU
(European Wiring)





RL5114BS
Evalina Chandelier
in Butler's Silver
Height: 47.5"
Width: 36"
Canopy: 4" Round

Finishes: BS
Trim Options: CG

Socket:
12 - E12 Candelabra
Bulb: 12 - 60 C11

RL5114BS-EU
(European Wiring)

RALPH LAUREN

RL5233GI-S
Adrianna Large
Chandelier in Gilded
Iron and Crystal
with Silk Shades

Height: 54"
Width: 44"
Canopy: 6.75" Round

Finishes: AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
24 - E12 Candelabra
Bulb: 24 - 40 B11

RL5233GI-S-EU
(European Wiring)

RL5233ASL-S
Adrianna Large
Chandelier in
Antique Silver Leaf
and Crystal with
Silk Shades

RL5233ASL-S-EU
(European Wiring)



RALPH LAUREN

RL5231GI-S
Adrianna Medium
Chandelier in Gilded
Iron and Crystal
with Silk Shades

Height: 44"
Width: 37.75"
Canopy: 6.75" Round

Finishes: AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
18 - E12 Candelabra
Bulb: 18 - 40 B11

RL5231GI-S-EU
(European Wiring)



RL5231ASL-S
Adrianna Medium
Chandelier in
Antique Silver Leaf
and Crystal
with Silk Shades

RL5231ASL-S-EU
(European Wiring)



RL5262CG-L
Alexandra Large
Chandelier in
Crystal Glass and
Natural Brass with
Linen Shades

RL5262CG-L-EU
(European Wiring)



RALPH LAUREN

RL5311NB
Antoinette Medium
Chandelier in Natural
Brass and Crystal
Height: 37.75"
Width: 35"
Canopy: 5" Round

Finishes: NB
Trim Options: CG

Socket:
18 - E12 Candelabra
Bulb: 18 - 40 B11

Note:
Shades Sold
Separately

RL5311NB-EU
(European Wiring)



RL5262CG-L
Alexandra Large
Chandelier in
Crystal Glass and
Natural Brass with
Linen Shades
Height: 40"
Width: 41.25"
Canopy: 5.75" Round

Finishes: CG
Shade Treatments: L
Shade Details:
4" x 6" x 5.5"

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 B11

RL5262CG-L-EU
(European Wiring)



RALPH LAUREN

RL5010CG
Daniela Twenty
Four-Light
Chandelier in Crystal
Height: 60.5"
Width: 50"
Canopy: 7.5" Round

Finishes: CG

Socket:
24 - E12 Candelabra
Bulb: 24 - 40 B11

RL5010CG-EU
(European Wiring)

RL5008CG
Daniela Two-Tier
Chandelier in Crystal
Height: 50.25"
Width: 45.5"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5008CG-EU
(European Wiring)



RALPH LAUREN

RL5007CG
Daniela Wide
Chandelier in Crystal
Height: 41"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 C11

RL5007CG-EU
(European Wiring)



RL5005CG
Daniela Medium
One-Tier Chandelier
in Crystal
Height: 41"
Width: 27.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 C11

RL5005CG-EU
(European Wiring)



RL5006CG
Daniela Medium
Two-Tier Chandelier
in Crystal
Height: 50.25"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 C11

RL5006CG-EU
(European Wiring)



RL5094NB
Falaise Grande Two
Tier Chandelier in
Natural Brass
Height: 58.25"
Width: 66"
Canopy: 6" Round

Finishes: BS, NB

Socket:
24 - E12 Candelabra
Bulb: 24 - 5.5 LED C11

RL5094NB-EU
(European Wiring)



RALPH LAUREN

RL5205NB
Lillianne Single
Tier Chandelier in
Natural Brass
Height: 34.5"
Width: 44"
Canopy: 6.5" Round

Finishes: BS, NB

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 C11

Note:
SH3X6X5NS Sold
Separately; Use
40 Watt Frosted
Type "B" with
Clip On Shade

RL5205NB-EU
(European Wiring)



RL5205BS
Lillianne Single
Tier Chandelier in
Butler's Silver

RL5205BS-EU
(European Wiring)



RL5528BN-CG
Straton Single
Tier Chandelier in
Natural Bone with
Antiqued Crystal

RL5528BN-CG-EU
(European Wiring)



RL5528BN
Straton Single
Tier Chandelier in
Natural Bone
Height: 36"
Width: 36"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
8 - E12 Candelabra
Bulb: 8 - 60 C11

RL5528BN-EU
(European Wiring)



RL5529BN
Straton Double
Tier Chandelier in
Natural Bone
Height: 44"
Width: 42"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 C11

RL5529BN-EU
(European Wiring)



RL5531BN
Straton Wide
Chandelier in
Natural Bone
Height: 35"
Width: 57"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 C11

RL5531BN-EU
(European Wiring)



RL5531BN-CG
Straton Wide
Chandelier in
Natural Bone with
Antiqued Crystal

RL5531BN-CG-EU
(European Wiring)



RALPH LAUREN

RL5530BN-CG
Straton Triple
Tier Chandelier in
Natural Bone with
Antiqued Crystal
Height: 56"
Width: 53"
Canopy: 6.75" Round

Finishes: BN
Trim Options: ACG

Socket:
18 - E12 Candelabra
Bulb: 18 - 40 C11

RL5530BN-CG-EU
(European Wiring)



RALPH LAUREN

RL5728AI
Allegra Small
Chandelier in
Aged Iron
Height: 26.25"
Width: 33.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 B11

RL5728AI-EU
(European Wiring)



RL5729AI
Allegra Medium
Chandelier in
Aged Iron
Height: 35"
Width: 44"
Canopy: 7.5" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 B11

RL5729AI-EU
(European Wiring)



RL5730AI
Allegra Large
Two-Tiered Chandelier
in Aged Iron
Height: 37.5"
Width: 69"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5730AI-EU
(European Wiring)



RALPH LAUREN

RL5752AI
Branson Medium
Two-Tiered Ring
Torch Chandelier
in Aged Iron
Height: 54.5"
Width: 48.5"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5752AI-EU
(European Wiring)



RL5753AI
Branson Large
One-Tier Ring
Torch Chandelier
in Aged Iron
Height: 38.25"
Width: 68.25"
Canopy: 7.5" Round

Finishes: AI

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5753AI-EU
(European Wiring)



RALPH LAUREN

RL5540NR
Robertson Single
Tier Chandelier
in Natural Rust
Height: 27.5"
Width: 43"
Canopy: 8" Octagon

Finishes: NR

Socket:
8 - E12 Candelabra
Bulb: 8 - 60 C11

RL5540NR-EU
(European Wiring)



RL5542NR
Robertson Double
Tier Chandelier
in Natural Rust
Height: 40.25"
Width: 65.75"
Canopy: 8" Octagon

Finishes: NR

Socket:
16 - E12 Candelabra
Bulb: 16 - 60 C11

RL5542NR-EU
(European Wiring)



RALPH LAUREN

RL5545NR
Robertson Linear
Chandelier in
Natural Rust
Height: 26"
Width: 54"
Canopy: 7.5" Octagon

Finishes: NR

Socket:
10 - E12 Candelabra
Bulb: 10 - 40 B11

RL5545NR-EU
(European Wiring)



RL5790NB/AI
Ancram Large Empire
Chandelier in
Natural Brass and
Aged Iron
O/A Height: 48.5"
Fixture Height: 9.5"
Width: 34"
Canopy: 5" Round

Finishes: NB/AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 5.5 LED B11

RL5790NB/AI-EU
(European Wiring)




RL5785NB/AI
Ancram Medium
Uplight Chandelier
in Natural Brass
and Aged Iron
O/A Height: 48.75"
Fixture Height: 10.25"
Width: 24.75"
Canopy: 5" Round

Finishes: NB/AI

Socket:
6 - E26 Keyless
Bulb: 6 - 12 LED A19

RL5785NB/AI-EU
(European Wiring)



RALPH LAUREN

RL5792NB/AI
Ancram XL Chandelier
in Natural Brass
and Aged Iron
O/A Height: 58.25"
Fixture Height: 14.25"
Width: 41.25"
Canopy: 5.25" Round

Finishes: NB/AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 5.5 LED B11

RL5792NB/AI-EU
(European Wiring)



RL5788NB/AI
Ancram Large
Uplight Chandelier
in Natural Brass
and Aged Iron
O/A Height: 48"
Fixture Height: 11.5"
Width: 34.75"
Canopy: 5" Round

Finishes: NB/AI

Socket:
8 - E26 Keyless
Bulb: 8 - 12 LED A19

RL5788NB/AI-EU
(European Wiring)



RALPH LAUREN

RL5742GI-RG
Beatrice Large Lantern
in Gilded Iron with
Restoration Glass
Height: 41.5"
Width: 24"
Canopy: 8" Round

Finishes: AI, GI
Glass Options: RG

Socket:
4 - E12 Candelabra
Bulb: 4 - 40 B11

RL5742GI-RG-EU
(European Wiring)



RL5742AI-RG
Beatrice Large Lantern
in Aged Iron with
Restoration Glass

RL5742AI-RG-EU
(European Wiring)



RALPH LAUREN

RL5781AI
Ancaster Medium
Blacksmith Lantern
in Aged Iron
Height: 31"
Width: 17.25"
Canopy: 5.75" Round

Finishes: AI

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5781AI-EU
(European Wiring)



RL5783AI
Ancaster Grande
Blacksmith Lantern
in Aged Iron
Height: 61"
Width: 34.75"
Canopy: 9" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

Note:
Special Installation
Required

RL5783AI-EU
(European Wiring)



RL5782AI
Ancaster Large
Blacksmith Lantern
in Aged Iron
Height: 41"
Width: 23"
Canopy: 5.75" Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

RL5782AI-EU
(European Wiring)



RALPH LAUREN

RL5098NB-CG
Falaise Large Lantern
in Natural Brass
with Clear Glass
Height: 55"
Width: 29.75"
Canopy: 6" Round

Finishes: BS, NB
Glass Options: CG

Socket:
5 - E12 Candelabra
Bulb: 5 - 5.5 LED C11

RL5098NB-CG-EU
(European Wiring)



RL5098BS-CG
Falaise Large Lantern
in Butler's Silver
with Clear Glass

RL5098BS-CG-EU
(European Wiring)



RALPH LAUREN

RL5060BZ-WG
Cannes Pendant
in Bronze with
White Glass
Height: 30.5"
Width: 22"
Canopy: 6" Octagon

Finishes: BZ, PN
Glass Options:
AM, WG

Socket:
4 - E26 Keyless
Bulb: 4 - 40 A19

RL5060BZ-WG-EU
(European Wiring)



RL5060PN-WG
Cannes Pendant
in Polished Nickel
with White Glass

RL5060PN-WG-EU
(European Wiring)



RL5642NB-CG
Edmund Medium
Lantern in Natural
Brass with Clear
Beveled Glass
Height: 35"
Width: 23.75"
Canopy: 6.5" Octagon

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5642NB-CG-EU
(European Wiring)



RL5643PN-CG
Edmund Large
Lantern in Polished
Nickel with Clear
Beveled Glass
Height: 43"
Width: 30.5"
Canopy: 6.5" Octagon

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

RL5643PN-CG-EU
(European Wiring)





RL5064BZ-AM
Rivington Medium
Eight-Paneled
Chandelier in Bronze
with Antiqued
Ribbed Mirror

RL5064BZ-AM-EU
(European Wiring)

RALPH LAUREN

RL5064NB-CG
Rivington Medium
Eight-Paneled
Chandelier in Natural
Brass with Clear Glass
O/A Height: 37.5"
Fixture Height: 12.5"
Min. Custom Height: 29"
Width: 31.75"
Canopy: 7" Round

Finishes: BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
8 - E26 Keyless
Bulb: 8 - 40 ST18

RL5064NB-CG-EU
(European Wiring)



RL5064BZ-CG
Rivington Medium
Eight-Paneled
Chandelier in
Bronze with Clear
Ribbed Glass

RL5064BZ-CG-EU
(European Wiring)



RL5064NB-WG
Rivington Medium
Eight-Paneled
Chandelier in
Natural Brass with
White Glass

RL5064NB-WG-EU
(European Wiring)



RL5064PN-MG
Rivington Medium
Eight-Paneled
Chandelier in
Polished Nickel
with Ribbed Mirror

RL5064PN-MG-EU
(European Wiring)





RL5067BZ-WG
Rivington Large
Billiard Chandelier
in Bronze with
White Glass

RL5067BZ-WG-EU
(European Wiring)

RALPH LAUREN

RL5067NB-AM
Rivington Large
Billiard Chandelier
in Natural Brass
with Antiqued Ribbed
Mirror

O/A Height: 46.5"
Fixture Height: 23.5"
Min. Custom Height: 35"
Width: 56.25"
Canopy:
7.5" x 30.25" Rec.

Finishes: BZ, NB, PN

Glass Options:
AM, CG, MG, WG

Socket:

7 - E26 Keyless

Bulb: 7 - 40 ST18

RL5067NB-AM-EU
(European Wiring)



RL5067PN-CG
Rivington Large
Billiard Chandelier
in Polished Nickel
with Clear
Ribbed Glass

RL5067PN-CG-EU
(European Wiring)



RALPH LAUREN

RL5089NB
Allen Medium
Linear Pendant in
Natural Brass
and Glass Rods

O/A Height: 42"
Fixture Height: 8"
Min. Custom Height: 10.5"
Width: 48.25" x 8"
Canopy:
4.5" x 20.25" Oval

Finishes: NB, PN

Socket:
6 - E26 Keyless
Bulb: 6 - 40 T10

Note:
Custom Height
Available; Requires
Special Assembly
and Installation

RL5089NB-EU
(European Wiring)



RL5089PN
Allen Medium
Linear Pendant in
Polished Nickel
and Glass Rods

RL5089PN-EU
(European Wiring)



RALPH LAUREN

RL5724NB

**Perren Large Linear
Chandelier in
Natural Brass**

O/A Height: 41.75"

Fixture Height: 6.5"

Min. Custom Height: 13.75"

Width: 49.25" x 6"

Canopy:

4.5" x 28.5" Oval

Finishes: BZ, NB, PN

Socket:

Dedicated LED

Bulb: 50w (4000lm)

Note:

Custom Height
Available

RL5724NB-EU

(European Wiring)



RL5724PN

**Perren Large Linear
Chandelier in
Polished Nickel**

RL5724PN-EU

(European Wiring)



RALPH LAUREN

RL5086NB
Allen Large Tiered
Chandelier in
Natural Brass and
Glass Rods

O/A Height: 48.25"
Fixture Height: 13"
Min. Custom Height: 21"
Width: 32"
Canopy: 12.25" Round

Finishes: NB, PN
Glass Options: CG

Socket:
20 - E17 Keyless
Bulb: 20 - 25 T6.5

Note:
Custom Height
Available

RL5086NB-EU
(European Wiring)



RL5086PN
Allen Large Tiered
Chandelier in
Polished Nickel
and Glass Rods

RL5086PN-EU
(European Wiring)



RALPH LAUREN

RL5082NB Allen Large Chandelier in Natural Brass and Glass Rods

O/A Height: 44"
Fixture Height: 16"
Min. Custom Height: 21"
Width: 18"
Canopy: 4.5" Round

Finishes: NB, PN
Glass Options: CG

Socket:
8 - E26 Keyless
Bulb: 8 - 40 A19

Note:
Custom Height
Available

RL5082NB-EU
(European Wiring)



RL5080NB Allen Mini Pendant in Natural Brass and Glass Rods

O/A Height: 45"
Fixture Height: 11"
Min. Custom Height: 17"
Width: 3.25"
Canopy: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Bulb: 40 T10

Note:
Custom Height
Available

RL5080NB-EU
(European Wiring)



RL5080PN Allen Mini Pendant in Polished Nickel and Glass Rods

RL5080PN-EU
(European Wiring)



RL5722NB Perren 10" Pendant in Natural Brass and Glass Rods

O/A Height: 59"
Fixture Height: 23"
Min. Custom Height: 30"
Width: 10"
Canopy: 4.5" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 45w (3600lm)

Note:
Custom Height
Available

RL5722NB-EU
(European Wiring)



RL5722PN Perren 10" Pendant in Polished Nickel and Glass Rods

RL5722PN-EU
(European Wiring)



RALPH LAUREN

RL5175NB
Modern Small Lantern
in Natural Brass

O/A Height: 55.25"
Fixture Height: 17"
Min. Custom Height: 23"
Width: 9"
Canopy: 6" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 C11

Note:
Custom Height
Available

RL5175NB-EU
(European Wiring)



RL5175BZ
Modern Small Lantern
in Bronze

RL5175BZ-EU
(European Wiring)



RL5175PN
Modern Small Lantern
in Polished Nickel

RL5175PN-EU
(European Wiring)



RL5177NB
Modern Large Lantern
in Natural Brass

O/A Height: 71.5"
Fixture Height: 31"
Min. Custom Height: 39"
Width: 15.25"
Canopy: 7" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

Note:
Custom Height
Available

RL5177NB-EU
(European Wiring)



RL5177BZ
Modern Large Lantern
in Bronze

RL5177BZ-EU
(European Wiring)



RL5177PN
Modern Large Lantern
in Polished Nickel

RL5177PN-EU
(European Wiring)



RALPH LAUREN

RL5180NB
Westbury Lantern
in Natural Brass
and Saddle Leather
Height: 36"
Width: 16"
Canopy: 7.5" Round

Finishes: NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5180NB-EU
(European Wiring)



RL5180PN
Westbury Lantern in
Polished Nickel and
Chocolate Leather

RL5180PN-EU
(European Wiring)



RALPH LAUREN

RL5652NB/SDL-CG
Julian Medium Lantern
in Natural Brass
and Saddle Leather
with Clear Glass

Height: 25.75"
Width: 14"
Canopy: 6" Round

Finishes:
NB/SDL, PN/CHC
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 B11

RL5652NB/SDL-CG-EU
(European Wiring)



RL5652PN/CHC-CG
Julian Medium Lantern
in Polished Nickel
and Chocolate Leather
with Clear Glass

RL5652PN/CHC-CG-EU
(European Wiring)



RL5653NB/SDL-CG
Julian Large Lantern
in Natural Brass
and Saddle Leather
with Clear Glass

Height: 33.5"
Width: 18.5"
Canopy: 6" Round

Finishes:
NB/SDL, PN/CHC
Glass Options: CG

Socket:
3 - E26 Keyless
Bulb: 3 - 60 T10

RL5653NB/SDL-CG-EU
(European Wiring)



RL5653PN/CHC-CG
Julian Large Lantern
in Polished Nickel
and Chocolate Leather
with Clear Glass

RL5653PN/CHC-CG-EU
(European Wiring)



RALPH LAUREN

RL5147NB-CG
Chatham Small Lantern
in Natural Brass
with Clear Glass

O/A Height: 44"
Fixture Height: 12.75"
Min. Custom Height: 27"
Width: 13.25"
Canopy: 5.75" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless

RL5147NB-CG-EU
(European Wiring)



RL5147PN-CG
Chatham Small Lantern
in Polished Nickel
with Clear Glass

RL5147PN-CG-EU
(European Wiring)



RL5148BZ-CG
Chatham Large Lantern
in Bronze
with Clear Glass

O/A Height: 44"
Fixture Height: 17"
Min. Custom Height: 32"
Width: 18.5"
Canopy: 7" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless
Bulb: 60 T10

RL5148BZ-CG-EU
(European Wiring)



RL5148PN-CG
Chatham Large Lantern
in Polished Nickel
with Clear Glass

RL5148PN-CG-EU
(European Wiring)



RALPH LAUREN

RL5220NB-CG
Barrett Medium
Knurled Pendant in
Natural Brass
with Clear Glass
O/A Height: 56.5"
Fixture Height: 20.25"
Min. Custom Height: 30"
Width: 13"
Canopy: 6" Round

Finishes: NB, PN
Glass Options: CG

Socket: E26 Keyless
Bulb: 60 T10

Note:
Custom Height
Available

RL5220NB-CG-EU
(European Wiring)



RL5220PN-CG
Barrett Medium
Knurled Pendant in
Polished Nickel
with Clear Glass

RL5220PN-CG-EU
(European Wiring)



RL5156BZ
Upton Large Lantern
in Bronze with Clear
and White Glass
O/A Height: 36" - 78"
Fixture Height: 28.5"
Width: 14"
Canopy: 8" Round

Finishes: BZ, PN

Socket: E26 Keyless
Bulb: 60 T10

RL5156BZ-EU
(European Wiring)



RL5156PN
Upton Large Lantern
in Polished Nickel
with Clear and
White Glass

RL5156PN-EU
(European Wiring)



RALPH LAUREN

RL5810BZ-CG
Ollie Medium
Lantern in Bronze
with Clear Glass
Height: 28"
Width: 12"
Canopy: 5.75" Round

Finishes: BZ
Glass Options: CG

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL5148BZ-CG-EU
(European Wiring)



RL5811BZ-CG
Ollie Large
Lantern in Bronze
with Clear Glass
Height: 35.5"
Width: 18.25"
Canopy: 5.75" Round

Finishes: BZ
Glass Options: CG

Socket:
Dedicated LED
Bulb: 30w (2400lm)

RL5148BZ-CG-EU
(European Wiring)



RALPH LAUREN

RL5770AI/ALB
Michaela Small
Wide Chandelier
in Aged Iron
and Alabaster
Height: 20.5"
Width: 18"
Canopy: 6" Square

Finishes: AI/ALB

Socket:
Dedicated LED
Bulb: 27w (2200lm)

RL5770AI/ALB-EU
(European Wiring)




RL5773AI/ALB
Michaela Large
Chandelier in Aged
Iron and Alabaster
Height: 39.25"
Width: 28"
Canopy: 6" Square

Finishes: AI/ALB

Socket:
Dedicated LED
Bulb: 36w (2800lm)

RL5773AI/ALB-EU
(European Wiring)



RALPH LAUREN

RL 5042BZ-PW
Cara Large
Sculpted Pendant in
Bronze with Plaster
White Shade

O/A Height: 47.75"
Min. Custom Height: 31"
Width: 40"
Canopy: 7" Round

Finishes: BZ, NB, PN
Shade Treatments: PW

Socket:
Dedicated LED
Bulb: 18w (1500lm)

Note:
Cannot Be Modified
in the Field;
Customization
is Available

RL 5042BZ-PW-EU
(European Wiring)



RL 5041NB-PW
Cara Medium
Sculpted Pendant in
Natural Brass with
Plaster White Shade

O/A Height: 34"
Min. Custom Height: 23"
Width: 28"
Canopy: 6.25" Round

Finishes: BZ, NB, PN
Shade Treatments: PW

Socket:
Dedicated LED
Bulb: 18w (1500lm)

Note:
Cannot Be Modified
in the Field;
Customization
is Available

RL 5041NB-PW-EU
(European Wiring)



RL 5041PN-PW
Cara Medium
Sculpted Pendant in
Polished Nickel with
Plaster White Shade

RL 5041PN-PW-EU
(European Wiring)



RALPH LAUREN

RL5252BZ-SP
Windsor Large
Hanging Shade in
Bronze with
Boxpleat Silk Shade

Height: 43"
Min. Custom Height: 28"
Width: 30"
Canopy: 7" Octagon

Finishes: BZ, NB, PN
Shade Treatments: SP

Socket:
8 - E12 Candelabra
Bulb: 8 - 60 B11

RL5252BZ-SP-EU
(European Wiring)



RL5252NB-SP
Windsor Large
Hanging Shade in
Natural Brass with
Boxpleat Silk Shade

RL5252NB-SP-EU
(European Wiring)



RL5252PN-SP
Windsor Large
Hanging Shade in
Polished Nickel with
Boxpleat Silk Shade

RL5252PN-SP-EU
(European Wiring)



RALPH LAUREN

RL5532PN-CHC
Karlie Large Hanging
Shade in Polished
Nickel with Chocolate
Leather Shade and
Acrylic Diffuser

Height: 51"
Min. Custom Height: 34.5"
Width: 30.25"
Canopy: 5.75" Round

Finishes:
NB/SDL, PN/CHC

Socket:
3 - E26 Keyless
Bulb: 3 - 60 B11

RL5532PN-CHC-EU
(European Wiring)



RL5532NB-SDL
Karlie Large Hanging
Shade in Natural
Brass with Saddle
Leather and
Acrylic Diffuser

RL5532NB-SDL-EU
(European Wiring)



RALPH LAUREN

RL5534PN/CHC-L/CHC
Cody Large Hanging
Shade in Polished
Nickel with Linen
Shade and Chocolate
Leather Trim
Height: 20.75"
Min. Custom Height: 25"
Width: 32"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
30" x 32" x 14.75"

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

Note: Custom Height
Available; Chain Available

RL5534PN/CHC-L/CHC-EU
(European Wiring)



RL5533NB/SDL-L/SDL
Cody Medium Hanging
Shade in Natural
Brass with Linen
Shade and Saddle
Leather Trim
O/A Height: 41.5"
Min. Custom Height: 26"
Width: 24"
Canopy: 6.5" Round

Finishes:
NB/NVY, NB/SDL,
PN/CHC
Shade Treatments: L
Shade Details:
22.5" x 24" x 12"

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

Note:
Custom Height Available;
Chain Available

RL5533NB/SDL-L/SDL-EU
(European Wiring)



RL5533NB/NVY-L/NVY
Cody Medium Hanging
Shade in Natural
Brass with Linen
Shade and Navy
Leather Trim

RL5533NB/NVY-L/NVY-EU
(European Wiring)



RALPH LAUREN

RL5162PN-L
Broomfield Large
Hanging Shade in
Polished Nickel and
Chocolate Leather
with Linen Shade
Height: 28.25"
Width: 32"
Canopy: 7.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
32" x 32" x 14"

Socket:
4 - E26 Keyless
Bulb: 4 - 60 A19

RL5162PN-L-EU
(European Wiring)



RL5161NB-L
Broomfield Small
Hanging Shade in
Natural Brass and
Saddle Leather
with Linen Shade
Height: 22.25"
Width: 24"
Canopy: 7.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
24" x 24" x 11"

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

RL5161NB-L-EU
(European Wiring)



RL5161PN-L
Broomfield Small
Hanging Shade in
Polished Nickel and
Chocolate Leather
with Linen Shade

RL5161PN-L-EU
(European Wiring)



RL5122IS-BK
Fulton Large
Pendant in Industrial
Steel with Black
Enamel Shade
O/A Height: 62.25"
Fixture Height: 23.5"
Min. Custom Height: 34.5"
Width: 22"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height
Available

RL5122IS-BK-EU
(European Wiring)



RALPH LAUREN

RL5120IS-IS
Fulton Small
Pendant in

Industrial Steel

O/A Height: 52.25"
Fixture Height: 13"
Min. Custom Height: 19.25"
Width: 13"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height
Available

RL5120IS-IS-EU
(European Wiring)



RL5120PN-PN
Fulton Small
Pendant in

Polished Nickel

RL5120PN-PN-EU
(European Wiring)



RL5120PN-WT
Fulton Small
Pendant in

Polished Nickel

with White
Enamel Shade

RL5120PN-WT-EU
(European Wiring)



RL5121IS-IS
Fulton Medium
Pendant in

Industrial Steel

O/A Height: 56.75"
Fixture Height: 18.5"
Min. Custom Height: 29"
Width: 17"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height
Available

RL5121IS-IS-EU
(European Wiring)



RL5121PN-PN
Fulton Medium
Pendant in

Polished Nickel

RL5121PN-PN-EU
(European Wiring)



RL5121PN-WT
Fulton Medium
Pendant in

Polished Nickel

with White
Enamel Shade

RL5121PN-WT-EU
(European Wiring)



RL5101NB-CG
Cambridge Medium
Smoke Bell Lantern
in Natural Brass
with Clear Glass

RL5101NB-CG-EU
(European Wiring)



RALPH LAUREN

RL5101NB-CG
Cambridge Medium
Smoke Bell Lantern
in Natural Brass
with Clear Glass
Height: 30.5"
Width: 14.25"
Canopy: 5" Round

Finishes: BS, NB
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 C11

RL5101NB-CG-EU
(European Wiring)



RL5101BS-CG
Cambridge Medium
Smoke Bell Lantern
in Butler's Silver
with Clear Glass

RL5101BS-CG-EU
(European Wiring)



RL5103NB-CG
Cambridge Large
Smoke Bell Lantern
in Natural Brass
with Clear Glass
Height: 38.5"
Width: 19.25"
Canopy: 7" Round

Finishes: BS, NB
Glass Options: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

RL5103NB-CG-EU
(European Wiring)



RL5103BS-CG
Cambridge Large
Smoke Bell Lantern
in Butler's Silver
with Clear Glass

RL5103BS-CG-EU
(European Wiring)



RALPH LAUREN

RL5415BZ-WG
Xavier Small Pendant
in Bronze with
White Glass
Height: 23.5"
Width: 14"
Canopy: 4.75" Round

Finishes: BS, BZ, NB
Glass Options: WG

Socket: E26 Keyless
Bulb: 40 A19

RL5415BZ-WG-EU
(European Wiring)



RL5415NB-WG
Xavier Small Pendant
in Natural Brass
with White Glass

RL5415NB-WG-EU
(European Wiring)



RL5415BS-WG
Xavier Small Pendant
in Butler's Silver
with White Glass

RL5415BS-WG-EU
(European Wiring)



RALPH LAUREN

RL5400NB-WG
Hendricks Small
Globe Pendant in
Natural Brass
with White Glass

O/A Height: 49"
Fixture Height: 16.5"
Min. Custom Height: 21"
Width: 12"
Canopy: 6.75" Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

Note:
Custom Height
Available

RL5400NB-WG-EU
(European Wiring)



RL5402PN-WG
Hendricks Large
Globe Pendant in
Polished Nickel
with White Glass

O/A Height: 55"
Fixture Height: 23"
Min. Custom Height: 27"
Width: 18"
Canopy: 6.75" Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

Note:
Custom Height
Available

RL5402PN-WG-EU
(European Wiring)



RL5461NB-WG
McCarren Large
Globe Pendant in
Natural Brass
with White Glass

O/A Height: 50.25"
Fixture Height: 21.5"
Min. Custom Height: 31"
Width: 16.25"
Canopy: 5.5" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height
Available; Requires
A-15 Bulb

RL5461NB-WG-EU
(European Wiring)



RL5461PN-WG
McCarren Large
Globe Pendant in
Polished Nickel
with White Glass

RL5461PN-WG-EU
(European Wiring)



RALPH LAUREN

RL4462NB-WG
McCarren Large
Flush Mount in
Natural Brass
with White Glass
Height: 20.75"
Width: 16.25"
Canopy: 7.75" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 60 A19

Note:
Requires A-15 Bulb

RL4462NB-WG-EU
(European Wiring)



RL4462PN-WG
McCarren Large
Flush Mount in
Polished Nickel
with White Glass

RL4462PN-WG-EU
(European Wiring)



RL4461NB-WG
McCarren Medium
Flush Mount in
Natural Brass
with White Glass
Height: 16"
Width: 12"
Canopy: 6" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 60 A19

Note:
Requires A-15 Bulb

RL4461NB-WG-EU
(European Wiring)



RL4461PN-WG
McCarren Medium
Flush Mount in
Polished Nickel
with White Glass

RL4461PN-WG-EU
(European Wiring)



RL4460NB-WG
McCarren Small
Flush Mount in
Natural Brass
with White Glass
Height: 11.75"
Width: 8"
Canopy: 6" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 60 A19

Note:
Requires A-15 Bulb

RL4460NB-WG-EU
(European Wiring)



RL4460PN-WG
McCarren Small
Flush Mount in
Polished Nickel
with White Glass

RL4460PN-WG-EU
(European Wiring)



RALPH LAUREN

RL19024BN
Marine Porthole
Large Flush
Mount in Natural
Brass with
White Glass
Height: 5.5"
Width: 16"



Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL19024BN-EU
(European Wiring)

RL19024PN
Marine Porthole
Large Flush
Mount in Polished
Nickel with
White Glass



RL19024PN-EU
(European Wiring)

RL19025BN
Marine Porthole
Medium Flush
Mount in Natural
Brass with
White Glass
Height: 5"
Width: 12.5"



Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL19025BN-EU
(European Wiring)

RL19025PN
Marine Porthole
Medium Flush
Mount in Polished
Nickel with
White Glass



RL19025PN-EU
(European Wiring)

RL19026BN
Marine Porthole
Small Flush
Mount in Natural
Brass with
White Glass
Height: 4.5"
Width: 9.5"



Finishes: NB, PN
Glass Options: FG

Socket:
E26 Keyless
Bulb: 60 A19

RL19026BN-EU
(European Wiring)

RL19026PN
Marine Porthole
Small Flush
Mount in Polished
Nickel with
White Glass



RL19026PN-EU
(European Wiring)

RALPH LAUREN

RL4800NB
Allen Medium
Round Flush Mount
in Natural Brass
and Glass Rods
with White Glass
Height: 7.5"
Width: 12.25"

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Bulb: 3 - 40 A19

RL4800NB-EU
(European Wiring)



RL4800PN
Allen Medium
Round Flush Mount
in Polished Nickel
and Glass Rods
with White Glass

RL4800PN-EU
(European Wiring)



RL4802NB
Allen Large Round
Flush Mount in
Natural Brass
and Glass Rods
with White Glass
Height: 7"
Width: 18"

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Bulb: 3 - 60 T10

RL4802NB-EU
(European Wiring)



RL4802PN
Allen Large Round
Flush Mount in
Polished Nickel
and Glass Rods
with White Glass

RL4802PN-EU
(European Wiring)



RL4804PN
Allen Grande Flush
Mount in Polished
Nickel and Glass
Rods with
White Glass
Height: 9.25"
Width: 24"

Finishes: NB, PN
Glass Options: WG

Socket:
6 - E26 Keyless
Bulb: 6 - 40 T10

Note:
Requires Special
Assembly and
Installation

RL4804PN-EU
(European Wiring)



RALPH LAUREN

RL4801NB
Allen Small
Round Flush Mount
in Natural Brass
and Glass Rods
with White Glass
Height: 4.5"
Width: 12"



RL4801PN
Allen Small
Round Flush Mount
in Polished Nickel
and Glass Rods
with White Glass



RL4801PN-EU
(European Wiring)

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 B11

RL4801NB-EU
(European Wiring)

RL4803NB
Allen Square
Flush Mount in
Natural Brass and
Glass Rods with
White Glass
Height: 4.5"
Width: 12.25"



RL4803PN
Allen Square
Flush Mount in
Polished Nickel
and Glass Rods
with White Glass



RL4803PN-EU
(European Wiring)

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 T10

RL4803NB-EU
(European Wiring)

RL4072NB-FA
Perry Large
Flush Mount in
Natural Brass
and Glass Rods
with White Glass
Height: 4"
Width: 14"



RL4072PN-FA
Perry Large
Flush Mount in
Polished Nickel
and Glass Rods
with White Glass



RL4072PN-FA-EU
(European Wiring)

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

RL4072NB-FA-EU
(European Wiring)

RALPH LAUREN

RL4721NB
Perren 18" Flush
Mount in Natural
Brass and
Glass Rods
Height: 6.25"
Width: 18"

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 36w (2800lm)

RL4721NB-EU
(European Wiring)



RL4720PN
Perren 12" Flush
Mount in Polished
Nickel and
Glass Rods
Height: 6.25"
Width: 12"

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL4720PN-EU
(European Wiring)



RL4722NB
Perren 24" Flush
Mount in Natural
Brass and
Glass Rods
Height: 6.25"
Width: 24"

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 60w (4800lm)

RL4722NB-EU
(European Wiring)



RL4090NB-WG
Ella Woven Small
Flush Mount in
Natural Brass
with White Glass
Height: 6"
Width: 14"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL4090NB-WG-EU
(European Wiring)



RL4090PN-WG
Ella Woven Small
Flush Mount in
Polished Nickel
with White Glass

RL4090PN-WG-EU
(European Wiring)



RALPH LAUREN

RL4128NB
Grant 6.25" Solitaire
Flush Mount in
Natural Brass
Height: 1.75"
Width: 6.25"
Canopy: 6.25" Round



Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 15w (1300lm)

RL4128NB-EU
(European Wiring)

RL4127PN
Grant 4.5" Solitaire
Flush Mount in
Polished Nickel
Height: 1.5"
Width: 4.5"
Canopy: 4.5" Round



Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 12w (1100lm)

RL4127PN-EU
(European Wiring)

RL4967NB/Q
Ellis 5" Solitaire
Flush Mount in
Natural Brass and
Natural Quartz
Height: 3"
Width: 5"



Finishes: NB, PN
Glass Options: Q

Socket:
Dedicated LED
Bulb: 13w (1000lm)

RL4967NB/Q-EU
(European Wiring)

RL4967PN/Q
Ellis 5" Solitaire
Flush Mount in
Polished Nickel
and Natural Quartz



RL4967PN/Q-EU
(European Wiring)

RL19023PN
Berling Large
Flush Mount in
Polished Nickel
with Frosted Glass
Height: 4.5"
Width: 18"




Finishes: PN
Glass Options: FG

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

RL19023PN-EU
(European Wiring)

RL19022PN
Berling Small
Flush Mount in
Polished Nickel
with Frosted Glass
Height: 4.25"
Width: 12.75"



Finishes: PN
Glass Options: FG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL19022PN-EU
(European Wiring)



WALL

RL2005CG
Daniela Medium
Double Sconce
in Crystal

Height: 23.5"
Width: 18.5"
Extension: 12.5"
Backplate:
5.5" Round

Finishes: CG

Socket:
2 - E12 Candelabra
Bulb: 2 - 60 C11

RL2005CG-EU
(European Wiring)



RALPH LAUREN

RL2280GI-CG
Alessandra Large
Chandelier Sconce
in Gilded Iron
with Crystal
Height: 24.25"
Width: 12.5"
Extension: 8"
Backplate: 5" Round

Finishes: AG, ASL, GI
Trim Options: CG

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2280GI-CG-EU
(European Wiring)



RL2280ASL-CG
Alessandra Large
Chandelier Sconce
in Antique Silver
Leaf with Crystal

RL2280ASL-CG-EU
(European Wiring)



RL2231GI-S
Adrianna Double
Sconce in Gilded
Iron and Crystal
with Silk Shades
Height: 25"
Width: 14"
Extension: 10"
Backplate:
5.5" x 7.5" Oval

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3" x 5" x 4"

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2231GI-S-EU
(European Wiring)



RL2231ASL-S
Adrianna Double
Sconce in Antique
Silver Leaf and
Crystal with
Silk Shades

RL2231ASL-S-EU
(European Wiring)



RALPH LAUREN

RL2008NB
Falaise Single Sconce
in Natural Brass

Height: 11.75"
Width: 5.25"
Extension: 9.75"
Backplate:
4.75" x 8" Rec.

Finishes: BS, NB

Socket:
E12 Candelabra
Bulb: 5.5 LED C11

RL2008NB-EU
(European Wiring)



RL2008BS
Falaise Single Sconce
in Butler's Silver

RL2008BS-EU
(European Wiring)



RL2009NB
Falaise Double Sconce
in Natural Brass

Height: 12.25"
Width: 13.5"
Extension: 9"
Backplate:
5" x 7.5" Rec.

Finishes: BS, NB

Socket:
2 - E12 Candelabra
Bulb:
2 - 5.5 LED C11

RL2009NB-EU
(European Wiring)



RL2009BS
Falaise Double Sconce
in Butler's Silver

RL2009BS-EU
(European Wiring)



RALPH LAUREN

RL14021BN
Payson Sconce in
Natural Brass
with Silk Shade
Height: 11"
Width: 6"
Extension: 7"
Backplate:
2.5" x 5" Rec.

Finishes: BZ, NB, PN
Shade Treatments: S
Shade Details:
4" x 6" x 5.25"

Socket:
E12 Candelabra
Bulb: 40 B11

Note:
Requires Smaller
Outlet Box

RL14021BN-EU
(European Wiring)



RL14021PN
Payson Sconce in
Polished Nickel
with Silk Shade

RL14021PN-EU
(European Wiring)



RL2330CG/NB-L
Sable Tail Sconce
in Crystal and
Natural Brass
with Linen Shade
Height: 15.25"
Width: 5"
Extension: 7"
Backplate:
4.5" Round

Finishes:
CG/NB, CG/PN
Shade Treatments: L
Shade Details:
3.75" x 5" x 4.75"

Socket:
E12 Candelabra
Bulb: 40 B11

RL2330CG/NB-L-EU
(European Wiring)



RL2330CG/PN-L
Sable Tail Sconce
in Crystal and
Polished Nickel
with Linen Shade

RL2330CG/PN-L-EU
(European Wiring)



**RL2007NB-P
Evans Double
Arm Sconce in
Natural Brass with
Percale Shade**

Height: 9.5"
Width: 12.75"
Extension: 6.75"
Backplate:
4.25" Square

Finishes:

AN, BZ, NB, PN

Shade Treatments: P

Shade Details:

3" x 5" x 4.5"

Socket:

2 - E12 Candelabra

Bulb: 2 - 25 B11

RL2007NB-P-EU

(European Wiring)



RALPH LAUREN

RL2004NB-P
Evans Library Sconce
in Natural Brass
with Percalé Shade

Height: 9.5"
Width: 5"
Extension: 7.25"
Backplate:
2.5" x 4.25" Rec.

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 4.5"

Socket: E12 Candelabra
Bulb: 25 B11

Note:
Requires Smaller
Outlet Box

RL2004NB-P-EU
(European Wiring)



RL2004PN-P
Evans Library Sconce
in Polished Nickel
with Percalé Shade

RL2004PN-P-EU
(European Wiring)



RL2003NB-P
Evans Single Arm
Sconce in Natural
Brass with
Percalé Shade

Height: 9.5"
Width: 5"
Extension: 7.25"
Backplate:
4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3" x 5" x 5"

Socket: E12 Candelabra
Bulb: 25 B11

Note:
Requires Smaller
Outlet Box

RL2003NB-P-EU
(European Wiring)



RL2003AN-P
Evans Single Arm
Sconce in Antique
Nickel with
Percalé Shade

RL2003AN-P-EU
(European Wiring)



RL2010NB-P
Evans Swing Arm
Sconce in Natural
Brass with
Percalé Shade

Height: 12.75"
Width: 10"
Extension: 11-19.5"
Backplate:
4.25" Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
8" x 10" x 7.5" Nordy

Socket:
E26 Dimmer
Bulb: 60 A19

Note: Cord
Cover Included

RL2010NB-P-EU
(European Wiring)



RL2010BZ-P
Evans Swing Arm
Sconce in Bronze
with Percalé Shade

RL2010BZ-P-EU
(European Wiring)



RL2220NB
Barrett Small Single
Knurled Sconce
in Natural Brass

Height: 8"
Width: 4.5"
Extension: 5"
Backplate:
4.5" x 1" Round

Finishes: NB, PN
Shade Treatments:
N/A, NB, PN

Socket:
E12 Candelabra
Bulb: 40 T6

RL2220NB-EU
(European Wiring)



RL2220PN
Barrett Small Single
Knurled Sconce
in Polished Nickel

RL2220PN-EU
(European Wiring)



RL2220NB-NB
Barrett Small Single
Knurled Sconce
in Natural Brass
with Natural
Brass Shades

Height: 12.5"
Width: 7"
Extension: 9"
Backplate:
4.5" x 1" Round

Finishes: NB, PN
Shade Treatments:
N/A, NB, PN
Shade Details:
2.5" x 7" x 4.75"

Socket:
E12 Candelabra
Bulb: 40 T6

RL2220NB-NB-EU
(European Wiring)



RL2220PN-PN
Barrett Small Single
Knurled Sconce
in Polished Nickel
with Polished
Nickel Shades

RL2220PN-PN-EU
(European Wiring)



RALPH LAUREN

RL2729NB
Barrett Mini
Bed Light in
Natural Brass

Height: 5.5" - 7.75"
Width: 3"
Extension:
8.25" - 8.75"
Backplate:
3" x 4.75" Rec.

Finishes: NB, PN

Socket: Dedicated
LED w/Dimmer
Bulb: 9w (900lm)

RL2729NB-EU
(European Wiring)



RL2729PN
Barrett Mini
Bed Light in
Polished Nickel

RL2729PN-EU
(European Wiring)



RL2721NB
Barrett Mini Double
Arm Bed Light
in Natural Brass

Height: 5.5" - 9.75"
Width: 3"
Extension:
10.75" - 16.75"
Backplate:
3" x 4.75" Rec.

Finishes: NB, PN

Socket: Dedicated
LED w/Dimmer
Bulb: 9w (900lm)

RL2721NB-EU
(European Wiring)



RL2721PN
Barrett Mini Double
Arm Bed Light
in Polished Nickel

RL2721PN-EU
(European Wiring)



RALPH LAUREN

RL2250NB
Anette Single Sconce
in Natural Brass

Height: 10"
Width: 6.75"
Extension: 11.75 - 16.25"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Bulb: 40 B11

RL2250NB-EU
(European Wiring)



RL2250PN
Anette Single Sconce
in Polished Nickel

RL2250PN-EU
(European Wiring)



RL2260NB
Anette Swing
Arm Sconce in
Natural Brass

Height: 10"
Width: 6.75"
Extension: 17.5 - 22"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Bulb: 40 B11

RL2260NB-EU
(European Wiring)



RL2260PN
Anette Swing
Arm Sconce in
Polished Nickel

RL2260PN-EU
(European Wiring)



RALPH LAUREN

RL2270NB
Anette Library Light
in Natural Brass

Height: 12"
Width: 6.75"
Extension: 15 - 27.25"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Bulb: 40 B11

RL2270NB-EU
(European Wiring)



RL2270PN
Anette Library Light
in Polished Nickel

RL2270PN-EU
(European Wiring)



RL2252NB
Anette Double Sconce
in Natural Brass

Height: 10"
Width: 15 - 18.5"
Extension: 7 - 10.25"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2252NB-EU
(European Wiring)



RL2252PN
Anette Double Sconce
in Polished Nickel

RL2252PN-EU
(European Wiring)



RL14029PN
RL '67 Boom Arm
Wall Lamp in
Polished Nickel

RL14029PN-EU
(European Wiring)



RALPH LAUREN

RL2500NB-L
Brompton Extension
Swing Arm in
Natural Brass
with Linen Shade

Height: 18.75"
Width: 14"
Extension: 22 - 36"
Backplate:
3" x 12" Rec.

Finishes: BZ, NB, PN
Shade Treatments: L
Shade Details:
6" x 14" x 9"

Socket: E26 Dimmer
Bulb: 100 A19

Note: Portable
Only; Cannot be
Hard-Wired

RL2500NB-L-EU
(European Wiring)



RL2500PN-L
Brompton Extension
Swing Arm in
Polished Nickel
with Linen Shade

RL2500PN-L-EU
(European Wiring)



RL14029BN
RL '67 Boom Arm
Wall Lamp in
Natural Brass

Height: 9" - 17"
Width: 31"
Extension: 12 - 32"
Backplate: 5" Round

Finishes: BZ, NB, PN

Socket: E26 On-Off
Bulb: 60 A19

Note: Portable
Only; Cannot be
Hard-Wired

RL14029BN-EU
(European Wiring)



RL14029BZ
RL '67 Boom Arm
Wall Lamp in Bronze

RL14029BZ-EU
(European Wiring)



RALPH LAUREN

RL2452NB-SDL
Benton Single Library
Sconce in Natural
Brass with Saddle
Leather Shade
Height: 7" - 13.5"
Width: 5"
Extension: 14" - 18"
Backplate: 4.75" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL2452NB-SDL-EU
(European Wiring)

RL2452NB-NVY
Benton Single Library
Sconce in Natural
Brass with Navy
Leather Shade

RL2452NB-NVY-EU
(European Wiring)



RL2454NB-SDL
Benton Double Library
Sconce in Natural
Brass with Saddle
Leather Shade
Height: 7" - 14.5"
Width: 5"
Extension: 11" - 27.25"
Backplate: 4.75" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL2454NB-SDL-EU
(European Wiring)

RL2454PN-CHC
Benton Double Library
Sconce in Polished
Nickel with Chocolate
Leather Shade

RL2454PN-CHC-EU
(European Wiring)



RALPH LAUREN

RL2611NB/SDL-L
Riley Single Sconce
in Natural Brass
and Saddle Leather
with Leather Trimmed
Linen Shades

Height: 12.25"
Width: 6"
Extension: 7.75"
Backplate:
5.25" Round

Finishes:

NB/NVY, NB/SDL,
PN/CHC

Shade Treatments: L

Shade Details:
4" x 6" x 5.75"

Socket:

E12 Candelabra

Bulb: 40 B11

RL2611NB/SDL-L-EU
(European Wiring)



RL2611NB/NVY-L
Riley Single Sconce
in Natural Brass
and Navy Leather
with Leather Trimmed
Linen Shades

RL2611NB/NVY-L-EU
(European Wiring)



RL 2170NB/NRO
Alaster Articulating
Wall Light in
Natural Brass and
Natural Rift Oak

Height: 7"
Width: 7" - 28.25"
Extension: 8.5" - 27"
Backplate: 7" Round

Finishes:

NB/NRO, PN/BKE

Shade Treatments:

NB, PN

Socket: Dedicated LED
w/Dimmer on Backplate

Bulb: 15w (1600lm)

Note:

Cord Cover Included

RL 2170NB/NRO-EU
(European Wiring)



RL 2170PN/BKE
Alaster Articulating
Wall Light in
Polished Nickel and
Black Ebony

RL 2170PN/BKE-EU
(European Wiring)

RALPH LAUREN

RL2680WB/NB-NB
Dalfern Medium Single
Sconce in Waxed
Bamboo and Natural
Brass with Natural
Brass Shade

Height: 12"
Width: 8.25"
Extension: 12.5"
Backplate: 5" Round

Finishes:

WB/NB, WB/PN

Shade Treatments: NB,
PN, WP

Shade Details:

3.25" x 8.25" x 6.5"

Socket: E12 Candelabra

Bulb: 6.5 LED B11

RL2680WB/NB-NB-EU
(European Wiring)



RL2680WB/PN-PN
Dalfern Medium Single
Sconce in Waxed
Bamboo and Polished
Nickel with Polished
Nickel Shade

RL2680WB/PN-PN-EU
(European Wiring)



RL 2570NB/NRO-L
Radford Small Sconce
in Natural Brass
and Natural Rift Oak
with Linen Shade

Height: 14"
Width: 7.75"
Extension: 8.5"
Backplate:
4.5" Round

Finishes:

NB/NRO, PN/BKE

Shade Treatments: L

Shade Details:

3" x 7.75" x 4.75"

Socket:

E12 Candelabra

Bulb: 25 B11

RL 2570NB/NRO-L-EU
(European Wiring)



RL 2570PN/BKE-L
Radford Small Sconce
in Polished Nickel
and Black Ebony
with Linen Shade

RL 2570PN/BKE-L-EU
(European Wiring)



RALPH LAUREN

**RL2590NB/NRO-L
Mitchell Tail Sconce
in Natural Brass
and Natural Rift Oak
with Linen Shade**

Height: 30"
Width: 12.5"
Extension: 8"
Backplate:
4.25" Square

Finishes:

NB/NRO, PN/BKE

Shade Treatments: L

Shade Details:

11.75" x 12.5" x 8.25"

Socket: E26 Keyless

Bulb: 40 A19

RL2590NB/NRO-L-EU
(European Wiring)

**RL2590PN/BKE-L
Mitchell Tail Sconce
in Polished Nickel
and Black Ebony
with Linen Shade**

RL2590PN/BKE-L-EU
(European Wiring)



RALPH LAUREN

RL2329AI-L
Allegra Medium
Torch Tail Sconce
in Aged Iron with
Linen Shade

Height: 35"
Width: 13"
Extension: 7.75"
Backplate:
5" X 5.25" Rec.

Finishes: AI
Shade Treatments: L
Shade Details:
7.75" x 12.5" x 8.75"
Shield

Socket: E26 Keyless
Bulb: 40 A19

RL2329AI-L-EU
(European Wiring)



RL2790NB/AI
Ancram Small Single
Sconce in Natural
Brass and Aged Iron

Height: 10.75"
Width: 7.5"
Extension: 7"
Backplate:
7.5" x 10.5" Oval

Finishes: NB/AI

Socket:
E12 Candelabra
Bulb: 5.5 LED C11

RL2790NB/AI-EU
(European Wiring)



RL2791NB/AI
Ancram Small Double
Sconce in Natural
Brass and Aged Iron

Height: 12.5"
Width: 9.75"
Extension: 7"
Backplate:
9" x 12.5" Oval

Finishes: NB/AI

Socket:
2 - E12 Candelabra
Bulb: 2 - 5.5 LED C11

RL2791NB/AI-EU
(European Wiring)



RALPH LAUREN

RL2120IS-BK
Fulton Small Sconce
in Industrial Steel
with Black
Enamel Shade

Height: 8.25"
Width: 6.75"
Extension: 9.25"
Backplate:
4.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

RL2120IS-BK-EU
(European Wiring)



RL2120IS-IS
Fulton Small Sconce
in Industrial Steel

RL2120IS-IS-EU
(European Wiring)



RL2120PN-WT
Fulton Small Sconce
in Polished Nickel
with White
Enamel Shade

RL2120PN-WT-EU
(European Wiring)



RL2370AI-CG
Cheyenne Medium
Lantern in Aged Iron
with Clear Glass

Height: 23"
Width: 9.5"
Extension: 11"
Backplate: 5" Round

Finishes: AI
Glass Options: CG

Socket: E26 Keyless
Bulb: 60 T10

RL2370AI-CG-EU
(European Wiring)



RL2810BZ-CG
Ollie Small Wall
Lantern in Bronze
with Clear Glass

Height: 16.5"
Width: 8"
Extension: 8.75"
Backplate:
7" x 15.5" Rec.

Finishes: BZ
Glass Options: CG


Socket:
Dedicated LED
Bulb: 12w (1100lm)

RL2810BZ-CG-EU
(European Wiring)



RL2181BZ
Grant Large
Sconce in Bronze
with Industrial
Prismatic Glass

RL2181BZ-EU
(European Wiring)



RALPH LAUREN

RL2181BZ
Grant Large
Sconce in Bronze
with Industrial
Prismatic Glass

Height: 10.5"
Width: 7.5"
Extension: 6.25"
Backplate:
10" x 7.5" Triangle

Finishes:
BZ, NB, PN, WZ

Socket: E26 Keyless
Bulb: 60 A19

RL2181BZ-EU
(European Wiring)



RL2181WZ
Grant Large
Sconce in Weathered
Zinc with Industrial
Prismatic Glass

RL2181WZ-EU
(European Wiring)



RL2180NB
Grant Small
Sconce in Natural
Brass with Industrial
Prismatic Glass

Height: 7.5"
Width: 5.25"
Extension: 4.75"
Backplate:
5.25" x 7" Triangle

Finishes:
BZ, NB, PN, WZ

Socket:
E12 Candelabra
Bulb: 60 G16

RL2180NB-EU
(European Wiring)



RL2180PN
Grant Small
Sconce in Polished
Nickel with Industrial
Prismatic Glass

RL2180PN-EU
(European Wiring)



RL2066BZ
Rivington Shield
Sconce in Bronze
with Antiqued
Ribbed Mirror

RL2066BZ-EU
(European Wiring)



RALPH LAUREN

RL2066NB
Rivington Shield
Sconce in Natural
Brass with
Ribbed Mirror

Height: 12.5"
Width: 6"
Extension: 7.5"
Backplate:
5" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, MG

Socket:
E26 Keyless
Bulb: 60 ST18

RL2066NB-EU
(European Wiring)



RL2066PN
Rivington Shield
Sconce in Polished
Nickel with
Ribbed Mirror

RL2066PN-EU
(European Wiring)



RL2064NB
Rivington Small
Round Sconce in
Natural Brass
with Ribbed Mirror

Height: 12.25"
Width: 10"
Extension: 5"
Backplate:
4.25" Round

Finishes:
BZ, NB, PN
Glass Options:
AM, MG

Socket:
E26 Keyless
Bulb: 60 ST18

RL2064NB-EU
(European Wiring)



RL2064PN
Rivington Small
Round Sconce in
Polished Nickel
with Ribbed Mirror

RL2064PN-EU
(European Wiring)



RALPH LAUREN

RL2530NB
Modern Hurricane
Sconce in
Natural Brass
Height: 13"
Width: 6"
Extension: 7.5"
Backplate: 4" Round

Finishes: BZ, NB, PN
Glass Options:
CG/WG

Socket: E26 Keyless
Bulb: 60 B11

RL2530NB-EU
(European Wiring)



RL2530BZ
Modern Hurricane
Sconce in Bronze

RL2530BZ-EU
(European Wiring)



RL2530PN
Modern Hurricane
Sconce in
Polished Nickel

RL2530PN-EU
(European Wiring)



RL2162NB-WG
Westbury Double
Sconce in Natural
Brass with
White Glass

Height: 12"
Width: 6"
Extension: 3.75"
Backplate:
4.5" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2162NB-WG-EU
(European Wiring)



RL2162BZ-WG
Westbury Double
Sconce in Bronze
with White Glass

RL2162BZ-WG-EU
(European Wiring)



RL2162PN-WG
Westbury Double
Sconce in Polished
Nickel with
White Glass

RL2162PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2551NB-WG
McCarren Single Sconce
in Natural Brass
with White Glass

Height: 15.25"
Width: 8"
Extension: 11"
Backplate:
5.25" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
E26 Keyless
Bulb: 60 A15

Note:
Requires A-15 Bulb

RL2551NB-WG-EU
(European Wiring)



RL2551BZ-WG
McCarren Single Sconce
in Bronze with
White Glass

RL2551BZ-WG-EU
(European Wiring)



RL2551PN-WG
McCarren Single Sconce
in Polished Nickel
with White Glass

RL2551PN-WG-EU
(European Wiring)



RL2550NB-WG
McCarren Double Sconce
in Natural Brass
with White Glass


Height: 20"
Width: 8"
Extension: 11"
Backplate: 5.25" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A15


Note:
Requires A-15 Bulb

RL2550NB-WG-EU
(European Wiring)



RL2550PN-WG
McCarren Double Sconce
in Polished Nickel
with White Glass

RL2550PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2566NB/TK-WG
Northport 32" Linear
Sconce in Natural
Brass and Teak
with White Glass

Height: 32"
Width: 4"
Extension: 5.25"
Backplate:
3" x 4" Rec.

Finishes:

BZ/TK, NB/TK,
PN/TK

Glass Options: WG

Socket:

Dedicated LED

Bulb: 40w (3200lm)

Note:

Requires Smaller
Outlet Box

RL2566NB/TK-WG-EU
(European Wiring)

RL2566BZ/TK-WG
Northport 32" Linear
Sconce in Bronze and
Teak with White Glass

RL2566BZ/TK-WG-EU
(European Wiring)

RL2566PN/TK-WG
Northport 32" Linear
Sconce in Polished
Nickel and Teak
with White Glass

RL2566PN/TK-WG-EU
(European Wiring)



RALPH LAUREN

RL2560NB/TK-WG
Northport Medium
Bracketed Wall
Lantern in Natural
Brass and Teak
with White Glass

Height: 13.5"
Width: 5"
Extension: 6"
Backplate:
3" x 4" Rec.

Finishes:

BZ/TK, NB/TK,
PN/TK

Glass Options: WG

Socket:

Dedicated LED

Bulb: 25w (2000lm)

Note:

Requires Smaller
Outlet Box

RL2560NB/TK-WG-EU
(European Wiring)



RL2560BZ/TK-WG
Northport Medium
Bracketed Wall
Lantern in Bronze
and Teak with
White Glass

RL2560BZ/TK-WG-EU
(European Wiring)



RL2560PN/TK-WG
Northport Medium
Bracketed Wall
Lantern in Polished
Nickel and Teak
with White Glass

RL2560PN/TK-WG-EU
(European Wiring)



RL2565NB/TK-WG
Northport 24" Linear
Sconce in Natural
Brass and Teak with
White Glass

Height: 24"
Width: 4"
Extension: 5.25"
Backplate:
3" x 4" Rec.

Finishes:

BZ/TK, NB/TK,
PN/TK

Glass Options: WG

Socket:

Dedicated LED

Bulb: 35w (2800lm)

Note:

Requires Smaller
Outlet Box

RL2565NB/TK-WG-EU
(European Wiring)



RL2565PN/TK-WG
Northport 24" Linear
Sconce in Polished
Nickel and Teak
with White Glass

RL2565PN/TK-WG-EU
(European Wiring)



RALPH LAUREN

RL2165NB-WG
Keating Large
Sconce in Natural
Brass with
White Glass

Height: 35.75"
Width: 5"
Extension: 5.5"
Backplate:
3.25" x 3.3" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Bulb: 4 - 25 T10

Note:
Requires Smaller
Outlet Box

RL2165NB-WG-EU
(European Wiring)

RL2165BZ-WG
Keating Large
Sconce in Bronze
with White Glass

RL2165BZ-WG-EU
(European Wiring)

RL2165PN-WG
Keating Large
Sconce in Polished
Nickel with
White Glass

RL2165PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2164NB-WG
Keating Medium
Sconce in Natural
Brass with
White Glass

Height: 23.75"
Width: 5"
Extension: 5.5"
Backplate:
3.25" x 21" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 T10

Note:
Requires Smaller
Outlet Box

RL2164NB-WG-EU
(European Wiring)

RL2164BZ-WG
Keating Medium
Sconce in Bronze
with White Glass

RL2164BZ-WG-EU
(European Wiring)

RL2164PN-WG
Keating Medium
Sconce in Polished
Nickel with
White Glass

RL2164PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2027NB-WG
Geneva Large
Sconce in Natural
Brass with
White Glass

Height: 34"
Width: 5"
Extension: 4"
Backplate:
4" x 30.5" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Bulb: 4 - 60 B11

RL2027NB-WG-EU
(European Wiring)

RL2027BZ-WG
Geneva Large
Sconce in Bronze
with White Glass

RL2027BZ-WG-EU
(European Wiring)

RL2027PN-WG
Geneva Large
Sconce in Polished
Nickel with
White Glass

RL2027PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2026NB-WG
Geneva Medium
Sconce in Natural
Brass with
White Glass
Height: 26"
Width: 5"
Extension: 4"
Backplate:
4" x 22" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Bulb: 3 - 40 B11

RL2026NB-WG-EU
(European Wiring)



RL2026BZ-WG
Geneva Medium
Sconce in Bronze
with White Glass

RL2026BZ-WG-EU
(European Wiring)



RL2026PN-WG
Geneva Medium
Sconce in Polished
Nickel with
White Glass

RL2026PN-WG-EU
(European Wiring)



RL2025NB-WG
Geneva Small
Sconce in Natural
Brass with
White Glass
Height: 17"
Width: 5"
Extension: 4"
Backplate:
4" x 13" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 B11

RL2025NB-WG-EU
(European Wiring)



RL2025BZ-WG
Geneva Small
Sconce in Bronze
with White Glass

RL2025BZ-WG-EU
(European Wiring)



RL2025PN-WG
Geneva Small
Sconce in Polished
Nickel with
White Glass

RL2025PN-WG-EU
(European Wiring)



RL2535NB-WG
Bleeker Triple Bath
Sconce in Natural
Brass with
White Glass

Height: 34.5"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 34" Rec.

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 36w (2600lm)

RL2535NB-WG-EU
(European Wiring)

RL2535PN-WG
Bleeker Triple Bath
Sconce in Polished
Nickel with
White Glass

RL2535PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2534NB-WG
Bleeker Double Bath
Sconce in Natural
Brass with
White Glass

Height: 23.25"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 23.25" Rec.

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 23w (1750lm)

RL2534NB-WG-EU
(European Wiring)

RL2534PN-WG
Bleeker Double Bath
Sconce in Polished
Nickel with
White Glass

RL2534PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2042NB-WG
Jones Small Single
Sconce in Natural
Brass with
White Glass

Height: 11.5"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 12w (1100lm)

RL2042NB-WG-EU
(European Wiring)



RL2042PN-WG
Jones Small Single
Sconce in Polished
Nickel with
White Glass

RL2042PN-WG-EU
(European Wiring)




RL2043NB-WG
Jones Medium
Double Sconce in
Natural Brass
with White Glass

Height: 18.25"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes: NB, PN
Glass Options: WG


Socket:
Dedicated LED
Bulb: 18w (1900lm)

RL2043NB-WG-EU
(European Wiring)



RL2043PN-WG
Jones Medium
Double Sconce in
Polished Nickel
with White Glass

RL2043PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2092NB
Lichfield Single
Sconce in
Natural Brass
Height: 11.25"
Width: 4.5"
Extension: 5"
Backplate:
4.5" Round

Finishes: NB, PN
Glass Options: WG

Socket:
E26 Keyless
Bulb: 40 T10

RL2092NB-EU
(European Wiring)



RL2092PN
Lichfield Single
Sconce in
Polished Nickel

RL2092PN-EU
(European Wiring)




RL2093NB
Lichfield Double
Sconce in
Natural Brass
Height: 17.75"
Width: 4.5"
Extension: 5"
Backplate:
4.5" Round

Finishes: NB, PN
Glass Options: WG


Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

RL2093NB-EU
(European Wiring)



RL2093PN
Lichfield Double
Sconce in
Polished Nickel

RL2093PN-EU
(European Wiring)



RALPH LAUREN

RL2400NB
Ranier Single Bath
Light in Natural
Brass with Clear
Glass Rods

Height: 10.5"
Width: 4.25"
Extension: 5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 12w (1000lm)

RL2400NB-EU
(European Wiring)



RL2400PN
Ranier Single Bath
Light in Polished
Nickel with Clear
Glass Rods

RL2400PN-EU
(European Wiring)



RL2401NB
Ranier Double Bath
Light in Natural
Brass with Clear
Glass Rods

Height: 16.75"
Width: 4.25"
Extension: 5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL2401NB-EU
(European Wiring)



RL2401PN
Ranier Double Bath
Light in Polished
Nickel with Clear
Glass Rods

RL2401PN-EU
(European Wiring)



RALPH LAUREN

RL2403NB
Ranier 30" Linear
Bath Light in
Natural Brass with
Clear Glass Rods

Height: 30"
Width: 3.25"
Extension: 5"
Backplate:
2.5" x 30" Rec.

Finishes: NB, PN


Socket:
Dedicated LED
Bulb: 20w (1600lm)

Note:
Requires Smaller
Outlet Box

RL2403NB-EU
(European Wiring)

RL2403PN
Ranier 30" Linear
Bath Light in
Polished Nickel with
Clear Glass Rods

RL2403PN-EU
(European Wiring)



RALPH LAUREN

RL2080NB
Allen Single Sconce
in Natural Brass
and Glass Rods

Height: 11"
Width: 4.5"
Extension: 5"
Backplate:
4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Bulb: 40 T10

RL2080NB-EU
(European Wiring)



RL2080PN
Allen Single Sconce
in Polished Nickel
and Glass Rods

RL2080PN-EU
(European Wiring)




RL2082NB
Allen Double
Light Sconce in
Natural Brass
and Glass Rods

Height: 17.5"
Width: 4.5"
Extension: 5"
Backplate:
4.5" Round

Finishes: NB, PN


Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

RL2082NB-EU
(European Wiring)



RL2082PN
Allen Double
Light Sconce in
Polished Nickel
and Glass Rods

RL2082PN-EU
(European Wiring)



RL2084NB
Allen Small Linear
Sconce in Natural
Brass and Glass Rods

Height: 12"
Width: 6"
Extension: 5"
Backplate:
4.25" x 11.5" Rec.

Finishes: NB, PN

Socket: E26 Keyless
Bulb: 2 - 60 B11

RL2084NB-EU
(European Wiring)



RL2086NB
Allen Large Linear
Sconce in Natural
Brass and Glass Rods

Height: 27.5"
Width: 6"
Extension: 5"
Backplate:
4.25" x 21" Rec.

Finishes: NB, PN

Socket:
3 - E26 Keyless
Bulb: 3 - 60 B11

RL2086NB-EU
(European Wiring)



RL2085PN
Allen Medium Linear
Sconce in
Polished Nickel
and Glass Rods

Height: 18.5"
Width: 6"
Extension: 5"
Backplate:
4.25" x 18" Rec.

Finishes: NB, PN

Socket:
2 - E26 Keyless
Bulb: 2 - 60 B11

RL2085PN-EU
(European Wiring)



RL2760BZ
Perren Small
Wall in Bronze
and Glass Rods

RL2760BZ-EU
(European Wiring)




RL2760NB
Perren Small
Wall in Natural Brass
and Glass Rods
Height: 14.75"
Width: 5.25"
Extension: 5.25"
Backplate:
4.25" x 13.5" Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 12w (960lm)

RL2760NB-EU
(European Wiring)




RL2762BZ
Perren Large
Wall Sconce in
Bronze and
Glass Rods
Height: 27.75"
Width: 5.25"
Extension: 5.25"
Backplate:
4.25" x 27.75" Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 25w (2000lm)

RL2762BZ-EU
(European Wiring)



RL2761PN
Perren Medium
Wall Sconce in
Polished Nickel
and Glass Rods
Height: 19.75"
Width: 5.25"
Extension: 5.25"
Backplate:
4.25" x 18.5" Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL2761PN-EU
(European Wiring)



RALPH LAUREN

RL 2321NB-CG
Daley Medium Linear
Sconce in Natural
Brass with Crystal
Height: 18"
Width: 4.25"
Extension: 3.25"
Backplate:
4.25" x 17.5" Rec.

Finishes: NB, PN
Glass Options: CG

Socket:
Dedicated LED
Bulb: 12w (1920lm)

RL 2321NB-CG-EU
(European Wiring)

RL 2321PN-CG
Daley Medium Linear
Sconce in Polished
Nickel with Crystal

RL 2321PN-CG-EU
(European Wiring)



RALPH LAUREN

RL2969NB/Q
Ellis Medium
Linear Sconce in
Natural Brass and
Natural Quartz

Height: 18.75"
Width: 5"
Extension: 3"
Backplate:
5" x 18.75" Rec.

Finishes: NB, PN
Glass Options: Q

Socket:
Dedicated LED
Bulb: 36w (2600lm)

RL2969NB/Q-EU
(European Wiring)

RL2969PN/Q
Ellis Medium
Linear Sconce in
Polished Nickel and
Natural Quartz

RL2969PN/Q-EU
(European Wiring)



RALPH LAUREN

RL2817NB-WG
Hayles 34" Bath
Light in Natural
Brass with
White Glass

Height: 34"
Width: 5"
Extension: 3.5"
Backplate:
4.5" x 31.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 31w (2500lm)

RL2817NB-WG-EU
(European Wiring)

RL2817BZ-WG
Hayles 34" Bath
Light in Bronze
with White Glass

RL2817BZ-WG-EU
(European Wiring)

RL2817PN-WG
Hayles 34" Bath
Light in Polished
Nickel with
White Glass

RL2817PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2815NB-WG
Hayles 17" Bath
Light in Natural
Brass with
White Glass

Height: 17"
Width: 5"
Extension: 3.5"
Backplate:
4.5" x 14.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 13w (1000lm)

RL2815NB-WG-EU
(European Wiring)



RL2816PN-WG
Hayles 26" Bath
Light in Polished
Nickel with
White Glass

Height: 26"
Width: 5"
Extension: 3.5"
Backplate:
4.5" x 23.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 18w (1800lm)

RL2816PN-WG-EU
(European Wiring)



RL2815BZ-WG
Hayles 17" Bath
Light in Bronze
with White Glass

RL2815BZ-WG-EU
(European Wiring)



RALPH LAUREN

RL2769NB-WG
Strever 32" Shielded
Bath Light in
Natural Brass
with White Glass
Height: 32"
Width: 4.5"
Extension: 2.25"
Backplate:
4.5" x 32" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 28w (2100lm)

RL2769NB-WG-EU
(European Wiring)

RL2769BZ-WG
Strever 32" Shielded
Bath Light in Bronze
with White Glass

RL2769BZ-WG-EU
(European Wiring)

RL2769PN-WG
Strever 32" Shielded
Bath Light in
Polished Nickel
with White Glass

RL2769PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2768NB-WG
Strever 26" Shielded
Bath Light in
Natural Brass
with White Glass
Height: 26"
Width: 4.5"
Extension: 2.25"
Backplate:
4.5" x 26" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 21w (1900lm)

RL2768NB-WG-EU
(European Wiring)

RL2768BZ-WG
Strever 26" Shielded
Bath Light in Bronze
with White Glass

RL2768BZ-WG-EU
(European Wiring)

RL2768PN-WG
Strever 26" Shielded
Bath Light in
Polished Nickel
with White Glass

RL2768PN-WG-EU
(European Wiring)



RALPH LAUREN

RL2034NB-EC
Barton Grande
Bath Sconce in
Natural Brass with
Etched Crystal

Height: 30"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 26.25" Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 30w (2900lm)

Note:
Requires Smaller
Outlet Box

RL2034NB-EC-EU
(European Wiring)



RL2033BZ-EC
Barton Large
Bath Sconce in
Bronze with
Etched Crystal

Height: 24"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 20.75" Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 24w (2600lm)

Note:
Requires Smaller
Outlet Box

RL2033BZ-EC-EU
(European Wiring)



RL2033PN-EC
Barton Large
Bath Sconce in
Polished Nickel
with Etched Crystal

RL2033PN-EC-EU
(European Wiring)



RALPH LAUREN

RL 2035NB-EC
Barton Single
Arm Sconce in
Natural Brass
with Etched Crystal

Height: 13"
Width: 5"
Extension: 4"
Backplate: 5" Round

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 9w (1000lm)

RL 2035NB-EC-EU
(European Wiring)



RL 2035BZ-EC
Barton Single
Arm Sconce in
Bronze with
Etched Crystal

RL 2035BZ-EC-EU
(European Wiring)



RL 2035PN-EC
Barton Single
Arm Sconce in
Polished Nickel
with Etched Crystal

RL 2035PN-EC-EU
(European Wiring)



RL2032NB-EC
Barton Medium
Bath Sconce in
Natural Brass with
Etched Crystal

Height: 16"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 13.25" Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 18w (2000lm)

Note:
Requires Smaller
Outlet Box

RL2032NB-EC-EU
(European Wiring)



RL2031BZ-EC
Barton Small
Bath Sconce in
Bronze with
Etched Crystal

Height: 13"
Width: 2.75"
Extension: 4"
Backplate:
2.5" x 9.75" Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 12w (1400lm)

Note:
Requires Smaller
Outlet Box

RL2031BZ-EC-EU
(European Wiring)



RL2031PN-EC
Barton Small
Bath Sconce in
Polished Nickel
with Etched Crystal

RL2031PN-EC-EU
(European Wiring)



RL2783NB
Langley 40" Picture
Light in Natural Brass

Height: 3"
Width: 40"
Extension: 8"
Backplate:
3" x 8.25" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 30w (2400lm)



RL2782PN
Langley 32" Picture
Light in Polished Nickel

Height: 3"
Width: 32"
Extension: 8"
Backplate:
3" x 8.25" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 25w (2000lm)



RL2782NB
Langley 32" Picture
Light in Natural Brass

RL2782NB-EU
(European Wiring)



RL2781NB

**Langley 24" Picture
Light in Natural Brass**

Height: 3"
Width: 24"
Extension: 8"
Backplate:
3" x 8.25" Rec.

Finishes: NB, PN

Socket:

Dedicated LED
Bulb: 25w (2000lm)

RL2781NB-EU

(European Wiring)



RL2781PN

**Langley 24" Picture
Light in Polished Nickel**

RL2781PN-EU

(European Wiring)



RL2780NB

**Langley 12" Picture
Light in Natural Brass**

Height: 2.5"
Width: 13"
Extension: 8"
Backplate:
2.5" x 7" Rec.

Finishes: NB, PN

Socket:

Dedicated LED
Bulb: 15w (1200lm)

RL2780NB-EU

(European Wiring)



RL2780PN

**Langley 12" Picture
Light in Polished Nickel**

RL2780PN-EU

(European Wiring)



RL2788NB
Langham Large
Picture Light in
Natural Brass

Height: 2.5"
Width: 36"
Extension:
5.25" - 6.75"
Backplate:
24" x 2.5" Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb:
27w (2700lm)

RL2788NB-EU
(European Wiring)



RL2788BZ
Langham Large
Picture Light
in Bronze

RL2788BZ-EU
(European Wiring)



RL2788PN
Langham Large
Picture Light in
Polished Nickel

RL2788PN-EU
(European Wiring)



RL2787NB
Langham Medium
Picture Light in
Natural Brass

Height: 2.5"
Width: 24"
Extension:
5.25" - 6.75"
Backplate:
12" x 2.5" Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 18w (1800lm)

RL2787NB-EU
(European Wiring)



RL2787BZ
Langham Medium
Picture Light
in Bronze

RL2787BZ-EU
(European Wiring)



RL2786NB
Langham Small
Picture Light in
Natural Brass
Height: 2.5"
Width: 13"
Extension: 5" - 5.75"
Backplate:
4.75" x 2.5" Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 9w (900lm)

RL2786NB-EU
(European Wiring)



RL2786PN
Langham Small
Picture Light in
Polished Nickel

RL2786PN-EU
(European Wiring)



RALPH LAUREN

RL2724NB
Barrett 24"
Picture Light in
Natural Brass
Height: 4.25"
Width: 24"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 20w (1750lm)

Note:
Requires Smaller
Outlet Box

RL2724NB-EU
(European Wiring)



RL2724PN
Barrett 24"
Picture Light in
Polished Nickel

RL2724PN-EU
(European Wiring)



RALPH LAUREN

RL2723NB
Barrett 18"
Picture Light in
Natural Brass
Height: 4.25"
Width: 18"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN


Socket:
Dedicated LED
Bulb: 16w (1300lm)

Note:
Requires Smaller
Outlet Box

RL2723NB-EU
(European Wiring)

RL2723PN
Barrett 18"
Picture Light in
Polished Nickel

RL2723PN-EU
(European Wiring)



RL2722NB
Barrett 12"
Picture Light in
Natural Brass
Height: 4.25"
Width: 12"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 12w (1000lm)

Note:
Requires Smaller
Outlet Box

RL2722NB-EU
(European Wiring)

RL2722PN
Barrett 12"
Picture Light in
Polished Nickel

RL2722PN-EU
(European Wiring)



RL2277NB
Anette 24"
Picture Light in
Natural Brass
Height: 2.25"
Width: 24"
Extension: 12.25"
Backplate:
2.375" x 19.5" Rec.

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

Note:
Requires Smaller
Outlet Box

RL2277NB-EU
(European Wiring)



RL2277BZ
Anette 24"
Picture Light
in Bronze

RL2277BZ-EU
(European Wiring)



RL2277PN
Anette 24"
Picture Light in
Polished Nickel

RL2277PN-EU
(European Wiring)



RL2276NB

Anette 16"

Picture Light in

Natural Brass

Height: 2.25"

Width: 16"

Extension: 12.25"

Backplate:

2.375" x 11.25" Rec.

Finishes: BZ, NB, PN

Socket:

2 - E26 Keyless

Bulb: 2 - 40 T10

Note:

Requires Smaller

Outlet Box



RL2276NB-EU

(European Wiring)

RL2276BZ

Anette 16"

Picture Light

in Bronze

RL2276BZ-EU

(European Wiring)



RL2275NB

Anette 9"

Picture Light in

Natural Brass

Height: 2.25"

Width: 9"

Extension: 12.25"

Backplate:

2.375" x 3.5" Rec.

Finishes: BZ, NB, PN

Socket: E26 Keyless

Bulb: 40 T10

Note:

Requires Smaller

Outlet Box

RL2275NB-EU

(European Wiring)



RL2275PN

Anette 9"

Picture Light in

Polished Nickel

RL2275PN-EU

(European Wiring)





OUTDOOR

RALPH LAUREN

RL5733WVG-CG
Carrington Small
Lantern in
Weathered Verdigris
with Clear Glass
Height: 34.5"
Width: 16"
Canopy: 5.25" Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5733WVG-CG-EU
(European Wiring)



RL5733FR-CG
Carrington Small
Lantern in French
Rust with Clear Glass

RL5733FR-CG-EU
(European Wiring)



RL5735WVG-CG
Carrington Large
Lantern in
Weathered Verdigris
with Clear Glass
Height: 48.5"
Width: 22.5"
Canopy: 6.75" Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5735WVG-CG-EU
(European Wiring)



RL5735FR-CG
Carrington Large
Lantern in French
Rust with Clear Glass

RL5735FR-CG-EU
(European Wiring)



RALPH LAUREN

RL 2732WVG-CG
Carrington Small
Wall Lantern in
Weathered Verdigris
with Clear Glass

Height: 18.5"
Width: 10.25"
Extension: 7.25"
Backplate:
9" x 11" Rec.

Finishes: FR, WVG
Glass Options: CG

Socket:
E12 Candelabra
Bulb: 60 C11

RL 2732WVG-CG-EU
(European Wiring)



RL 2732FR-CG
Carrington Small
Wall Lantern in
French Rust with
Clear Glass

RL 2732FR-CG-EU
(European Wiring)



RL2733WVG-CG
Carrington Medium
Sconce in
Weathered Verdigris
with Clear Glass

Height: 24.25"
Width: 13.5"
Extension: 9.25"
Backplate:
8.5" x 13.5" Trapezoid

Finishes: FR, WVG
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 C11

RL2733WVG-CG-EU
(European Wiring)



RL2733FR-CG
Carrington Medium
Sconce in French
Rust with Clear Glass

RL2733FR-CG-EU
(European Wiring)





INDEX

RALPH LAUREN

INDEX

RL1090	53	RL2033	178	RL2534	163	RL3127	27
RL11094	28, 29	RL2034	178	RL2535	162	RL3183	23
RL11165	38, 39	RL2035	179	RL2550	155	RL3345	31
RL11167	15	RL2042	164	RL2551	155	RL3346	19
RL11170	42, 43	RL2043	164	RL2560	157	RL3450	30, 31
RL11173	33	RL2064	153	RL2565	157	RL3491	24
RL11180	46	RL2066	152, 153	RL2566	156	RL3493	25
RL1250	36, 37	RL2080	168	RL2570	146	RL3522	26
RL1320	45	RL2082	168	RL2590	147	RL3533	24
RL1388	55	RL2084	169	RL2611	145	RL3542	10
RL14021	135	RL2085	169	RL2680	146	RL3560	21
RL14028	40, 41	RL2086	169	RL2721	139	RL3593	10
RL14029	142, 143	RL2092	165	RL2722	185	RL3622	8, 9
RL14030	32, 33	RL2093	165	RL2723	185	RL3625	6, 7
RL14040	14	RL2120	149	RL2724	184	RL3627	7
RL14042	25	RL2162	154	RL2729	139	RL3633	4, 5
RL1450	44	RL2164	159	RL2732	191	RL3634	5
RL1491	50	RL2165	158	RL2733	191	RL3649	12, 13
RL1493	49	RL2170	145	RL2760	170, 171	RL3651	13
RL15032	11	RL2180	151	RL2761	171	RL3652	13
RL1522	52	RL2181	150, 151	RL2762	171	RL3653	13
RL1533	48	RL2220	138	RL2768	177	RL3660	10
RL1560	54	RL2231	133	RL2769	176	RL3677	8
RL1680	51	RL2250	140	RL2780	181	RL3682	28
RL1702	47	RL2252	141	RL2781	181	RL3728	26
RL19022	129	RL2260	140	RL2782	180	RL3805	28
RL19023	129	RL2270	141	RL2783	180	RL3920	15
RL19024	125	RL2275	187	RL2786	183	RL3936	15
RL19025	125	RL2276	187	RL2787	183	RL3965	16
RL19026	125	RL2277	186	RL2788	182	RL3966	16
RL2003	137	RL2280	133	RL2790	148	RL4072	127
RL2004	137	RL2321	172	RL2791	148	RL4090	128
RL2005	132	RL2329	148	RL2810	149	RL4127	129
RL2007	136	RL2330	135	RL2815	175	RL4128	129
RL2008	134	RL2370	149	RL2816	175	RL4460	124
RL2009	134	RL2400	166	RL2817	174	RL4461	124
RL2010	137	RL2401	166	RL2969	173	RL4462	124
RL2025	161	RL2403	167	RL3031	20, 21	RL4720	128
RL2026	161	RL2452	144	RL3040	22, 23	RL4721	128
RL2027	160	RL2454	144	RL3082	16, 17	RL4722	128
RL2031	179	RL2500	143	RL3092	27	RL4800	126
RL2032	179	RL2530	154	RL3094	18, 19	RL4801	127

RALPH LAUREN

INDEX

RL4802	126	RL5224	67	RL5729	88
RL4803	127	RL5225	68, 69	RL5730	88
RL4804	126	RL5231	77	RL5733	190
RL4967	129	RL5233	76	RL5735	190
RL5005	81	RL5252	114	RL5742	94
RL5006	81	RL5262	78, 79	RL5752	89
RL5007	81	RL5311	79	RL5753	89
RL5008	80	RL5321	62	RL5770	112
RL5010	80	RL5322	62	RL5773	112
RL5041	113	RL5341	74	RL5781	95
RL5042	113	RL5400	123	RL5782	95
RL5060	97	RL5402	123	RL5783	95
RL5064	98, 99	RL5415	122	RL5785	92
RL5067	100, 101	RL5461	123	RL5788	93
RL5080	105	RL5470	63	RL5790	92
RL5082	105	RL5528	84, 85	RL5792	93
RL5086	104	RL5529	85	RL5810	111
RL5089	102	RL5530	87	RL5811	111
RL5094	82	RL5531	86		
RL5098	96	RL5532	115		
RL5101	120, 121	RL5533	116		
RL5103	121	RL5534	116		
RL5114	75	RL5540	90		
RL5120	119	RL5542	90		
RL5121	119	RL5545	91		
RL5122	118	RL5571	66		
RL5131	59	RL5572	66		
RL5132	59	RL5610	71		
RL5133	58	RL5612	71		
RL5147	109	RL5614	70		
RL5148	109	RL5642	97		
RL5156	110	RL5643	97		
RL5161	117	RL5652	108		
RL5162	117	RL5653	108		
RL5175	106	RL5670	61		
RL5177	106	RL5671	61		
RL5180	107	RL5672	60		
RL5181	73	RL5673	60		
RL5183	73	RL5685	64, 65		
RL5184	72	RL5722	105		
RL5205	83	RL5724	103		
RL5220	110	RL5728	88		

RALPH LAUREN

FINISH CODES

Aged Iron	AI	Industrial Steel	IS
Aged Iron and Alabaster	AI/ALB	Light Silt	LTS
Antique Nickel	AN	Mahogany	MHG
Antique Silver Leaf	ASL	Matte Bronze	MBZ
Antiqued Gild	AG	Natural Bone	BN
Black	BLK	Natural Brass	NB
Black and Gold	BLK	Natural Brass and Aged Iron	NB/AI
Black Ceramic	BLK	Natural Brass and Natural Rift Oak	NB/NRO
Black Faux Croc with Polished Nickel	BK	Natural Brass and Navy Leather	NB/NVY
Black Nickel	BLK	Natural Brass and Plaster White	NB/PW
Black Porcelain	BLK	Natural Brass and Teak	NB/TK
Black Rattan	BRT	Natural Brass with Navy Leather	NB/NVY
Blue and White Porcelain	BLW	Natural Brass with Saddle Leather	NB/SDL
Blue and White Porcelain	BW	Natural Oak	NO
Blue Ceramic	BC	Natural Rift Oak	NRO
Blue Ceramic	BLC	Natural Rusted Iron	NR
Bronze	BZ	Polished Nickel	PN
Bronze and Teak	BZ/TK	Polished Nickel and Black Ebony	PN/BKE
Butler's Silver	BS	Polished Nickel and Chocolate Leather	NB/CHC
Chocolate Leather	CHC	Polished Nickel and Chocolate Leather	PN/CHC
Clear Glass	CG	Polished Nickel and Plaster White	PN/PW
Clear Soda Glass	CG	Polished Nickel and Teak	PN/TK
Coconut	ICO	Polished Silver	PS
Coconut Porcelain	ICO	Saddle Leather	SDL
Crystal	CG	Waxed Bamboo and Natural Brass	WB/NB
Crystal Bronze	CBZ	Waxed Bamboo and Polished Nickel	WB/PN
Crystal with Brass	CG/NB	Weathered Verdigris	WVG
Crystal with Polished Nickel	CG/PN	Weathered Zinc	WZ
Ebonized Oak	EBO	White	WHT
French Rust	FR	White Leather Ceramic	WLC
Gilded Iron	GI	White Stoneware	WHT

RALPH LAUREN

CHANDELIER AND SCONCE OPTIONS

RLS201L
5" Linen Candle
Clip Shade

Shade Details:
3" x 5" x 5"
Linen



RLS201SB
5" Silk Bell Candle
Clip Shade

Shade Details:
3" x 5" x 5"
Silk Bell



RLS201SP
5" Silk Pleated
Candle Clip Shade

Shade Details:
3" x 5" x 5"
Silk Pleat



RLS202L
6" Linen Candle
Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Linen



RLS202SB
6" Silk Bell Candle
Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Bell



RLS202SP
6" Silk Pleated
Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Pleat



RLS202WF
6" Wire Frame
Candle Clip Shade



Shade Details:
3.25" x 6" x 5.25"
Wire Frame



Note: Use 40 Watt Frosted Type "B" With Clip on Shade

RALPH LAUREN

EU INDEX

<p>RL1090NB-L-EU H: 160.7cm W: 53.3cm Base: 30.5cm Round Socket: 2 - E27 Keyless w/Line Switch Bulb: 2 - 60 A Shade Details: 50.8cm x 53.3cm x 34.3cm IP Rating: IP20 Class II</p>	 <p>RL1090PN-L-EU H: 160.7cm W: 53.3cm Base: 30.5cm Round Socket: 2 - E27 Keyless w/Line Switch Bulb: 2 - 60 A Shade Details: 50.8cm x 53.3cm x 34.3cm IP Rating: IP20 Class II</p> 
<p>RL11094BN-EU H: 58.4cm - 76.2cm W: 31.1cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class II</p>	 <p>RL11094PN-EU H: 58.4cm - 76.2cm W: 31.1cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class II</p> 
<p>RL11165BN-EU H: 104.1cm - 142.2cm W: 25.4cm Ext.: 38.1cm Base: 25.4cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class II</p>	 <p>RL11165PN-EU H: 104.1cm - 142.2cm W: 25.4cm Ext.: 38.1cm Base: 25.4cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class II</p> 
<p>RL11167BN-P-EU H: 76.2cm - 83.8cm W: 66cm Base: 23.5cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 17.8cm x 66cm x 36.8cm IP Rating: IP20 Class I</p>	 <p>RL11167BZ-P-EU H: 76.2cm - 83.8cm W: 66cm Base: 23.5cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 17.8cm x 66cm x 36.8cm IP Rating: IP20 Class I</p> 
<p>RL11167PS-P-EU H: 76.2cm - 83.8cm W: 66cm Base: 23.5cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 17.8cm x 66cm x 36.8cm IP Rating: IP20 Class I</p>	 <p>RL11170BLK-EU H: 111.8cm - 167.6cm W: 28.6cm Ext.: 83.8cm Base: 28.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class II</p> 
<p>RL11170PN-EU H: 111.8cm - 167.6cm W: 28.6cm Ext.: 83.8cm Base: 28.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class II</p>	 <p>RL11173BLK-EU H: 114.3cm W: 20.3cm Ext.: 96.5cm Base: 20.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class I</p> 
<p>RL11173PN-EU H: 114.3cm W: 20.3cm Ext.: 96.5cm Base: 20.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class I</p>	 <p>RL11180EBO-EU H: 165.1cm - 196.8cm W: 61cm Base: 61cm Tripod Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

<p>RL11180PN-EU H: 165.1cm - 196.8cm W: 61cm Base: 61cm Tripod Socket: E27 Keyless w/Line Switch Bulb: 15 LED A IP Rating: IP20 Class I</p>	 <p>RL1250NB-EU H: 134.6cm - 160cm W: 20.3cm Base: 20.3cm Round Socket: E14 Candelabra w/Line Switch Bulb: 40 B IP Rating: IP20 Class II</p> 
<p>RL1250PN-EU H: 134.6cm - 160cm W: 20.3cm Base: 20.3cm Round Socket: E14 Candelabra w/Line Switch Bulb: 40 B IP Rating: IP20 Class II</p> 	<p>RL1320NB-CA-EU H: 112.4cm - 145.4cm W: 27.9cm Ext.: 67.3cm Base: 27.9cm Round Socket: Dedicated LED w/Memory Dimmer Switch Bulb: 9w (750lm) IP Rating: IP20 Class III</p> 
<p>RL1320PN-CA-EU H: 112.4cm - 145.4cm W: 27.9cm Ext.: 67.3cm Base: 27.9cm Round Socket: Dedicated LED w/Memory Dimmer Switch Bulb: 9w (750lm) IP Rating: IP20 Class III</p> 	<p>RL1388BZ-EU H: 182.9cm W: 61cm Ext.: 40cm Base: 35.6cm x 61cm Rec. Socket: Dedicated LED w/Dimmer on Cord Bulb: 9w (650lm) IP Rating: IP20 Class III</p> 
<p>RL1388NB-EU H: 182.9cm W: 61cm Ext.: 40cm Base: 35.6cm x 61cm Rec. Socket: Dedicated LED w/Dimmer on Cord Bulb: 9w (650lm) IP Rating: IP20 Class III</p> 	<p>RL1388PN-EU H: 182.9cm W: 61cm Ext.: 40cm Base: 35.6cm x 61cm Rec. Socket: Dedicated LED w/Dimmer on Cord Bulb: 9w (650lm) IP Rating: IP20 Class III</p> 
<p>RL14021BN-EU H: 27.9cm W: 15.2cm Ext.: 17.8cm Backplate: 6.4cm x 12.7cm Rec. Socket: E14 Candelabra Bulb: 40 B Shade Details: 10.2cm x 15.2cm x 13.3cm IP Rating: IP20 Class I</p> 	<p>RL14021BZ-EU H: 27.9cm W: 15.2cm Ext.: 17.8cm Backplate: 6.4cm x 12.7cm Rec. Socket: E14 Candelabra Bulb: 40 B Shade Details: 10.2cm x 15.2cm x 13.3cm IP Rating: IP20 Class I</p> 
<p>RL14021PN-EU H: 27.9cm W: 15.2cm Ext.: 17.8cm Backplate: 6.4cm x 12.7cm Rec. Socket: E14 Candelabra Bulb: 40 B Shade Details: 10.2cm x 15.2cm x 13.3cm IP Rating: IP20 Class I</p> 	<p>RL14028BN-EU H: 113cm - 168.9cm W: 25.4cm Ext.: 77.5cm Base: 25.4cm Round Socket: E14 Candelabra w/Line Switch Bulb: 9 LED B IP Rating: IP20 Class II</p> 
<p>RL14028BZ-EU H: 113cm - 168.9cm W: 25.4cm Ext.: 77.5cm Base: 25.4cm Round Socket: E14 Candelabra w/Line Switch Bulb: 9 LED B IP Rating: IP20 Class II</p> 	<p>RL14028PN-EU H: 113cm - 168.9cm W: 25.4cm Ext.: 77.5cm Base: 25.4cm Round Socket: E14 Candelabra w/Line Switch Bulb: 9 LED B IP Rating: IP20 Class II</p> 

RALPH LAUREN

EU INDEX

RL14029BN-EU

H: 22.9cm - 43.2cm | W: 78.7cm
 Backplate: 12.7cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 40 A
 IP Rating: IP20 Class II



RL14029BZ-EU

H: 22.9cm - 43.2cm | W: 78.7cm
 Backplate: 12.7cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 40 A
 IP Rating: IP20 Class II



RL14029PN-EU

H: 22.9cm - 43.2cm | W: 78.7cm
 Backplate: 12.7cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 40 A
 IP Rating: IP20 Class II



RL14030BN-EU

H: 88.9cm | W: 20.3cm | Ext.: 71.1cm
 Base: 20.3cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 8 LED B
 IP Rating: IP20 Class II



RL14030BZ-EU

H: 88.9cm | W: 20.3cm | Ext.: 71.1cm
 Base: 20.3cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 8 LED B
 IP Rating: IP20 Class II



RL14030PN-EU

H: 88.9cm | W: 20.3cm | Ext.: 71.1cm
 Base: 20.3cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 8 LED B
 IP Rating: IP20 Class II



RL14040PN-S-EU

H: 71.1cm - 81.3cm | W: 53.3cm
 Base: 17.8cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 100 A
 Shade Details: 25.4cm x 53.3cm x 33.7cm
 IP Rating: IP20 Class II



RL14042BK-L-EU

H: 58.4cm - 64.8cm | W: 38.1cm
 Base: 21.6cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 100 A
 Shade Details: 35.6cm x 38.1cm x 25.4cm
 IP Rating: IP20 Class I



RL14042PNCH-L-EU

H: 58.4cm - 64.8cm | W: 38.1cm
 Base: 21.6cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 100 A
 Shade Details: 35.6cm x 38.1cm x 25.4cm
 IP Rating: IP20 Class I



RL14042PN-L-EU

H: 58.4cm - 64.8cm | W: 38.1cm
 Base: 21.6cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 100 A
 Shade Details: 35.6cm x 38.1cm x 25.4cm
 IP Rating: IP20 Class I



RL1450NB-NVY-EU

H: 135.3cm | W: 25.4cm | Ext.: 43.2cm - 50.8cm
 Base: 25.4cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 40 A
 IP Rating: IP20 Class II



RL1450NB-SDL-EU

H: 135.3cm | W: 25.4cm | Ext.: 43.2cm - 50.8cm
 Base: 25.4cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 40 A
 IP Rating: IP20 Class II



RL1450PN-CHC-EU

H: 135.3cm | W: 25.4cm | Ext.: 43.2cm - 50.8cm
 Base: 25.4cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 40 A
 IP Rating: IP20 Class II







RL1491NB/NVY-P-EU

H: 137.2cm - 177.8cm | W: 55.9cm
 Base: 25.4cm Round
 Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
 Shade Details: 17.1cm x 55.9cm x 31.1cm
 IP Rating: IP20 Class II



RALPH LAUREN

EU INDEX

<p>RL1491NB/SDL-P-EU H: 137.2cm - 177.8cm W: 55.9cm Base: 25.4cm Round Socket: 2 - E27 Pull Chain Bulb: 2 - 40 B Shade Details: 17.1cm x 55.9cm x 31.1cm IP Rating: IP20 Class II</p>	 <p>RL1491PN/CHC-P-EU H: 137.2cm - 177.8cm W: 55.9cm Base: 25.4cm Round Socket: 2 - E27 Pull Chain Bulb: 2 - 40 B Shade Details: 17.1cm x 55.9cm x 31.1cm IP Rating: IP20 Class II</p> 
<p>RL1493NB/NVY-L-EU H: 168.9cm W: 55.9cm Base: 27.9cm Round Socket: E27 w/Floor Pedal Bulb: 15 LED A19 Shade Details: 50.8cm x 55.9cm x 34.3cm</p>	 <p>RL1493NB/SDL-L-EU H: 168.9cm W: 55.9cm Base: 27.9cm Round Socket: E27 w/Floor Pedal Bulb: 15 LED A19 Shade Details: 50.8cm x 55.9cm x 34.3cm</p> 
<p>RL1493PN/CHC-L-EU H: 168.9cm W: 55.9cm Base: 27.9cm Round Socket: E27 w/Floor Pedal Bulb: 15 LED A19 Shade Details: 50.8cm x 55.9cm x 34.3cm</p>	<p>RL15032BKP-EU H: 86.4cm W: 53.3cm Base: 24.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 150 A Shade Details: 25.4cm x 53.3cm x 33cm IP Rating: IP20 Class II</p> 
<p>RL1522BS-SBP-EU H: 167.6cm W: 53.3cm Base: 30.5cm Round Socket: E27 w/Floor Pedal Bulb: 15 LED A19 Shade Details: 50.8cm x 53.3cm x 34.3cm</p>	 <p>RL1522NB-SBP-EU H: 167.6cm W: 53.3cm Base: 30.5cm Round Socket: E27 w/Floor Pedal Bulb: 15 LED A19 Shade Details: 50.8cm x 53.3cm x 34.3cm</p> 
<p>RL1560BZ/TK-WG-EU H: 90.2cm W: 17.8cm Base: 15.9cm Square Socket: Dedicated LED Bulb: 40w (3200lm)</p>	 <p>RL1560NB/TK-WG-EU H: 90.2cm W: 17.8cm Base: 15.9cm Square Socket: Dedicated LED Bulb: 40w (3200lm)</p> 
<p>RL1560PN/TK-WG-EU H: 90.2cm W: 17.8cm Base: 15.9cm Square Socket: Dedicated LED Bulb: 40w (3200lm)</p>	 <p>RL1680WB/NB-NB-EU H: 133.4cm W: 26cm Base: 20.3cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 9.5cm x 26cm x 21cm IP Rating: IP20 Class II</p> 
<p>RL1680WB/NB-WP-EU H: 133.4cm W: 26cm Base: 20.3cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 9.5cm x 26cm x 21cm IP Rating: IP20 Class II</p>	 <p>RL1680WB/PN-PN-EU H: 133.4cm W: 26cm Base: 20.3cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 9.5cm x 26cm x 21cm IP Rating: IP20 Class II</p> 

RALPH LAUREN

EU INDEX

RL1680WB/PN-WP-EU

H: 133.4cm | W: 26cm
 Base: 20.3cm Round
 Socket: E14 Candelabra w/Line Switch
 Bulb: 6.5 LED B
 Shade Details: 9.5cm x 26cm x 21cm
 IP Rating: IP20 Class II



RL1702NO-WP-EU

H: 184.2cm | W: 71.1cm
 Base: 61.6cm Tri-Leg
 Socket: 2 - E27 Keyless | Bulb: 2 - 15 LED A
 Shade Details: 68.6cm x 71.1cm x 43.8cm
 IP Rating: IP20 Class II



RL1702NRO-WP-EU

H: 184.2cm | W: 71.1cm
 Base: 61.6cm Tri-Leg
 Socket: 2 - E27 Keyless | Bulb: 2 - 15 LED A
 Shade Details: 68.6cm x 71.1cm x 43.8cm
 IP Rating: IP20 Class II



RL19022PN-EU

H: 10.8cm | W: 32.4cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL19023PN-EU

H: 11.4cm | W: 45.7cm
 Socket: 3 - E27 Keyless
 Bulb: 3 - 60 A
 IP Rating: IP20 Class I



RL19024BN-EU

H: 14cm | W: 40.6cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL19024PN-EU

H: 14cm | W: 40.6cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL19025BN-EU

H: 12.7cm | W: 31.8cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL19025PN-EU

H: 12.7cm | W: 31.8cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL19026BN-EU

H: 11.4cm | W: 24.1cm
 Socket: E27 Keyless
 Bulb: 60 A
 IP Rating: IP20 Class I



RL19026PN-EU

H: 11.4cm | W: 24.1cm
 Socket: E27 Keyless
 Bulb: 60 A
 IP Rating: IP20 Class I



RL2003AN-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 10.8cm Square
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL2003BZ-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 10.8cm Square
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL2003NB-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 10.8cm Square
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL2003PN-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 10.8cm Square
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL2004AN-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 6.4cm x 10.8cm Rec.
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2004BZ-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 6.4cm x 10.8cm Rec.
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2004NB-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 6.4cm x 10.8cm Rec.
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2004PN-P-EU

H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
 Backplate: 6.4cm x 10.8cm Rec.
 Socket: E14 Candelabra | Bulb: 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2005CG-EU

H: 59.7cm | W: 47cm | Ext.: 31.8cm
 Backplate: 14cm Round
 Socket: 2 - E14 Candelabra
 Bulb: 2 - 60 B
 IP Rating: IP20 Class I



RL2007AN-P-EU

H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
 Backplate: 10.8cm Square
 Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2007BZ-P-EU

H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
 Backplate: 10.8cm Square
 Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2007NB-P-EU

H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
 Backplate: 10.8cm Square
 Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2007PN-P-EU

H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
 Backplate: 10.8cm Square
 Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
 Shade Details: 7.6cm x 12.7cm x 11.4cm
 IP Rating: IP20 Class I



RL2008BS-EU

H: 29.8cm | W: 13.3cm | Ext.: 24.8cm
 Backplate: 12.1cm x 20.3cm Rec.
 Socket: E14 Candelabra
 Bulb: 5.5 LED C11



RL2008NB-EU

H: 29.8cm | W: 13.3cm | Ext.: 24.8cm
 Backplate: 12.1cm x 20.3cm Rec.
 Socket: E14 Candelabra
 Bulb: 5.5 LED C11



RL2009BS-EU

H: 31.1cm | W: 34.3cm | Ext.: 22.9cm
 Backplate: 12.7cm x 19cm Rec.
 Socket: 2 - E14 Candelabra
 Bulb: 2 - 5.5 LED C11



RL2009NB-EU

H: 31.1cm | W: 34.3cm | Ext.: 22.9cm
 Backplate: 12.7cm x 19cm Rec.
 Socket: 2 - E14 Candelabra
 Bulb: 2 - 5.5 LED C11



RALPH LAUREN

EU INDEX

RL2010AN-P-EU

H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
 Backplate: 10.8cm Square
 Socket: E27 Keyless | Bulb: 60 A
 Shade Details: 20.3cm x 25.4cm x 19cm Nordy
 IP Rating: IP20 Class I



RL2010BZ-P-EU

H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
 Backplate: 10.8cm Square
 Socket: E27 Keyless | Bulb: 60 A
 Shade Details: 20.3cm x 25.4cm x 19cm Nordy
 IP Rating: IP20 Class I



RL2010NB-P-EU

H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
 Backplate: 10.8cm Square
 Socket: E27 Keyless | Bulb: 60 A
 Shade Details: 20.3cm x 25.4cm x 19cm Nordy
 IP Rating: IP20 Class I



RL2010PN-P-EU

H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
 Backplate: 10.8cm Square
 Socket: E27 Keyless | Bulb: 60 A
 Shade Details: 20.3cm x 25.4cm x 19cm Nordy
 IP Rating: IP20 Class I



RL2025BZ-WG-EU

H: 43.2cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 33cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL2025NB-WG-EU

H: 43.2cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 33cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL2025PN-WG-EU

H: 43.2cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 33cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL2026BZ-WG-EU

H: 66cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 55.9cm Rec.
 Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
 IP Rating: IP20 Class I



RL2026NB-WG-EU

H: 66cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 55.9cm Rec.
 Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
 IP Rating: IP20 Class I



RL2026PN-WG-EU

H: 66cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 55.9cm Rec.
 Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
 IP Rating: IP20 Class I



RL2027BZ-WG-EU

H: 86.4cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 77.5cm Rec.
 Socket: 4 - E27 Keyless | Bulb: 4 - 60 A
 IP Rating: IP20 Class I



RL2027NB-WG-EU

H: 86.4cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 77.5cm Rec.
 Socket: 4 - E27 Keyless | Bulb: 4 - 60 A
 IP Rating: IP20 Class I



RL2027PN-WG-EU

H: 86.4cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 10.2cm x 77.5cm Rec.
 Socket: 4 - E27 Keyless | Bulb: 4 - 60 A
 IP Rating: IP20 Class I

















RL2031BZ-EC-EU

H: 33cm | W: 7cm | Ext.: 10.2cm
 Backplate: 6.4cm x 35.6cm Rec.
 Socket: Dedicated LED | Bulb: 12w (1600lm)
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

<p>RL2031NB-EC-EU H: 33cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 35.6cm Rec. Socket: Dedicated LED Bulb: 12w (1600lm) IP Rating: IP20 Class I</p> 	<p>RL2031PN-EC-EU H: 33cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 35.6cm Rec. Socket: Dedicated LED Bulb: 12w (1600lm) IP Rating: IP20 Class I</p> 
<p>RL2032BZ-EC-EU H: 40.6cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 33.7cm Rec. Socket: Dedicated LED Bulb: 18w (2000lm) IP Rating: IP20 Class I</p> 	<p>RL2032NB-EC-EU H: 40.6cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 33.7cm Rec. Socket: Dedicated LED Bulb: 18w (2000lm) IP Rating: IP20 Class I</p> 
<p>RL2032PN-EC-EU H: 40.6cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 33.7cm Rec. Socket: Dedicated LED Bulb: 18w (2000lm) IP Rating: IP20 Class I</p> 	<p>RL2033BZ-EC-EU H: 61cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 52.7cm Rec. Socket: Dedicated LED Bulb: 24w (2400lm) IP Rating: IP20 Class I</p> 
<p>RL2033NB-EC-EU H: 61cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 52.7cm Rec. Socket: Dedicated LED Bulb: 24w (2400lm) IP Rating: IP20 Class I</p> 	<p>RL2033PN-EC-EU H: 61cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 52.7cm Rec. Socket: Dedicated LED Bulb: 24w (2400lm) IP Rating: IP20 Class I</p> 
<p>RL2034BZ-EC-EU H: 76.2cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 66.7cm Rec. Socket: Dedicated LED Bulb: 24w (2800lm) IP Rating: IP20 Class I</p> 	<p>RL2034NB-EC-EU H: 76.2cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 66.7cm Rec. Socket: Dedicated LED Bulb: 24w (2800lm) IP Rating: IP20 Class I</p> 
<p>RL2034PN-EC-EU H: 76.2cm W: 7cm Ext.: 10.2cm Backplate: 6.4cm x 66.7cm Rec. Socket: Dedicated LED Bulb: 24w (2800lm) IP Rating: IP20 Class I</p> 	<p>RL2042NB-WG-EU H: 29.2cm W: 12.7cm Ext.: 10.2cm Backplate: 12.7cm Round Socket: Dedicated LED Bulb: 11w (1000lm) IP Rating: IP20 Class I</p> 
<p>RL2042PN-WG-EU H: 29.2cm W: 12.7cm Ext.: 10.2cm Backplate: 12.7cm Round Socket: Dedicated LED Bulb: 11w (1000lm) IP Rating: IP20 Class I</p> 	<p>RL2043NB-WG-EU H: 45.7cm W: 12.7cm Ext.: 10.2cm Backplate: 12.7cm Round Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

RL2043PN-WG-EU

H: 45.7cm | W: 12.7cm | Ext.: 10.2cm
 Backplate: 12.7cm Round
 Socket: Dedicated LED | Bulb: 18w (1500lm)
 IP Rating: IP20 Class I



RL2064BZ-EU

H: 31.1cm | W: 25.4cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL2064NB-EU

H: 31.1cm | W: 25.4cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL2064PN-EU

H: 31.1cm | W: 25.4cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL2066BZ-EU

H: 31.8cm | W: 15.2cm | Ext.: 19cm
 Backplate: 12.7cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL2066NB-EU

H: 31.8cm | W: 15.2cm | Ext.: 19cm
 Backplate: 12.7cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL2066PN-EU

H: 31.8cm | W: 15.2cm | Ext.: 19cm
 Backplate: 12.7cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL2080NB-EU

H: 27.9cm | W: 11.4cm | Ext.: 12.7cm
 Backplate: 11.4cm Round
 Socket: E27 Keyless | Bulb: 40 A
 IP Rating: IP20 Class I



RL2080PN-EU

H: 27.9cm | W: 11.4cm | Ext.: 12.7cm
 Backplate: 11.4cm Round
 Socket: E27 Keyless | Bulb: 40 A
 IP Rating: IP20 Class I



RL2082NB-EU

H: 44.4cm | W: 11.4cm | Ext.: 12.7cm
 Backplate: 11.4cm Round
 Socket: 2 - E27 Keyless | Bulb: 2 - 40 A
 IP Rating: IP20 Class I



RL2082PN-EU

H: 44.4cm | W: 11.4cm | Ext.: 12.7cm
 Backplate: 11.4cm Round
 Socket: 2 - E27 Keyless | Bulb: 2 - 40 A
 IP Rating: IP20 Class I



RL2084NB-EU

H: 30.5cm | W: 15.2cm | Ext.: 12.7cm
 Backplate: x 53.3cm
 Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL2084PN-EU

H: 30.5cm | W: 15.2cm | Ext.: 12.7cm
 Backplate: x 53.3cm
 Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
 IP Rating: IP20 Class I




RL2085NB-EU

H: 47cm | W: 15.2cm | Ext.: 12.7cm
 Backplate: 10.8cm x 45.7cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
 IP Rating: IP20 Class I





RALPH LAUREN

EU INDEX

<p>RL2085PN-EU H: 47cm W: 15.2cm Ext.: 12.7cm Backplate: 10.8cm x 45.7cm Rec. Socket: 2 - E27 Keyless Bulb: 2 - 60 A IP Rating: IP20 Class I</p> 	<p>RL2086NB-EU H: 69.8cm W: 15.2cm Ext.: 12.7cm Backplate: 10.8cm x 53.3cm Rec. Socket: 3 - E27 Keyless Bulb: 3 - 60 A IP Rating: IP20 Class I</p> 
<p>RL2086PN-EU H: 69.8cm W: 15.2cm Ext.: 12.7cm Backplate: 10.8cm x 53.3cm Rec. Socket: 3 - E27 Keyless Bulb: 3 - 60 A IP Rating: IP20 Class I</p> 	<p>RL2092NB-EU H: 28.6cm W: 11.4cm Ext.: 12.7cm Backplate: 11.4cm Round Socket: E14 Candelabra Bulb: 40 B IP Rating: IP20 Class I</p> 
<p>RL2092PN-EU H: 28.6cm W: 11.4cm Ext.: 12.7cm Backplate: 11.4cm Round Socket: E14 Candelabra Bulb: 40 B IP Rating: IP20 Class I</p> 	<p>RL2093NB-EU H: 45.1cm W: 11.4cm Ext.: 12.7cm Backplate: 11.4cm Round Socket: 2 - E14 Candelabra Bulb: 2 - 40 B IP Rating: IP20 Class I</p> 
<p>RL2093PN-EU H: 45.1cm W: 11.4cm Ext.: 12.7cm Backplate: 11.4cm Round Socket: 2 - E14 Candelabra Bulb: 2 - 40 B IP Rating: IP20 Class I</p> 	<p>RL2120IS-BK-EU H: 21cm W: 17.1cm Ext.: 23.5cm Backplate: 10.8cm Round Socket: E27 Keyless Bulb: 25 A IP Rating: IP20 Class I</p> 
<p>RL2120IS-IS-EU H: 21cm W: 17.1cm Ext.: 23.5cm Backplate: 10.8cm Round Socket: E27 Keyless Bulb: 25 A IP Rating: IP20 Class I</p> 	<p>RL2120PN-PN-EU H: 21cm W: 17.1cm Ext.: 23.5cm Backplate: 10.8cm Round Socket: E27 Keyless Bulb: 25 A IP Rating: IP20 Class I</p> 
<p>RL2120PN-WT-EU H: 21cm W: 17.1cm Ext.: 23.5cm Backplate: 10.8cm Round Socket: E27 Keyless Bulb: 25 A IP Rating: IP20 Class I</p> 	<p>RL2162BZ-WG-EU H: 30.5cm W: 15.2cm Ext.: 9.5cm Backplate: 11.4cm Round Socket: 2 - E14 Candelabra Bulb: 2 - 40 B IP Rating: IP20 Class I</p> 
<p>RL2162NB-WG-EU H: 30.5cm W: 15.2cm Ext.: 9.5cm Backplate: 11.4cm Round Socket: 2 - E14 Candelabra Bulb: 2 - 40 B IP Rating: IP20 Class I</p> 	<p>RL2162PN-WG-EU H: 30.5cm W: 15.2cm Ext.: 9.5cm Backplate: 11.4cm Round Socket: 2 - E14 Candelabra Bulb: 2 - 40 B IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

<p>RL2164BZ-WG-EU H: 60.3cm W: 12.7cm Backplate: 8.3cm x 53.3cm Rec. Socket: 2 - E27 Keyless Bulb: 2 - 60 A IP Rating: IP44 Class I</p> 	<p>RL2164NB-WG-EU H: 60.3cm W: 12.7cm Backplate: 8.3cm x 53.3cm Rec. Socket: 2 - E27 Keyless Bulb: 2 - 60 A IP Rating: IP44 Class I</p> 
<p>RL2164PN-WG-EU H: 60.3cm W: 12.7cm Backplate: 8.3cm x 53.3cm Rec. Socket: 2 - E27 Keyless Bulb: 2 - 60 A IP Rating: IP44 Class I</p> 	<p>RL2165BZ-WG-EU H: 90.8cm W: 12.7cm Backplate: 8.3cm x 83.8cm Rec. Socket: 4 - E27 Keyless Bulb: 4 - 25 A IP Rating: IP44 Class I</p> 
<p>RL2165NB-WG-EU H: 90.8cm W: 12.7cm Backplate: 8.3cm x 83.8cm Rec. Socket: 4 - E27 Keyless Bulb: 4 - 25 A IP Rating: IP44 Class I</p> 	<p>RL2165PN-WG-EU H: 90.8cm W: 12.7cm Backplate: 8.3cm x 83.8cm Rec. Socket: 4 - E27 Keyless Bulb: 4 - 25 A IP Rating: IP44 Class I</p> 
<p>RL2180BZ-EU H: 19cm W: 13.3cm Ext.: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Candelabra Bulb: 60 G IP Rating: IP20 Class I</p> 	<p>RL2180NB-EU H: 19cm W: 13.3cm Ext.: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Candelabra Bulb: 60 G IP Rating: IP20 Class I</p> 
<p>RL2180PN-EU H: 19cm W: 13.3cm Ext.: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Candelabra Bulb: 60 G IP Rating: IP20 Class I</p> 	<p>RL2180WZ-EU H: 19cm W: 13.3cm Ext.: 12.1cm Backplate: 13.3cm x 17.8cm Triangle Socket: E14 Candelabra Bulb: 60 G IP Rating: IP20 Class I</p> 
<p>RL2181BZ-EU H: 26.7cm W: 19cm Ext.: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 	<p>RL2181NB-EU H: 26.7cm W: 19cm Ext.: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 
<p>RL2181PN-EU H: 26.7cm W: 19cm Ext.: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 	<p>RL2181WZ-EU H: 26.7cm W: 19cm Ext.: 15.9cm Backplate: 25.4cm x 19cm Triangle Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

RL2220NB-EU

H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
 Backplate: 11.4cm x 2.5cm Round
 Socket: E14 Candelabra | Bulb: 40 B
 IP Rating: IP20 Class I



RL2220NB-NB-EU

H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
 Backplate: 11.4cm x 2.5cm Round
 Socket: E14 Candelabra | Bulb: 40 B
 IP Rating: IP20 Class I



RL2220PN-EU

H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
 Backplate: 11.4cm x 2.5cm Round
 Socket: E14 Candelabra | Bulb: 40 B
 IP Rating: IP20 Class I



RL2220PN-PN-EU

H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
 Backplate: 11.4cm x 2.5cm Round
 Socket: E14 Candelabra | Bulb: 40 B
 IP Rating: IP20 Class I



RL2231AG-S-EU

H: 63.5cm | W: 35.6cm | Ext.: 25.4cm
 Backplate: 14cm x 19cm Oval
 Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL2231ASL-S-EU

H: 63.5cm | W: 35.6cm | Ext.: 25.4cm
 Backplate: 14cm x 19cm Oval
 Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL2231GI-S-EU

H: 63.5cm | W: 35.6cm | Ext.: 25.4cm
 Backplate: 14cm x 19cm Oval
 Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL2250NB-EU

H: 25.4cm | W: 17.1cm
 Backplate: 12.1cm Round
 Socket: E14 Candelabra | Bulb: 8 LED B
 IP Rating: IP20 Class I



RL2250PN-EU

H: 25.4cm | W: 17.1cm
 Backplate: 12.1cm Round
 Socket: E14 Candelabra | Bulb: 8 LED B
 IP Rating: IP20 Class I



RL2252NB-EU

H: 25.4cm | W: 15 - 47cm | Ext.: 17.8cm - 26cm
 Backplate: 12.1cm Round
 Socket: 2 - E14 Candelabra | Bulb: 2 - 8 LED B
 IP Rating: IP20 Class I



RL2252PN-EU

H: 25.4cm | W: 15 - 47cm | Ext.: 17.8cm - 26cm
 Backplate: 12.1cm Round
 Socket: 2 - E14 Candelabra | Bulb: 2 - 8 LED B
 IP Rating: IP20 Class I



RL2260NB-EU

H: 25.4cm | W: 17.1cm | Ext.: 44.5cm - 59cm
 Backplate: 12.1cm Round
 Socket: E14 Candelabra | Bulb: 8 LED B
 IP Rating: IP20 Class I



RL2260PN-EU

H: 25.4cm | W: 17.1cm | Ext.: 44.5cm - 59cm
 Backplate: 12.1cm Round
 Socket: E14 Candelabra | Bulb: 8 LED B
 IP Rating: IP20 Class I



RL2270NB-EU

H: 30.5cm | W: 17.1cm
 Backplate: 12.1cm Round
 Socket: E14 Candelabra | Bulb: 8 LED B
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL2270PN-EU

H: 30.5cm | W: 17.1cm
 Backplate: 12.1cm Round
 Socket: E14 Candelabra | Bulb: 8 LED B
 IP Rating: IP20 Class I



RL2275BZ-EU

H: 5.7cm | W: 22.9cm | Ext.: 31.1cm
 Backplate: 5.1cm x 8.9cm Rec.
 Socket: E27 Keyless | Bulb: 25 T
 IP Rating: IP20 Class I



RL2275NB-EU

H: 5.7cm | W: 22.9cm | Ext.: 31.1cm
 Backplate: 5.1cm x 8.9cm Rec.
 Socket: E27 Keyless | Bulb: 25 T
 IP Rating: IP20 Class I



RL2275PN-EU

H: 5.7cm | W: 22.9cm | Ext.: 31.1cm
 Backplate: 5.1cm x 8.9cm Rec.
 Socket: E27 Keyless | Bulb: 25 T
 IP Rating: IP20 Class I



RL2276BZ-EU

H: 5.7cm | W: 40.6cm | Ext.: 31.1cm
 Backplate: 5.1cm x 28.6cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
 IP Rating: IP20 Class I



RL2276NB-EU

H: 5.7cm | W: 40.6cm | Ext.: 31.1cm
 Backplate: 5.1cm x 28.6cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
 IP Rating: IP20 Class I



RL2276PN-EU

H: 5.7cm | W: 40.6cm | Ext.: 31.1cm
 Backplate: 5.1cm x 28.6cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
 IP Rating: IP20 Class I



RL2277BZ-EU

H: 5.7cm | W: 61cm | Ext.: 31.1cm
 Backplate: 5.1cm x 49.5cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
 IP Rating: IP20 Class I



RL2277NB-EU

H: 5.7cm | W: 61cm | Ext.: 31.1cm
 Backplate: 5.1cm x 49.5cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
 IP Rating: IP20 Class I



RL2277PN-EU

H: 5.7cm | W: 61cm | Ext.: 31.1cm
 Backplate: 5.1cm x 49.5cm Rec.
 Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
 IP Rating: IP20 Class I



RL2280AG-CG-EU

H: 61.6cm | W: 31.8cm | Ext.: 20.3cm
 Backplate: 12.7cm Round
 Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
 IP Rating: IP20 Class I



RL2280ASL-CG-EU

H: 61.6cm | W: 31.8cm | Ext.: 20.3cm
 Backplate: 12.7cm Round
 Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
 IP Rating: IP20 Class I



RL2280GI-CG-EU

H: 61.6cm | W: 31.8cm | Ext.: 20.3cm
 Backplate: 12.7cm Round
 Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
 IP Rating: IP20 Class I



RL2329AI-L-EU

H: 88.9cm | W: 33cm | Ext.: 19.7cm
 Backplate: 12.7cm x 13.3cm Rec.
 Socket: E27 Keyless | Bulb: 60 A
 Shade Details: 19.7cm x 31.8cm x 22.2cm Shield
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL2330CG/NB-L-EU

H: 38.7cm | W: 12.7cm | Ext.: 17.8cm
 Backplate: 11.4cm Round
 Socket: E14 Candelabra | Bulb: 40 B
 Shade Details: 9.5cm x 12.7cm x 12.1cm
 IP Rating: IP20 Class I



RL2330CG/PN-L-EU

H: 38.7cm | W: 12.7cm | Ext.: 17.8cm
 Backplate: 11.4cm Round
 Socket: E14 Candelabra | Bulb: 40 B
 Shade Details: 9.5cm x 12.7cm x 12.1cm
 IP Rating: IP20 Class I



RL2370AI-CG-EU

H: 58.4cm | W: 24.1cm | Ext.: 27.9cm
 Backplate: 12.7cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP22 Class I



RL2400NB-EU

H: 26.7cm | W: 10.8cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: Dedicated LED | Bulb: 12w (1000lm)
 IP Rating: IP22 Class I



RL2400PN-EU

H: 26.7cm | W: 10.8cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: Dedicated LED | Bulb: 12w (1000lm)
 IP Rating: IP22 Class I



RL2401NB-EU

H: 42.5cm | W: 10.8cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: Dedicated LED | Bulb: 18w (1500lm)
 IP Rating: IP22 Class I



RL2401PN-EU

H: 42.5cm | W: 10.8cm | Ext.: 12.7cm
 Backplate: 10.8cm Round
 Socket: Dedicated LED | Bulb: 18w (1500lm)
 IP Rating: IP22 Class I



RL2403NB-EU

H: 76.2cm | W: 8.9cm | Ext.: 12.7cm
 Backplate: 6.4cm x 76.2cm Rec.
 Socket: Dedicated LED | Bulb: 20w (1600lm)
 IP Rating: IP22 Class I



RL2403PN-EU

H: 76.2cm | W: 8.9cm | Ext.: 12.7cm
 Backplate: 6.4cm x 76.2cm Rec.
 Socket: Dedicated LED | Bulb: 20w (1600lm)
 IP Rating: IP22 Class I



RL2452NB-NVY-EU

H: 17.8cm - 34.3cm | W: 12.7cm
 Ext.: 35.6cm - 45.7cm
 Backplate: 12.1cm Round
 Socket: E27 On/Off | Bulb: 40 A
 IP Rating: IP20 Class I



RL2452NB-SDL-EU

H: 17.8cm - 34.3cm | W: 12.7cm
 Ext.: 35.6cm - 45.7cm
 Backplate: 12.1cm Round
 Socket: E27 On/Off | Bulb: 40 A
 IP Rating: IP20 Class I



RL2452PN-CHC-EU

H: 17.8cm - 34.3cm | W: 12.7cm
 Ext.: 35.6cm - 45.7cm
 Backplate: 12.1cm Round
 Socket: E27 On/Off | Bulb: 40 A
 IP Rating: IP20 Class I



RL2454NB-NVY-EU

H: 17.8cm - 36.8cm | W: 12.7cm
 Ext.: 27.9cm - 69.2cm
 Backplate: 12.1cm Round
 Socket: E27 Keyless | Bulb: 40 A
 IP Rating: IP20 Class I



RL2454NB-SDL-EU

H: 17.8cm - 36.8cm | W: 12.7cm
 Ext.: 27.9cm - 69.2cm
 Backplate: 12.1cm Round
 Socket: E27 Keyless | Bulb: 40 A
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL2454PN-CHC-EU

H: 17.8cm - 36.8cm | W: 12.7cm
Ext.: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I



RL2500BZ-L-EU

H: 47.6cm | W: 35.6cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 75 A
Shade Details: 15.2cm x 35.6cm x 22.9cm
IP Rating: IP20 Class II



RL2500NB-L-EU

H: 47.6cm | W: 35.6cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 75 A
Shade Details: 15.2cm x 35.6cm x 22.9cm
IP Rating: IP20 Class II



RL2500PN-L-EU

H: 47.6cm | W: 35.6cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 75 A
Shade Details: 15.2cm x 35.6cm x 22.9cm
IP Rating: IP20 Class II



RL2530BZ-EU

H: 33cm | W: 15.2cm | Ext.: 19cm
Backplate: 10.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I



RL2530NB-EU

H: 33cm | W: 15.2cm | Ext.: 19cm
Backplate: 10.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I



RL2530PN-EU

H: 33cm | W: 15.2cm | Ext.: 19cm
Backplate: 10.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I



RL2534NB-WG-EU

H: 59.1cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 59.1cm Rec.
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP20 Class I



RL2534PN-WG-EU

H: 59.1cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 59.1cm Rec.
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP20 Class I



RL2535NB-WG-EU

H: 87.6cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 86.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I



RL2535PN-WG-EU

H: 87.6cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 86.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I



RL2550BZ-WG-EU

H: 50.8cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I



RL2550NB-WG-EU

H: 50.8cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I



RL2550PN-WG-EU

H: 50.8cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

<p>RL2551BZ-WG-EU H: 38.7cm W: 20.3cm Ext.: 27.9cm Backplate: 13.3cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p>	<p>RL2551NB-WG-EU H: 38.7cm W: 20.3cm Ext.: 27.9cm Backplate: 13.3cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p>
<p>RL2551PN-WG-EU H: 38.7cm W: 20.3cm Ext.: 27.9cm Backplate: 13.3cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p>	<p>RL2560BZ/TK-WG-EU H: 34.3cm W: 12.7cm Ext.: 15.2cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 25w (2000lm)</p>
<p>RL2560NB/TK-WG-EU H: 34.3cm W: 12.7cm Ext.: 15.2cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 25w (2000lm)</p>	<p>RL2560PN/TK-WG-EU H: 34.3cm W: 12.7cm Ext.: 15.2cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 25w (2000lm)</p>
<p>RL2565BZ/TK-WG-EU H: 61cm W: 10.2cm Ext.: 13.3cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 35w (2800lm)</p>	<p>RL2565NB/TK-WG-EU H: 61cm W: 10.2cm Ext.: 13.3cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 35w (2800lm)</p>
<p>RL2565PN/TK-WG-EU H: 61cm W: 10.2cm Ext.: 13.3cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 35w (2800lm)</p>	<p>RL2566BZ/TK-WG-EU H: 81.3cm W: 10.2cm Ext.: 13.3cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 40w (3200lm)</p>
<p>RL2566NB/TK-WG-EU H: 81.3cm W: 10.2cm Ext.: 13.3cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 40w (3200lm)</p>	<p>RL2566PN/TK-WG-EU H: 81.3cm W: 10.2cm Ext.: 13.3cm Backplate: 7.6cm x 10.2cm Rec. Socket: Dedicated LED Bulb: 40w (3200lm)</p>
<p>RL2570NB/NRO-L-EU H: 34.9cm W: 19.7cm Ext.: 21cm Backplate: 11.4cm Round Socket: E14 Candelabra Bulb: 25 B Shade Details: 7.6cm x 19.7cm x 12.1cm IP Rating: IP20 Class I</p>	<p>RL2570PN/BKE-L-EU H: 34.9cm W: 19.7cm Ext.: 21cm Backplate: 11.4cm Round Socket: E14 Candelabra Bulb: 25 B Shade Details: 7.6cm x 19.7cm x 12.1cm IP Rating: IP20 Class I</p>

RALPH LAUREN

EU INDEX

<p>RL2590NB/NRO-L-EU H: 76.2cm W: 31.8cm Ext.: 20.3cm Backplate: 10.8cm Square Socket: E27 Keyless Bulb: 40 A Shade Details: 29.8cm x 31.8cm x 21cm IP Rating: IP20 Class I</p>	 <p>RL2590PN/BKE-L-EU H: 76.2cm W: 31.8cm Ext.: 20.3cm Backplate: 10.8cm Square Socket: E27 Keyless Bulb: 40 A Shade Details: 29.8cm x 31.8cm x 21cm IP Rating: IP20 Class I</p> 
<p>RL2611NB/NVY-L-EU H: 31.1cm W: 15.2cm Ext.: 19.7cm Backplate: 13.3cm Round Socket: E14 Candelabra Bulb: 40 B Shade Details: 10.2cm x 15.2cm x 14.6cm IP Rating: IP20 Class I</p> 	<p>RL2611NB/SDL-L-EU H: 31.1cm W: 15.2cm Ext.: 19.7cm Backplate: 13.3cm Round Socket: E14 Candelabra Bulb: 40 B Shade Details: 10.2cm x 15.2cm x 14.6cm IP Rating: IP20 Class I</p> 
<p>RL2611PN/CHC-L-EU H: 31.1cm W: 15.2cm Ext.: 19.7cm Backplate: 13.3cm Round Socket: E14 Candelabra Bulb: 40 B Shade Details: 10.2cm x 15.2cm x 14.6cm IP Rating: IP20 Class I</p> 	<p>RL2680WB/NB-NB-EU H: 30.5cm W: 21cm Ext.: 31.8cm Backplate: 12.7cm Round Socket: E14 Candelabra Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class I</p> 
<p>RL2680WB/NB-WP-EU H: 30.5cm W: 21cm Ext.: 31.8cm Backplate: 12.7cm Round Socket: E14 Candelabra Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class I</p> 	<p>RL2680WB/PN-PN-EU H: 30.5cm W: 21cm Ext.: 31.8cm Backplate: 12.7cm Round Socket: E14 Candelabra Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class I</p> 
<p>RL2680WB/PN-WP-EU H: 30.5cm W: 21cm Ext.: 31.8cm Backplate: 12.7cm Round Socket: E14 Candelabra Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class I</p> 	<p>RL2721NB-EU H: 17.8cm - 22.9cm W: 7.6cm Ext.: 16.5cm - 47cm Backplate: 7.6cm x 12.1cm Rec. Socket: Dedicated LED Bulb: 9w (900lm) IP Rating: IP20 Class II</p> 
<p>RL2721PN-EU H: 17.8cm - 22.9cm W: 7.6cm Ext.: 16.5cm - 47cm Backplate: 7.6cm x 12.1cm Rec. Socket: Dedicated LED Bulb: 9w (900lm) IP Rating: IP20 Class II</p> 	<p>RL2722NB-EU H: 10.8cm W: 30.5cm Ext.: 21.6cm Backplate: 10.8cm Round Socket: Dedicated LED Bulb: 14w (1300lm) IP Rating: IP20 Class I</p> 
<p>RL2722PN-EU H: 10.8cm W: 30.5cm Ext.: 21.6cm Backplate: 10.8cm Round Socket: Dedicated LED Bulb: 14w (1300lm) IP Rating: IP20 Class I</p> 	<p>RL2723NB-EU H: 10.8cm W: 45.7cm Ext.: 21.6cm Backplate: 10.8cm Round Socket: Dedicated LED Bulb: 23w (2200lm) IP Rating: IP20 Class I</p> 















RALPH LAUREN

EU INDEX

<p>RL2723PN-EU H: 10.8cm W: 45.7cm Ext.: 21.6cm Backplate: 10.8cm Round Socket: Dedicated LED Bulb: 23w (2200lm) IP Rating: IP20 Class I</p>	<p>RL2724NB-EU H: 10.8cm W: 61cm Ext.: 21.6cm Backplate: 10.8cm Round Socket: Dedicated LED Bulb: 32w (3000lm) IP Rating: IP20 Class I</p>
<p>RL2724PN-EU H: 10.8cm W: 61cm Ext.: 21.6cm Backplate: 10.8cm Round Socket: Dedicated LED Bulb: 32w (3000lm) IP Rating: IP20 Class I</p>	<p>RL2729NB-EU H: 14.6cm - 21cm W: 7.6cm Ext.: 21.6cm - 23.5cm Backplate: 7.6cm x 12.1cm Rec. Socket: Dedicated LED Bulb: 9w (900lm) IP Rating: IP20 Class II</p>
<p>RL2729PN-EU H: 14.6cm - 21cm W: 7.6cm Ext.: 21.6cm - 23.5cm Backplate: 7.6cm x 12.1cm Rec. Socket: Dedicated LED Bulb: 9w (900lm) IP Rating: IP20 Class II</p>	<p>RL2733FR-CG-EU H: 61.6cm W: 34.3cm Ext.: 23.5cm Backplate: 21.6cm x 34.3cm Trapezoid Socket: 3 - E14 Keyless Bulb: 3 - 60 B IP Rating: IP20 Class I</p>
<p>RL2733WVG-CG-EU H: 61.6cm W: 34.3cm Ext.: 23.5cm Backplate: 21.6cm x 34.3cm Trapezoid Socket: 3 - E14 Keyless Bulb: 3 - 60 B IP Rating: IP20 Class I</p>	<p>RL2760BZ-EU H: 37.5cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 37.5cm Rec. Socket: Dedicated LED Bulb: 12w (960lm) IP Rating: IP44 Class I</p>
<p>RL2760NB-EU H: 37.5cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 37.5cm Rec. Socket: Dedicated LED Bulb: 12w (960lm) IP Rating: IP44 Class I</p>	<p>RL2760PN-EU H: 37.5cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 37.5cm Rec. Socket: Dedicated LED Bulb: 12w (960lm) IP Rating: IP44 Class I</p>
<p>RL2761BZ-EU H: 50.2cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 50.2cm Rec. Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP44 Class I</p>	<p>RL2761NB-EU H: 50.2cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 50.2cm Rec. Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP44 Class I</p>
<p>RL2761PN-EU H: 50.2cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 50.2cm Rec. Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP44 Class I</p>	<p>RL2762BZ-EU H: 70.5cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 70.5cm Rec. Socket: Dedicated LED Bulb: 24w (1900lm) IP Rating: IP44 Class I</p>











RALPH LAUREN

EU INDEX

<p>RL2762NB-EU H: 70.5cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 70.5cm Rec. Socket: Dedicated LED Bulb: 24w (1900lm) IP Rating: IP44 Class I</p> 	<p>RL2762PN-EU H: 70.5cm W: 13.3cm Ext.: 13.3cm Backplate: 11.4cm x 70.5cm Rec. Socket: Dedicated LED Bulb: 24w (1900lm) IP Rating: IP44 Class I</p> 
<p>RL2768BZ-WG-EU H: 66cm W: 11.4cm Ext.: 5.7cm Backplate: 11.4cm x 66cm Rec. Socket: Dedicated LED Bulb: 21w (1900lm)</p> 	<p>RL2768NB-WG-EU H: 66cm W: 11.4cm Ext.: 5.7cm Backplate: 11.4cm x 66cm Rec. Socket: Dedicated LED Bulb: 21w (1900lm)</p> 
<p>RL2768PN-WG-EU H: 66cm W: 11.4cm Ext.: 5.7cm Backplate: 11.4cm x 66cm Rec. Socket: Dedicated LED Bulb: 21w (1900lm)</p> 	<p>RL2769BZ-WG-EU H: 81.3cm W: 11.4cm Ext.: 5.7cm Backplate: 11.4cm x 81.3cm Rec. Socket: Dedicated LED Bulb: 28w (2100lm)</p> 
<p>RL2769NB-WG-EU H: 81.3cm W: 11.4cm Ext.: 5.7cm Backplate: 11.4cm x 81.3cm Rec. Socket: Dedicated LED Bulb: 28w (2100lm)</p> 	<p>RL2769PN-WG-EU H: 81.3cm W: 11.4cm Ext.: 5.7cm Backplate: 11.4cm x 81.3cm Rec. Socket: Dedicated LED Bulb: 28w (2100lm)</p> 
<p>RL2780NB-EU H: 6.4cm W: 33cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 12w (1000lm) IP Rating: IP20 Class I</p> 	<p>RL2780PN-EU H: 6.4cm W: 33cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 12w (1000lm) IP Rating: IP20 Class I</p> 
<p>RL2781NB-EU H: 6.4cm W: 61cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 36w (3000lm) IP Rating: IP20 Class I</p> 	<p>RL2781PN-EU H: 6.4cm W: 61cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 36w (3000lm) IP Rating: IP20 Class I</p> 
<p>RL2782NB-EU H: 6.4cm W: 81.3cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 36w (3000lm) IP Rating: IP20 Class I</p> 	<p>RL2782PN-EU H: 6.4cm W: 81.3cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 36w (3000lm) IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

<p>RL2783NB-EU H: 6.4cm W: 101.6cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 36w (3000lm) IP Rating: IP20 Class I</p>		<p>RL2783PN-EU H: 6.4cm W: 101.6cm Ext.: 20.3cm Backplate: 7.6cm x 21cm Rec. Socket: Dedicated LED Bulb: 36w (3000lm) IP Rating: IP20 Class I</p>	
<p>RL2786BZ-EU H: 6.4cm W: 33cm Ext.: 12.7cm - 14.6cm Backplate: 12.1cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 9w (650lm) IP Rating: IP20 Class I</p>		<p>RL2786NB-EU H: 6.4cm W: 33cm Ext.: 12.7cm - 14.6cm Backplate: 12.1cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 9w (650lm) IP Rating: IP20 Class I</p>	
<p>RL2786PN-EU H: 6.4cm W: 33cm Ext.: 12.7cm - 14.6cm Backplate: 12.1cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 9w (650lm) IP Rating: IP20 Class I</p>		<p>RL2787BZ-EU H: 6.4cm W: 61cm Ext.: 12.7cm - 14.6cm Backplate: 30.5cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 18w (1250lm) IP Rating: IP20 Class I</p>	
<p>RL2787NB-EU H: 6.4cm W: 61cm Ext.: 12.7cm - 14.6cm Backplate: 30.5cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 18w (1250lm) IP Rating: IP20 Class I</p>		<p>RL2787PN-EU H: 6.4cm W: 61cm Ext.: 12.7cm - 14.6cm Backplate: 30.5cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 18w (1250lm) IP Rating: IP20 Class I</p>	
<p>RL2788BZ-EU H: 6.4cm W: 91.4cm Ext.: 12.7cm - 14.6cm Backplate: 61cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 27 w (1850lm) IP Rating: IP20 Class I</p>		<p>RL2788NB-EU H: 6.4cm W: 91.4cm Ext.: 12.7cm - 14.6cm Backplate: 61cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 27 w (1850lm) IP Rating: IP20 Class I</p>	
<p>RL2788PN-EU H: 6.4cm W: 91.4cm Ext.: 12.7cm - 14.6cm Backplate: 61cm x 6.4cm Rec. Socket: Dedicated LED Bulb: 27 w (1850lm) IP Rating: IP20 Class I</p>		<p>RL2790NB/AI-EU H: 27.3cm W: 19cm Ext.: 17.8cm Backplate: 19cm x 26.7cm Oval Socket: E14 Candelabra Bulb: 5.5 LED B11 IP Rating: IP20 Class I</p>	
<p>RL2791NB/AI-EU H: 31.8cm W: 28.6cm Ext.: 19.7cm Backplate: 19cm x 26.7cm Oval Socket: 2 - E14 Candelabra Bulb: 2 - 5.5 LED B11 IP Rating: IP20 Class I</p>		<p>RL2815BZ-WG-EU H: 43.2cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 36.8cm Rec. Socket: Dedicated LED Bulb: 13w (1000lm)</p>	



RALPH LAUREN

EU INDEX

<p>RL2815NB-WG-EU H: 43.2cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 36.8cm Rec. Socket: Dedicated LED Bulb: 13w (1000lm)</p> 	<p>RL2815PN-WG-EU H: 43.2cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 36.8cm Rec. Socket: Dedicated LED Bulb: 13w (1000lm)</p> 
<p>RL2816BZ-WG-EU H: 66cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 59.7cm Rec. Socket: Dedicated LED Bulb: 18w (1800lm)</p> 	<p>RL2816NB-WG-EU H: 66cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 59.7cm Rec. Socket: Dedicated LED Bulb: 18w (1800lm)</p> 
<p>RL2816PN-WG-EU H: 66cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 59.7cm Rec. Socket: Dedicated LED Bulb: 18w (1800lm)</p> 	<p>RL2817BZ-WG-EU H: 86.4cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 80cm Rec. Socket: Dedicated LED Bulb: 31w (2500lm)</p> 
<p>RL2817NB-WG-EU H: 86.4cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 80cm Rec. Socket: Dedicated LED Bulb: 31w (2500lm)</p> 	<p>RL2817PN-WG-EU H: 86.4cm W: 12.7cm Ext.: 8.9cm Backplate: 11.4cm x 80cm Rec. Socket: Dedicated LED Bulb: 31w (2500lm)</p> 
<p>RL2969NB/Q-EU H: 47.6cm W: 12.7cm Ext.: 7.6cm Backplate: 12.7cm x 47.6cm Rec. Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP20 Class I</p> 	<p>RL2969PN/Q-EU H: 47.6cm W: 12.7cm Ext.: 7.6cm Backplate: 12.7cm x 47.6cm Rec. Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP20 Class I</p> 
<p>RL3031BZ/EC-BZ-EU H: 51.4cm W: 39.4cm Base: 20.3cm Round Socket: Dedicated LED Bulb: 11w (1000lm) Shade Details: 39.4cm x 39.4cm x 19cm IP Rating: IP20 Class I</p> 	<p>RL3031NB/EC-NB-EU H: 51.4cm W: 39.4cm Base: 20.3cm Round Socket: Dedicated LED Bulb: 11w (1000lm) Shade Details: 39.4cm x 39.4cm x 19cm IP Rating: IP20 Class I</p> 
<p>RL3031PN/EC-PN-EU H: 51.4cm W: 39.4cm Base: 20.3cm Round Socket: Dedicated LED Bulb: 11w (1000lm) Shade Details: 39.4cm x 39.4cm x 19cm IP Rating: IP20 Class I</p> 	<p>RL3082NB-WP-EU H: 76.2cm W: 45.7cm Base: 21.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 40.6cm x 45.7cm x 30.5cm IP Rating: IP20 Class II</p> 

RALPH LAUREN

EU INDEX

<p>RL3082PN-WP-EU H: 76.2cm W: 45.7cm Base: 21.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 40.6cm x 45.7cm x 30.5cm IP Rating: IP20 Class II</p>	 <p>RL3092BS-SBP-EU H: 85.7cm W: 55.9cm Base: 23.5cm Round Socket: E27 w/Line Switch Bulb: 15 LED A19 Shade Details: 22.9cm x 55.9cm x 38.7cm</p> 
<p>RL3092NB-SBP-EU H: 85.7cm W: 55.9cm Base: 23.5cm Round Socket: E27 w/Line Switch Bulb: 15 LED A19 Shade Details: 22.9cm x 55.9cm x 38.7cm</p>	 <p>RL3094NB-L-EU H: 72.4cm W: 44.4cm Base: 22.9cm Round Socket: 2 - E27 Keyless w/Line Switch Bulb: 2 - 60 A Shade Details: 42.5cm x 44.4cm x 28.6cm IP Rating: IP20 Class II</p> 
<p>RL3094PN-L-EU H: 72.4cm W: 44.4cm Base: 22.9cm Round Socket: 2 - E27 Keyless w/Line Switch Bulb: 2 - 60 A Shade Details: 42.5cm x 44.4cm x 28.6cm IP Rating: IP20 Class II</p>	 <p>RL3127BS-SBP-EU H: 64cm W: 30.5cm Base: 14cm Round Socket: E27 w/Line Switch Bulb: 15 LED A19 Shade Details: 20.3cm x 30.5cm x 22.9cm</p> 
<p>RL3127NB-SBP-EU H: 64cm W: 30.5cm Base: 14cm Round Socket: E27 w/Line Switch Bulb: 15 LED A19 Shade Details: 20.3cm x 30.5cm x 22.9cm</p>	<p>RL3183NB-L-EU H: 64.8cm W: 42.5cm Base: 16.5cm x 25.4cm Oval Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 38.1cm x 42.5cm x 26.7cm Oval IP Rating: IP20 Class II</p> 
<p>RL3183PN-L-EU H: 64.8cm W: 42.5cm Base: 16.5cm x 25.4cm Oval Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 38.1cm x 42.5cm x 26.7cm Oval IP Rating: IP20 Class II</p>	 <p>RL3346NB-EU H: 24.1cm - 44.4cm W: 14.6cm Ext.: 19.7cm - 27.3cm Base: 12.7cm Round Socket: Dedicated LED Bulb: 9w (900lm) IP Rating: IP20 Class II</p> 
<p>RL3346PN-EU H: 24.1cm - 44.4cm W: 14.6cm Ext.: 19.7cm - 27.3cm Base: 12.7cm Round Socket: Dedicated LED Bulb: 9w (900lm) IP Rating: IP20 Class II</p>	 <p>RL3450NB-NVY-EU H: 48.3cm - 74.3cm W: 17.8cm Ext.: 43.2cm - 58.4cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 40 A IP Rating: IP20 Class II</p> 
<p>RL3450NB-SDL-EU H: 48.3cm - 74.3cm W: 17.8cm Ext.: 43.2cm - 58.4cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 40 A IP Rating: IP20 Class II</p>	 <p>RL3450PN-CHC-EU H: 48.3cm - 74.3cm W: 17.8cm Ext.: 43.2cm - 58.4cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 40 A IP Rating: IP20 Class II</p> 

RALPH LAUREN

EU INDEX

RL3491NB/NVY-P-EU

H: 75.6cm - 78.7cm | W: 50.8cm
 Base: 19cm Round
 Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
 Shade Details: 15.2cm x 50.8cm x 28.6cm
 IP Rating: IP20 Class II



RL3491NB/SDL-P-EU

H: 75.6cm - 78.7cm | W: 50.8cm
 Base: 19cm Round
 Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
 Shade Details: 15.2cm x 50.8cm x 28.6cm
 IP Rating: IP20 Class II



RL3491PN/CHC-P-EU

H: 75.6cm - 78.7cm | W: 50.8cm
 Base: 19cm Round
 Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
 Shade Details: 15.2cm x 50.8cm x 28.6cm
 IP Rating: IP20 Class II



RL3493NB/NVY-L-EU

H: 74.3cm | W: 48.3cm
 Base: 22.9cm Round
 Socket: E27 w/Line Switch | Bulb: 15 LED A19
 Shade Details: 43.2cm x 48.3cm x 31.1cm



RL3493NB/SDL-L-EU

H: 74.3cm | W: 48.3cm
 Base: 22.9cm Round
 Socket: E27 w/Line Switch | Bulb: 15 LED A19
 Shade Details: 43.2cm x 48.3cm x 31.1cm



RL3493PN/CHC-L-EU

H: 74.3cm | W: 48.3cm
 Base: 22.9cm Round
 Socket: E27 w/Line Switch | Bulb: 15 LED A19
 Shade Details: 43.2cm x 48.3cm x 31.1cm



RL3522BS-SBP-EU

H: 78.7cm | W: 44.4cm | Base: 22.9cm Round
 Socket: E27 w/Line Switch | Bulb: 15 LED A19
 Shade Details: 42.5cm x 44.4cm x 28.6cm



RL3522NB-SBP-EU

H: 78.7cm | W: 44.4cm | Base: 22.9cm Round
 Socket: E27 w/Line Switch | Bulb: 15 LED A19
 Shade Details: 42.5cm x 44.4cm x 28.6cm



RL3542BRT-WP-EU

H: 68.6cm | W: 53.3cm
 Base: 21.6cm Round
 Socket: E27 Keyless w/Line Switch | Bulb: 100 A
 Shade Details:
 40.6cm x 53.3cm x 38.1cm Closed Top
 IP Rating: IP20 Class II



RL3560BZ/TK-WG-EU

H: 34.3cm | W: 15.2cm
 Base: 12.7cm Square
 Socket: Dedicated LED
 Bulb: 20w (1600lm)



RL3560NB/TK-WG-EU

H: 34.3cm | W: 15.2cm
 Base: 12.7cm Square
 Socket: Dedicated LED
 Bulb: 20w (1600lm)



RL3560PN/TK-WG-EU

H: 34.3cm | W: 15.2cm
 Base: 12.7cm Square
 Socket: Dedicated LED
 Bulb: 20w (1600lm)



RL3593MHG-SBP-EU

H: 78.7cm | W: 55.9cm
 Base: 22.9cm Round
 Socket: E27 w/Line Switch | Bulb: 15 LED A19
 Shade Details: 22.9cm x 55.9cm x 38.7cm



RL3622CBZ-L-EU

H: 71.1cm | W: 48.3cm
 Base: 19cm Square
 Socket: E27 Keyless w/Line Switch | Bulb: 100 A
 Shade Details: 43.2cm x 48.3cm x 30.5cm
 IP Rating: IP20 Class II



RALPH LAUREN

EU INDEX

<p>RL3622WLC-L-EU H: 71.1cm W: 48.3cm Base: 19cm Square Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 43.2cm x 48.3cm x 30.5cm IP Rating: IP20 Class II</p>		<p>RL3625BLK-WP-EU H: 71.1cm W: 48.3cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 150 A Shade Details: 35.6cm x 48.3cm x 33cm IP Rating: IP20 Class II</p>	
<p>RL3625WT-WP-EU H: 71.1cm W: 48.3cm Base: 17.8cm Round Socket: E27 Keyless w/Line Switch Bulb: 150 A Shade Details: 35.6cm x 48.3cm x 33cm IP Rating: IP20 Class II</p>		<p>RL3627BLK-WP-EU H: 92.7cm W: 55.9cm Base: 30.5cm Round Socket: E27 Keyless w/Line Switch Bulb: 150 A Shade Details: 48.3cm x 55.9cm x 38.1cm IP Rating: IP20 Class II</p>	
<p>RL3627WT-WP-EU H: 92.7cm W: 55.9cm Base: 30.5cm Round Socket: E27 Keyless w/Line Switch Bulb: 150 A Shade Details: 48.3cm x 55.9cm x 38.1cm IP Rating: IP20 Class II</p>		<p>RL3633BC-WP-EU H: 69.8cm W: 48.3cm Base: 27.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 35.6cm x 48.3cm x 33cm IP Rating: IP20 Class II</p>	
<p>RL3633BLK-WP-EU H: 69.8cm W: 48.3cm Base: 27.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 35.6cm x 48.3cm x 33cm IP Rating: IP20 Class II</p>		<p>RL3633ICO-WP-EU H: 69.8cm W: 48.3cm Base: 27.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 35.6cm x 48.3cm x 33cm IP Rating: IP20 Class II</p>	
<p>RL3634BC-WP-EU H: 91.4cm W: 63.5cm Base: 35.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 48.3cm x 63.5cm x 45.7cm IP Rating: IP20 Class II</p>		<p>RL3634BLK-WP-EU H: 91.4cm W: 63.5cm Base: 35.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 48.3cm x 63.5cm x 45.7cm IP Rating: IP20 Class II</p>	
<p>RL3634ICO-WP-EU H: 91.4cm W: 63.5cm Base: 35.6cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 48.3cm x 63.5cm x 45.7cm IP Rating: IP20 Class II</p>		<p>RL3649BW-S-EU H: 68.6cm W: 53.3cm Base: 22.9cm Round Socket: 2 - E27 Keyless w/Line Switch Bulb: 2 - 60 A Shade Details: 17.8cm x 53.3cm x 33cm IP Rating: IP20 Class II</p>	
<p>RL3651BW-S-EU H: 68.6cm W: 42.5cm Base: 19cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 21.6cm x 42.5cm x 33cm IP Rating: IP20 Class II</p>		<p>RL3652BW-S-EU H: 91.4cm W: 55.2cm Base: 25.4cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 29.8cm x 55.2cm x 40.6cm IP Rating: IP20 Class II</p>	

RALPH LAUREN

EU INDEX

<p>RL3653BW-S-EU H: 81.3cm W: 48.9cm Base: 20.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 24.8cm x 48.9cm x 38.1cm IP Rating: IP20 Class II</p>	 <p>RL3660LTS-L-EU H: 81.3cm W: 54.6cm Base: 17.1cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 41.9cm x 54.6cm x 35.6cm IP Rating: IP20 Class II</p> 
<p>RL3660MBZ-L-EU H: 81.3cm W: 54.6cm Base: 17.1cm Round Socket: E27 Keyless w/Line Switch Bulb: 100 A Shade Details: 41.9cm x 54.6cm x 35.6cm IP Rating: IP20 Class II</p>	 <p>RL3682WB/NB-NB-EU H: 66.7cm W: 21cm Base: 14cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class II</p> 
<p>RL3682WB/NB-WP-EU H: 66.7cm W: 21cm Base: 14cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class II</p>	 <p>RL3682WB/PN-PN-EU H: 66.7cm W: 21cm Base: 14cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class II</p> 
<p>RL3682WB/PN-WP-EU H: 66.7cm W: 21cm Base: 14cm Round Socket: E14 Candelabra w/Line Switch Bulb: 6.5 LED B Shade Details: 8.3cm x 21cm x 16.5cm IP Rating: IP20 Class II</p>	 <p>RL3728BS-WP-EU H: 67.3cm W: 48.3cm Base: 16.5cm Round Socket: E27 w/Line Switch Bulb: 15 LED A19 Shade Details: 35.6cm x 48.3cm x 33cm</p> 
<p>RL3728NB-WP-EU H: 67.3cm W: 48.3cm Base: 16.5cm Round Socket: E27 w/Line Switch Bulb: 15 LED A19 Shade Details: 35.6cm x 48.3cm x 33cm</p>	 <p>RL3805NB-EU H: 41.3cm - 51.4cm W: 22.2cm Base: 12.1cm Round Socket: E14 Candelabra w/Line Switch Bulb: 8 LED B IP Rating: IP20 Class II</p> 
<p>RL3805PN-EU H: 41.3cm - 51.4cm W: 22.2cm Base: 12.1cm Round Socket: E14 Candelabra w/Line Switch Bulb: 8 LED B IP Rating: IP20 Class II</p>	 <p>RL3920CG-WP-EU H: 41.3cm - 51.4cm W: 22.2cm Base: 12.1cm Round Socket: E14 Candelabra w/Line Switch Bulb: 8 LED B IP Rating: IP20 Class II</p> 
<p>RL3936CG-S-EU H: 73.7cm W: 53.3cm Base: 20.3cm Round Socket: E27 Keyless w/Line Switch Bulb: 60 A Shade Details: 17.8cm x 53.3cm x 33cm IP Rating: IP20 Class II</p>	 <p>RL3965NB/Q-P-EU H: 57.2cm W: 38.1cm Base: 16.5cm x 24.1cm Rec. Socket: E27 Keyless w/Line Switch Bulb: 60 A Shade Details: 35.6cm x 38.1cm x 25.4cm Rec. IP Rating: IP20 Class II</p> 

RALPH LAUREN

EU INDEX

RL3965PN/Q-P-EU

H: 57.2cm | W: 38.1cm
 Base: 16.5cm x 24.1cm Rec.
 Socket: E27 Keyless w/Line Switch | Bulb: 60 A
 Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.
 IP Rating: IP20 Class II



RL3966NB/Q-P-EU

H: 77.5cm | W: 43.2cm
 Base: 15.2cm Square
 Socket: E27 Keyless w/Line Switch | Bulb: 60 A
 Shade Details:
 40.6cm x 43.2cm x 30.5cm Square
 IP Rating: IP20 Class II



RL3966PN/Q-P-EU

H: 77.5cm | W: 43.2cm
 Base: 15.2cm Square
 Socket: E27 Keyless w/Line Switch | Bulb: 60 A
 Shade Details:
 40.6cm x 43.2cm x 30.5cm Square
 IP Rating: IP20 Class II



RL4072NB-FA-EU

H: 10.2cm | W: 35.6cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 40 B
 IP Rating: IP20 Class I



RL4072PN-FA-EU

H: 10.2cm | W: 35.6cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 40 B
 IP Rating: IP20 Class I



RL4090NB-WG-EU

H: 15.2cm | W: 35.6cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL4090PN-WG-EU

H: 15.2cm | W: 35.6cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL4127BZ-EU

H: 3.8cm | W: 11.4cm
 Canopy: 11.4cm Round
 Socket: Dedicated LED
 Bulb: 12w (1100lm)
 IP Rating: IP22 Class I



RL4127NB-EU

H: 3.8cm | W: 11.4cm
 Canopy: 11.4cm Round
 Socket: Dedicated LED
 Bulb: 12w (1100lm)
 IP Rating: IP22 Class I



RL4127PN-EU

H: 3.8cm | W: 11.4cm
 Canopy: 11.4cm Round
 Socket: Dedicated LED
 Bulb: 12w (1100lm)
 IP Rating: IP22 Class I



RL4128BZ-EU

H: 4.4cm | W: 15.9cm
 Canopy: 15.9cm Round
 Socket: Dedicated LED
 Bulb: 15w (1300lm)
 IP Rating: IP22 Class I



RL4128NB-EU

H: 4.4cm | W: 15.9cm
 Canopy: 15.9cm Round
 Socket: Dedicated LED
 Bulb: 15w (1300lm)
 IP Rating: IP22 Class I



RL4128PN-EU

H: 4.4cm | W: 15.9cm
 Canopy: 15.9cm Round
 Socket: Dedicated LED
 Bulb: 15w (1300lm)
 IP Rating: IP22 Class I

















RL4460BZ-WG-EU

H: 29.8cm | W: 20.3cm
 Canopy: 16.5cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

<p>RL4460NB-WG-EU H: 29.8cm W: 20.3cm Canopy: 16.5cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 	<p>RL4460PN-WG-EU H: 29.8cm W: 20.3cm Canopy: 16.5cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 
<p>RL4461BZ-WG-EU H: 40.6cm W: 30.5cm Canopy: 16.5cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 	<p>RL4461NB-WG-EU H: 40.6cm W: 30.5cm Canopy: 16.5cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 
<p>RL4461PN-WG-EU H: 40.6cm W: 30.5cm Canopy: 16.5cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 	<p>RL4462BZ-WG-EU H: 52.7cm W: 41.3cm Canopy: 19.7cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 
<p>RL4462NB-WG-EU H: 52.7cm W: 41.3cm Canopy: 19.7cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 	<p>RL4462PN-WG-EU H: 52.7cm W: 41.3cm Canopy: 19.7cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p> 
<p>RL4720BZ-EU H: 15.9cm W: 30.5cm Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP20 Class I</p> 	<p>RL4720NB-EU H: 15.9cm W: 30.5cm Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP20 Class I</p> 
<p>RL4720PN-EU H: 15.9cm W: 30.5cm Socket: Dedicated LED Bulb: 18w (1500lm) IP Rating: IP20 Class I</p> 	<p>RL4721BZ-EU H: 15.9cm W: 45.7cm Socket: Dedicated LED Bulb: 36w (2800lm) IP Rating: IP20 Class I</p> 
<p>RL4721NB-EU H: 15.9cm W: 45.7cm Socket: Dedicated LED Bulb: 36w (2800lm) IP Rating: IP20 Class I</p> 	<p>RL4721PN-EU H: 15.9cm W: 45.7cm Socket: Dedicated LED Bulb: 36w (2800lm) IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

RL4722BZ-EU

H: 15.9cm | W: 61cm
 Socket: Dedicated LED
 Bulb: 60w (4800lm)
 IP Rating: IP20 Class I



RL4722NB-EU

H: 15.9cm | W: 61cm
 Socket: Dedicated LED
 Bulb: 60w (4800lm)
 IP Rating: IP20 Class I



RL4722PN-EU

H: 15.9cm | W: 61cm
 Socket: Dedicated LED
 Bulb: 60w (4800lm)
 IP Rating: IP20 Class I



RL4800NB-EU

H: 19cm | W: 31cm
 Socket: 3 - E27 Keyless
 Bulb: 3 - 40 A
 IP Rating: IP20 Class I



RL4800PN-EU

H: 19cm | W: 31cm
 Socket: 3 - E27 Keyless
 Bulb: 3 - 40 A
 IP Rating: IP20 Class I



RL4801NB-EU

H: 11.4cm | W: 30.5cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL4801PN-EU

H: 11.4cm | W: 30.5cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL4802NB-EU

H: 17.8cm | W: 45.7cm
 Socket: 3 - E27 Keyless
 Bulb: 3 - 60 A
 IP Rating: IP20 Class I



RL4802PN-EU

H: 17.8cm | W: 45.7cm
 Socket: 3 - E27 Keyless
 Bulb: 3 - 60 A
 IP Rating: IP20 Class I



RL4803NB-EU

H: 11.4cm | W: 31.1cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL4803PN-EU

H: 11.4cm | W: 31.1cm
 Socket: 2 - E27 Keyless
 Bulb: 2 - 60 A
 IP Rating: IP20 Class I



RL4804NB-EU

H: 23.5cm | W: 61cm
 Socket: 6 - E27 Keyless
 Bulb: 6 - 40 A
 IP Rating: IP20 Class I



RL4804PN-EU

H: 23.5cm | W: 61cm
 Socket: 6 - E27 Keyless
 Bulb: 6 - 40 A
 IP Rating: IP20 Class I



RL4967NB/Q-EU

H: 7.6cm | W: 12.7cm
 Socket: Dedicated LED
 Bulb: 6w (500lm)
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL4967PN/Q-EU

H: 7.6cm | W: 12.7cm
 Socket: Dedicated LED
 Bulb: 6w (500lm)
 IP Rating: IP20 Class I



RL5005CG-EU

H: 104.1cm | W: 69.2cm
 Canopy: 19cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 40 C11
 IP Rating: IP20 Class I



RL5006CG-EU

H: 127.6cm | W: 79.4cm
 Canopy: 19cm Round
 Socket: 12 - E14 Candelabra | Bulb: 12 - 40 C11
 IP Rating: IP20 Class I



RL5007CG-EU

H: 104.1cm | W: 79.4cm
 Canopy: 19cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 40 C11
 IP Rating: IP20 Class I



RL5008CG-EU

Fixture H: 127.6cm | W: 115.6cm
 Canopy: 19cm Round
 Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
 IP Rating: IP20 Class I



RL5010CG-EU

H: 153.7cm | W: 127cm
 Canopy: 19cm Round
 Socket: 24 - E14 Candelabra | Bulb: 24 - 60 B
 IP Rating: IP20 Class I



RL5060BZ-WG-EU

H: 77.5cm | W: 55.9cm
 Canopy: 15.2cm Oct.
 Socket: 4 - E27 Keyless | Bulb: 4 - 40 A
 IP Rating: IP20 Class I



RL5060PN-WG-EU

H: 77.5cm | W: 55.9cm
 Canopy: 15.2cm Oct.
 Socket: 4 - E27 Keyless | Bulb: 4 - 40 A
 IP Rating: IP20 Class I



RL5064BZ-AM-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064BZ-CG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064BZ-WG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064NB-AM-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064NB-CG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064NB-WG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5064PN-CG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064PN-MG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5064PN-WG-EU

O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
 Canopy: 17.8cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5067BZ-AM-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067BZ-CG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067BZ-WG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067NB-AM-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067NB-CG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067NB-WG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067PN-CG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067PN-MG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5067PN-WG-EU

O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
 Canopy: 19cm x 76.8cm Rec.
 Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
 IP Rating: IP20 Class I



RL5080NB-EU

O/A H: 114.3cm | Fixture H: 27.9cm | W: 8.3cm
 Canopy: 11.4cm Round
 Socket: E27 Keyless | Bulb: 40 A
 IP Rating: IP20 Class I



RL5080PN-EU

O/A H: 114.3cm | Fixture H: 27.9cm | W: 8.3cm
 Canopy: 11.4cm Round
 Socket: E27 Keyless | Bulb: 40 A
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5082NB-EU

O/A H: 111.8cm | Fixture H: 40.6cm | W: 45.7cm
 Canopy: 11.4cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5082PN-EU

O/A H: 111.8cm | Fixture H: 40.6cm | W: 45.7cm
 Canopy: 11.4cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
 IP Rating: IP20 Class I



RL5086NB-EU

O/A H: 122.6cm | Fixture H: 33cm | W: 81.3cm
 Canopy: 31.1cm Round
 Socket: 20 - E14 Candelabra | Bulb: 20 - 25 B
 IP Rating: IP20 Class I



RL5086PN-EU

O/A H: 122.6cm | Fixture H: 33cm | W: 81.3cm
 Canopy: 31.1cm Round
 Socket: 20 - E14 Candelabra | Bulb: 20 - 25 B
 IP Rating: IP20 Class I



RL5089NB-EU

O/A H: 106.7cm | Fixture H: 20.3cm
 W: 122.6cm x 20.3cm
 Canopy: 11.4cm x 51.4cm Oval
 Socket: 6 - E27 Keyless | Bulb: 6 - 40 A
 IP Rating: IP20 Class I



RL5089PN-EU

O/A H: 106.7cm | Fixture H: 20.3cm
 W: 122.6cm x 20.3cm
 Canopy: 11.4cm x 51.4cm Oval
 Socket: 6 - E27 Keyless | Bulb: 6 - 40 A
 IP Rating: IP20 Class I



RL5094BS-EU

H: 148cm | W: 167.6cm
 Canopy: 15.2cm Round
 Socket: 24 - E14 Candelabra
 Bulb: 24 - 5.5 LED C11



RL5094NB-EU

H: 148cm | W: 167.6cm
 Canopy: 15.2cm Round
 Socket: 24 - E14 Candelabra
 Bulb: 24 - 5.5 LED C11



RL5098BS-CG-EU

H: 139.7cm | W: 75.6cm
 Canopy: 15.2cm Round
 Socket: 5 - E14 Candelabra
 Bulb: 5 - 5.5 LED C11



RL5098NB-CG-EU

H: 139.7cm | W: 75.6cm
 Canopy: 15.2cm Round
 Socket: 5 - E14 Candelabra
 Bulb: 5 - 5.5 LED C11



RL5101BS-CG-EU

H: 40.6cm | W: 36.2cm
 Canopy: 12.7cm Round
 Socket: 3 - E14 Keyless | Bulb: 3 - 60 B
 IP Rating: IP20 Class I



RL5101NB-CG-EU

H: 40.6cm | W: 36.2cm
 Canopy: 12.7cm Round
 Socket: 3 - E14 Keyless | Bulb: 3 - 60 B
 IP Rating: IP20 Class I



RL5103BS-CG-EU

H: 97.8cm | W: 48.9cm
 Canopy: 17.8cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 60 B
 IP Rating: IP20 Class I



RL5103NB-CG-EU

H: 97.8cm | W: 48.9cm
 Canopy: 17.8cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 60 B
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

<p>RL5114BS-EU H: 120.6cm W: 91.4cm Canopy: 10.2cm Round Socket: 12 - E14 Candelabra Bulb: 12 - 60 B IP Rating: IP20 Class I</p> 	<p>RL5120IS-BK-EU O/A H: 124.5cm Fixture H: 33cm W: 33cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 
<p>RL5120IS-IS-EU O/A H: 124.5cm Fixture H: 33cm W: 33cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 	<p>RL5120PN-PN-EU O/A H: 124.5cm Fixture H: 33cm W: 33cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 
<p>RL5120PN-WT-EU O/A H: 124.5cm Fixture H: 33cm W: 33cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 	<p>RL5121IS-BK-EU O/A H: 144.8cm Fixture H: 45.7cm W: 43.2cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 
<p>RL5121IS-IS-EU O/A H: 144.8cm Fixture H: 45.7cm W: 43.2cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 	<p>RL5121PN-PN-EU O/A H: 144.8cm Fixture H: 45.7cm W: 43.2cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 
<p>RL5121PN-WT-EU O/A H: 144.8cm Fixture H: 45.7cm W: 43.2cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 	<p>RL5122IS-BK-EU O/A H: 158.8cm Fixture H: 58.4cm W: 55.9cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 
<p>RL5122IS-IS-EU O/A H: 158.8cm Fixture H: 58.4cm W: 55.9cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 	<p>RL5122PN-PN-EU O/A H: 158.8cm Fixture H: 58.4cm W: 55.9cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 
<p>RL5122PN-WT-EU O/A H: 158.8cm Fixture H: 58.4cm W: 55.9cm Canopy: 15.9cm Round Socket: E27 Keyless Bulb: 75 A IP Rating: IP20 Class I</p> 	<p>RL5131AI-EU H: 54.6cm W: 76.2cm Canopy: 16.5cm Round Socket: 16 - E27 Keyless Bulb: 16 - 40 A IP Rating: IP20 Class I</p> 

RALPH LAUREN

EU INDEX

RL5131NB-EU

H: 54.6cm | W: 76.2cm
 Canopy: 16.5cm Round
 Socket: 16 - E27 Keyless | Bulb: 16 - 40 A
 IP Rating: IP20 Class I



RL5131PN-EU

H: 54.6cm | W: 76.2cm
 Canopy: 16.5cm Round
 Socket: 16 - E27 Keyless | Bulb: 16 - 40 A
 IP Rating: IP20 Class I



RL5132AI-EU

H: 62.2cm | W: 101.6cm
 Canopy: 16.5cm Round
 Socket: 20 - E27 Keyless | Bulb: 20 - 40 A
 IP Rating: IP20 Class I



RL5132NB-EU

H: 62.2cm | W: 101.6cm
 Canopy: 16.5cm Round
 Socket: 20 - E27 Keyless | Bulb: 20 - 40 A
 IP Rating: IP20 Class I



RL5132PN-EU

H: 62.2cm | W: 101.6cm
 Canopy: 16.5cm Round
 Socket: 20 - E27 Keyless | Bulb: 20 - 40 A
 IP Rating: IP20 Class II



RL5133AI-EU

H: 80cm | W: 127cm
 Canopy: 16.5cm Round
 Socket: 24 - E27 Keyless | Bulb: 24 - 40 A
 IP Rating: IP20 Class I



RL5133NB-EU

H: 80cm | W: 127cm
 Canopy: 16.5cm Round
 Socket: 24 - E27 Keyless | Bulb: 24 - 40 A
 IP Rating: IP20 Class I



RL5133PN-EU

H: 80cm | W: 127cm
 Canopy: 16.5cm Round
 Socket: 24 - E27 Keyless | Bulb: 24 - 40 A
 IP Rating: IP20 Class I



RL5147BZ-CG-EU

O/A H: 111.8cm | Fixture H: 32.4cm | W: 33.7cm
 Canopy: 14.6cm Round
 Socket: E27 Keyless | Bulb: 60 T
 IP Rating: IP20 Class I



RL5147NB-CG-EU

O/A H: 111.8cm | Fixture H: 32.4cm | W: 33.7cm
 Canopy: 14.6cm Round
 Socket: E27 Keyless | Bulb: 60 T
 IP Rating: IP20 Class I



RL5147PN-CG-EU

O/A H: 111.8cm | Fixture H: 32.4cm | W: 33.7cm
 Canopy: 14.6cm Round
 Socket: E27 Keyless | Bulb: 60 T
 IP Rating: IP20 Class I



RL5148BZ-CG-EU

O/A H: 111.8cm | Fixture H: 43.2cm | W: 47cm
 Canopy: 17.8cm Round
 Socket: E27 Keyless | Bulb: 60 T
 IP Rating: IP20 Class I



RL5148NB-CG-EU

O/A H: 111.8cm | Fixture H: 43.2cm | W: 47cm
 Canopy: 17.8cm Round
 Socket: E27 Keyless | Bulb: 60 T
 IP Rating: IP20 Class I



RL5148PN-CG-EU

O/A H: 111.8cm | Fixture H: 43.2cm | W: 47cm
 Canopy: 17.8cm Round
 Socket: E27 Keyless | Bulb: 60 T
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5156BZ-EU

O/A H: 198.1cm | Fixture H: 72.4cm | W: 35.6cm
 Canopy: 20.3cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL5156PN-EU

O/A H: 198.1cm | Fixture H: 72.4cm | W: 35.6cm
 Canopy: 20.3cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL5161NB-L-EU

H: 56.5cm | W: 61cm
 Canopy: 19cm Round
 Socket: 3 - E27 Keyless | Bulb: 3 - 75 A
 Shade Details: 61cm x 61cm x 27.9cm
 IP Rating: IP20 Class I



RL5161PN-L-EU

H: 56.5cm | W: 61cm
 Canopy: 19cm Round
 Socket: 3 - E27 Keyless | Bulb: 3 - 75 A
 Shade Details: 61cm x 61cm x 27.9cm
 IP Rating: IP20 Class I



RL5162NB-L-EU

H: 71.8cm | W: 81.3cm
 Canopy: 19cm Round
 Socket: 4 - E27 Keyless | Bulb: 4 - 75 A
 Shade Details: 81.3cm x 81.3cm x 35.6cm
 IP Rating: IP20 Class I



RL5162PN-L-EU

H: 71.8cm | W: 81.3cm
 Canopy: 19cm Round
 Socket: 4 - E27 Keyless | Bulb: 4 - 75 A
 Shade Details: 81.3cm x 81.3cm x 35.6cm
 IP Rating: IP20 Class I



RL5175BZ-EU

O/A H: 140.3cm | Fixture H: 43.2cm | W: 22.9cm
 Canopy: 15.2cm Round
 Socket: 3 - E14 Keyless | Bulb: 3 - 60 C
 IP Rating: IP20 Class I



RL5175NB-EU

O/A H: 140.3cm | Fixture H: 43.2cm | W: 22.9cm
 Canopy: 15.2cm Round
 Socket: 3 - E14 Keyless | Bulb: 3 - 60 C
 IP Rating: IP20 Class I



RL5175PN-EU

O/A H: 140.3cm | Fixture H: 43.2cm | W: 22.9cm
 Canopy: 15.2cm Round
 Socket: 3 - E14 Keyless | Bulb: 3 - 60 C
 IP Rating: IP20 Class I



RL5177BZ-EU

O/A H: 181.6cm | Fixture H: 78.7cm | W: 38.7cm
 Canopy: 17.8cm Round
 Socket: 4 - E14 Candelabra | Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5177NB-EU

O/A H: 181.6cm | Fixture H: 78.7cm | W: 38.7cm
 Canopy: 17.8cm Round
 Socket: 4 - E14 Candelabra | Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5177PN-EU

O/A H: 181.6cm | Fixture H: 78.7cm | W: 38.7cm
 Canopy: 17.8cm Round
 Socket: 4 - E14 Candelabra | Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5180NB-EU

H: 91.4cm | W: 40.6cm
 Canopy: 19cm Round
 Socket: 4 - E14 Candelabra | Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5180PN-EU

H: 91.4cm | W: 40.6cm
 Canopy: 19cm Round
 Socket: 4 - E14 Candelabra | Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5181NB-L-EU

H: 78.7cm | W: 76.8cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL5181PN-L-EU

H: 78.7cm | W: 76.8cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL5183NB-L-EU

H: 114.3cm | W: 109.2cm
 Canopy: 16.5cm Round
 Socket: 14 - E14 Candelabra | Bulb: 14 - 40 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL5183PN-L-EU

H: 114.3cm | W: 109.2cm
 Canopy: 16.5cm Round
 Socket: 14 - E14 Candelabra | Bulb: 14 - 40 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL5184NB-L-EU

H: 144.8cm | W: 144.8cm
 Canopy: 16.5cm Round
 Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL5184PN-L-EU

H: 144.8cm | W: 144.8cm
 Canopy: 16.5cm Round
 Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
 Shade Details: 7.6cm x 15.2cm x 12.7cm
 IP Rating: IP20 Class I



RL5205BS-EU

H: 87.6cm | W: 111.8cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra
 Bulb: 8 - 40 B
 IP Rating: IP20 Class I



RL5205NB-EU

H: 87.6cm | W: 111.8cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra
 Bulb: 8 - 40 B
 IP Rating: IP20 Class I



RL5220NB-CG-EU

O/A H: 142.2cm | Fixture H: 53.3cm | W: 33cm
 Canopy: 15.2cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL5220PN-CG-EU

O/A H: 142.2cm | Fixture H: 53.3cm | W: 33cm
 Canopy: 15.2cm Round
 Socket: E27 Keyless | Bulb: 60 A
 IP Rating: IP20 Class I



RL5224NB-EU

O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
 Canopy: 15.2cm Round
 Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
 IP Rating: IP20 Class I



RL5224NB-NB-EU

O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
 Canopy: 15.2cm Round
 Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
 IP Rating: IP20 Class I



RL5224PN-EU

O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
 Canopy: 15.2cm Round
 Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
 IP Rating: IP20 Class I



RL5224PN-PN-EU

O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
 Canopy: 15.2cm Round
 Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5231AG-S-EU

H: 111.8cm | W: 95.9cm
 Canopy: 17.1cm Round
 Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL5231ASL-S-EU

H: 111.8cm | W: 95.9cm
 Canopy: 17.1cm Round
 Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL5231GI-S-EU

H: 111.8cm | W: 95.9cm
 Canopy: 17.1cm Round
 Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL5233AG-S-EU

H: 137.2cm | W: 111.8cm
 Canopy: 17.1cm Round
 Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL5233ASL-S-EU

H: 137.2cm | W: 111.8cm
 Canopy: 17.1cm Round
 Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL5233GI-S-EU

H: 137.2cm | W: 111.8cm
 Canopy: 17.1cm Round
 Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
 Shade Details: 7.6cm x 12.7cm x 10.2cm
 IP Rating: IP20 Class I



RL5252BZ-SP-EU

H: 40.6cm | W: 76.2cm
 Canopy: 17.8cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 60 B
 IP Rating: IP20 Class I



RL5252NB-SP-EU

H: 40.6cm | W: 76.2cm
 Canopy: 17.8cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 60 B
 IP Rating: IP20 Class I



RL5252PN-SP-EU

H: 40.6cm | W: 76.2cm
 Canopy: 17.8cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 60 B
 IP Rating: IP20 Class I



RL5262CG-L-EU

H: 101.6cm | W: 104.8cm
 Canopy: 14.6cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14cm
 IP Rating: IP20 Class I



RL5311NB-EU

Fixture H: 95.9cm | W: 88.9cm
 Canopy: 12.7cm Round
 Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
 IP Rating: IP20 Class I



RL5322NB-CA-EU

O/A H: 135.9cm | Fixture H: 40.6cm | W: 101.6cm
 Canopy: 20.3cm Round
 Socket: Dedicated LED | Bulb: 33w (3000lm)
 IP Rating: IP20 Class I



RL5322PN-CA-EU

O/A H: 135.9cm | Fixture H: 40.6cm | W: 101.6cm
 Canopy: 20.3cm Round
 Socket: Dedicated LED | Bulb: 33w (3000lm)
 IP Rating: IP20 Class I



RL5400NB-WG-EU

O/A H: 124.5cm | Fixture H: 41.9cm | W: 30.5cm
 Canopy: 17.1cm Round
 Socket: 4 - E14 Candelabra | Bulb: 4 - 60 B
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

<p>RL5400PN-WG-EU O/A H: 124.5cm Fixture H: 41.9cm W: 30.5cm Canopy: 17.1cm Round Socket: 4 - E14 Candelabara Bulb: 4 - 60 B IP Rating: IP20 Class I</p>	<p>RL5402NB-WG-EU O/A H: 139.7cm Fixture H: 58.4cm W: 45.7cm Canopy: 17.1cm Round Socket: 4 - E27 Keyless Bulb: 4 - 60 B IP Rating: IP20 Class I</p>
<p>RL5402PN-WG-EU O/A H: 139.7cm Fixture H: 58.4cm W: 45.7cm Canopy: 17.1cm Round Socket: 4 - E27 Keyless Bulb: 4 - 60 B IP Rating: IP20 Class I</p>	<p>RL5415BS-WG-EU H: 59.7cm W: 35.6cm Canopy: 12.1cm Round Socket: E27 Keyless Bulb: 40 A IP Rating: IP20 Class I</p>
<p>RL5415BZ-WG-EU H: 59.7cm W: 35.6cm Canopy: 12.1cm Round Socket: E27 Keyless Bulb: 40 A IP Rating: IP20 Class I</p>	<p>RL5415NB-WG-EU H: 59.7cm W: 35.6cm Canopy: 12.1cm Round Socket: E27 Keyless Bulb: 40 A IP Rating: IP20 Class I</p>
<p>RL5461BZ-WG-EU O/A H: 127.6cm Fixture H: 54.6cm W: 41.3cm Canopy: 14cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p>	<p>RL5461NB-WG-EU O/A H: 127.6cm Fixture H: 54.6cm W: 41.3cm Canopy: 14cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p>
<p>RL5461PN-WG-EU O/A H: 127.6cm Fixture H: 54.6cm W: 41.3cm Canopy: 14cm Round Socket: E27 Keyless Bulb: 60 A IP Rating: IP20 Class I</p>	<p>RL5470BZ-WG-EU O/A H: 140.3cm Fixture H: 74.9cm W: 91.4cm Canopy: 14cm Round Socket: 5 - E27 Keyless Bulb: 5 - 60 A IP Rating: IP20 Class I</p>
<p>RL5470NB-WG-EU O/A H: 140.3cm Fixture H: 74.9cm W: 91.4cm Canopy: 14cm Round Socket: 5 - E27 Keyless Bulb: 5 - 60 A IP Rating: IP20 Class I</p>	<p>RL5470PN-WG-EU O/A H: 140.3cm Fixture H: 74.9cm W: 91.4cm Canopy: 14cm Round Socket: 5 - E27 Keyless Bulb: 5 - 60 A IP Rating: IP20 Class I</p>
<p>RL5528BN-CG-EU H: 114.3cm W: 91.4cm Canopy: 17.1cm Round Socket: 8 - E14 Candelabra Bulb: 8 - 60 C</p>	<p>RL5528BN-EU H: 114.3cm W: 91.4cm Canopy: 17.1cm Round Socket: 8 - E14 Candelabra Bulb: 8 - 60 C</p>

RALPH LAUREN

EU INDEX

RL5529BN-CG-EU

H: 111.8cm | W: 106.7cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C



RL5529BN-EU

H: 111.8cm | W: 106.7cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C



RL5530BN-CG-EU

H: 142.2cm | W: 134.6cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra
Bulb: 18 - 40 C



RL5530BN-EU

H: 142.2cm | W: 134.6cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra
Bulb: 18 - 40 C



RL5531BN-CG-EU

H: 88.9cm | W: 144.8cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C



RL5531BN-EU

H: 88.9cm | W: 144.8cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C



RL5532NB-SDL-EU

H: 129.5cm | W: 76.8cm
Canopy: 14.6cm Round
Socket: 3 - E27 Keyless
Bulb: 3 - 40 B
IP Rating: IP20 Class I



RL5532PN-CHC-EU

H: 129.5cm | W: 76.8cm
Canopy: 14.6cm Round
Socket: 3 - E27 Keyless
Bulb: 3 - 40 B
IP Rating: IP20 Class I



RL5533NB/NVY-L/NVY-EU

O/A H: 105.4cm | W: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm
IP Rating: IP20 Class I



RL5533NB/SDL-L/SDL-EU

O/A H: 105.4cm | W: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm
IP Rating: IP20 Class I



RL5533PN/CHC-L/CHC-EU

O/A H: 105.4cm | W: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm
IP Rating: IP20 Class I



RL5534NB/NVY-L/NVY-EU

H: 52.7cm | W: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm
IP Rating: IP20 Class I



RL5534NB/SDL-L/SDL-EU

H: 52.7cm | W: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm
IP Rating: IP20 Class I



RL5534PN/CHC-L/CHC-EU

H: 52.7cm | W: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm
IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5540NR-EU

H: 69.8cm | W: 109.2cm
 Canopy: 20.3cm Oct.
 Socket: 8 - E14 Candelabra | Bulb: 8 - 60 C
 IP Rating: IP20 Class I



RL5542NR-EU

Fixture H: 102.2cm | W: 167cm
 Canopy: 20.3cm Oct.
 Socket: 16 - E14 Candelabra | Bulb: 16 - 60 C
 IP Rating: IP20 Class I



RL5545NR-EU

H: 66cm | W: 137.2cm
 Canopy: 19cm Round
 Socket: 10 - E14 Candelabra | Bulb: 10 - 40 C
 IP Rating: IP20 Class I



RL5571NB/NRO-L-EU

H: 61cm | W: 76.2cm
 Canopy: 14cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 25 B
 Shade Details: 7.6cm x 19.7cm x 12.1cm
 IP Rating: IP20 Class I



RL5571PN/BKE-L-EU

H: 61cm | W: 76.2cm
 Canopy: 14cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 25 B
 Shade Details: 7.6cm x 19.7cm x 12.1cm
 IP Rating: IP20 Class I



RL5610NB/NVY-L-EU

Fixture H: 99.1cm | W: 91.4cm
 Canopy: 16.5cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5610NB/SDL-L-EU

Fixture H: 99.1cm | W: 91.4cm
 Canopy: 16.5cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5610PN/CHC-L-EU

Fixture H: 99.1cm | W: 91.4cm
 Canopy: 16.5cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5612NB/NVY-L-EU

Fixture H: 101.6cm | W: 121.3cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5612NB/SDL-L-EU

Fixture H: 101.6cm | W: 121.3cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5612PN/CHC-L-EU

Fixture H: 101.6cm | W: 121.3cm
 Canopy: 16.5cm Round
 Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5614NB/NVY-L-EU

Fixture H: 137.2cm | W: 121.9cm
 Canopy: 16.5cm Round
 Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5614NB/SDL-L-EU

Fixture H: 137.2cm | W: 121.9cm
 Canopy: 16.5cm Round
 Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RL5614PN/CHC-L-EU

Fixture H: 137.2cm | W: 121.9cm
 Canopy: 16.5cm Round
 Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
 Shade Details: 10.2cm x 15.2cm x 14.6cm
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5642BZ-CG-EU

H: 87.6cm | W: 60.3cm
 Canopy: 17.8cm Oct.
 Socket: 4 - E27 Candelabra
 Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5642NB-CG-EU

H: 87.6cm | W: 60.3cm
 Canopy: 17.8cm Oct.
 Socket: 4 - E27 Candelabra
 Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5642PN-CG-EU

H: 87.6cm | W: 60.3cm
 Canopy: 17.8cm Oct.
 Socket: 4 - E27 Candelabra
 Bulb: 4 - 60 C
 IP Rating: IP20 Class I



RL5643BZ-CG-EU

H: 110.5cm | W: 77.5cm
 Canopy: 17.8cm Oct.
 Socket: 6 - E14 Candelabra
 Bulb: 6 - 60 C
 IP Rating: IP20 Class I



RL5643NB-CG-EU

H: 110.5cm | W: 77.5cm
 Canopy: 17.8cm Oct.
 Socket: 6 - E14 Candelabra
 Bulb: 6 - 60 C
 IP Rating: IP20 Class I



RL5643PN-CG-EU

H: 110.5cm | W: 77.5cm
 Canopy: 17.8cm Oct.
 Socket: 6 - E14 Candelabra
 Bulb: 6 - 60 C
 IP Rating: IP20 Class I



RL5652NB/SDL-CG-EU

H: 64.8cm | W: 35.6cm
 Canopy: 15.2cm Round
 Socket: 3 - E14 Keyless
 Bulb: 3 - 60 B
 IP Rating: IP20 Class I



RL5652PN/CHC-CG-EU

H: 64.8cm | W: 35.6cm
 Canopy: 15.2cm Round
 Socket: 3 - E14 Keyless
 Bulb: 3 - 60 B
 IP Rating: IP20 Class I



RL5653NB/SDL-CG-EU

H: 85.1cm | W: 47cm
 Canopy: 15.2cm Round
 Socket: 3 - E27 Keyless
 Bulb: 3 - 60 T
 IP Rating: IP20 Class I



RL5653PN/CHC-CG-EU

H: 85.1cm | W: 47cm
 Canopy: 15.2cm Round
 Socket: 3 - E27 Keyless
 Bulb: 3 - 60 T
 IP Rating: IP20 Class I



RL5685WB/NB-NB-EU

H: 58.4cm | W: 120cm
 Canopy: 12.7cm Round
 Socket: 5 - E14 Candelabra
 Bulb: 5 - 6.5 LED B11
 Shade Details: 8.3cm x 21cm x 16.5cm
 IP Rating: IP20 Class I



RL5685WB/NB-WP-EU

H: 58.4cm | W: 120cm
 Canopy: 12.7cm Round
 Socket: 5 - E14 Candelabra
 Bulb: 5 - 6.5 LED B11
 Shade Details: 8.3cm x 21cm x 16.5cm
 IP Rating: IP20 Class I



RL5685WB/PN-PN-EU

H: 58.4cm | W: 120cm
 Canopy: 12.7cm Round
 Socket: 5 - E14 Candelabra
 Bulb: 5 - 6.5 LED B11
 Shade Details: 8.3cm x 21cm x 16.5cm
 IP Rating: IP20 Class I



RL5685WB/PN-WP-EU

H: 58.4cm | W: 120cm
 Canopy: 12.7cm Round
 Socket: 5 - E14 Candelabra
 Bulb: 5 - 6.5 LED B11
 Shade Details: 8.3cm x 21cm x 16.5cm
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5722BZ-EU

O/A H: 145.4cm | Fixture H: 58.4cm | W: 25.4cm
 Canopy: 11.4cm Round
 Socket: Dedicated LED | Bulb: 60w (4800 lm)
 IP Rating: IP20 Class I



RL5722NB-EU

O/A H: 145.4cm | Fixture H: 58.4cm | W: 25.4cm
 Canopy: 11.4cm Round
 Socket: Dedicated LED | Bulb: 60w (4800 lm)
 IP Rating: IP20 Class I



RL5722PN-EU

O/A H: 145.4cm | Fixture H: 58.4cm | W: 25.4cm
 Canopy: 11.4cm Round
 Socket: Dedicated LED | Bulb: 60w (4800 lm)
 IP Rating: IP20 Class I



RL5724BZ-EU

O/A H: 106cm | Fixture H: 16.5cm
 W: 125.1cm x 15.2cm
 Canopy: 11.4cm x 72.4cm Oval
 Socket: Dedicated LED | Bulb: 50w (4000lm)
 IP Rating: IP20 Class I



RL5724NB-EU

O/A H: 106cm | Fixture H: 16.5cm
 W: 125.1cm x 15.2cm
 Canopy: 11.4cm x 72.4cm Oval
 Socket: Dedicated LED | Bulb: 50w (4000lm)
 IP Rating: IP20 Class I



RL5724PN-EU

O/A H: 106cm | Fixture H: 16.5cm
 W: 125.1cm x 15.2cm
 Canopy: 11.4cm x 72.4cm Oval
 Socket: Dedicated LED | Bulb: 50w (4000lm)
 IP Rating: IP20 Class I



RL5728AI-EU

H: 66.7cm | W: 84.5cm
 Canopy: 14cm Round
 Socket: 6 - E14 Candelabra
 Bulb: 6 - 40 C
 IP Rating: IP20 Class I



RL5729AI-EU

H: 88.9cm | W: 111.8cm
 Canopy: 14cm Round
 Socket: 6 - E14 Candelabra
 Bulb: 6 - 40 C
 IP Rating: IP20 Class I



RL5730AI-EU

H: 95.2cm | W: 175.3cm
 Canopy: 14cm Round
 Socket: 12 - E14 Candelabra
 Bulb: 12 - 40 C
 IP Rating: IP20 Class I



RL5733FR-CG-EU

Fixture H: 87.6cm | W: 40.6cm
 Canopy: 13.3cm Square
 Socket: 4 - E14 Candelabra
 Bulb: 4 - 60 B
 IP Rating: IP20 Class I



RL5733WVG-CG-EU

Fixture H: 87.6cm | W: 40.6cm
 Canopy: 13.3cm Square
 Socket: 4 - E14 Candelabra
 Bulb: 4 - 60 B
 IP Rating: IP20 Class I



RL5735FR-CG-EU

Fixture H: 123.2cm | W: 57.2cm
 Canopy: 17.1cm Square
 Socket: 4 - E14 Candelabra
 Bulb: 4 - 60 B
 IP Rating: IP20 Class I



RL5735WVG-CG-EU

Fixture H: 123.2cm | W: 57.2cm
 Canopy: 17.1cm Square
 Socket: 4 - E14 Candelabra
 Bulb: 4 - 60 B
 IP Rating: IP20 Class I



RL5742AI-RG-EU

H: 105.4cm | W: 61cm
 Canopy: 20.3cm Round
 Socket: 4 - E14 Candelabra
 Bulb: 4 - 40 B
 IP Rating: IP20 Class I



RALPH LAUREN

EU INDEX

RL5742GI-RG-EU

H: 105.4cm | W: 61cm
 Canopy: 20.3cm Round
 Socket: 4 - E14 Candelabara
 Bulb: 4 - 40 B
 IP Rating: IP20 Class I



RL5752AI-EU

H: 138.4cm | W: 123.2cm
 Canopy: 19cm Round
 Socket: 12 - E14 Candelabra
 Bulb: 12 - 40 C
 IP Rating: IP20 Class I



RL5753AI-EU

H: 97.2cm | W: 173.4cm
 Canopy: 19cm Round
 Socket: 12 - E14 Candelabra
 Bulb: 12 - 40 C
 IP Rating: IP20 Class I



RL5770AI/ALB-EU

H: 52.1cm | W: 45.7cm
 Canopy: 15.2cm Square
 Socket: Dedicated LED
 Bulb: 27w (2200lm)
 IP Rating: IP20 Class I



RL5773AI/ALB-EU

H: 99.1cm | W: 71.1cm
 Canopy: 15.2cm Square
 Socket: Dedicated LED
 Bulb: 36w (2800lm)
 IP Rating: IP20 Class I



RL5781AI-EU

H: 79.4cm | W: 43.8cm | Canopy: 14.6cm Round
 Socket: 4 - E27 Candelabra | Bulb: 4 - 60 B

IP Rating: IP20 Class I



RL5782AI-EU

H: 104.1cm | W: 58.4cm
 Canopy: 14.6cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 60 B
 IP Rating: IP20 Class I



RL5783AI-EU

H: 154.9cm | W: 88.3cm
 Canopy: 14.6cm Round
 Socket: 8 - E14 Candelabra
 Bulb: 8 - 60 B
 IP Rating: IP20 Class I



RL5785NB/AI-EU

O/A H: 123.8cm | Fixture H: 26cm | W: 62.9cm
 Canopy: 12.1cm Round
 Socket: 6 - E27 Keyless | Bulb: 6 - 12 LED A19
 IP Rating: IP20 Class I



RL5788NB/AI-EU

O/A H: 122.6cm | Fixture H: 29.2cm | W: 88.3cm
 Canopy: 12.7cm Round
 Socket: 8 - E27 Keyless | Bulb: 8 - 12 LED A19
 IP Rating: IP20 Class I



RL5790NB/AI-EU

O/A H: 123.2cm | Fixture H: 24.1cm | W: 86.4cm
 Canopy: 12.7cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 5.5 LED B11
 IP Rating: IP20 Class I



RL5792NB/AI-EU

O/A H: 137.2cm | Fixture H: 36.2cm | W: 104.8cm
 Canopy: 11.4cm Round
 Socket: 6 - E14 Candelabra | Bulb: 6 - 5.5 LED B11
 IP Rating: IP20 Class I



VISUAL COMFORT & CO.

22400 Northwest Lake Drive

Houston, Texas 77095

TEL: (713) 686-5999

FAX: (713) 686-7444

info@visualcomfort.com